

SVIMS NEVER EVENTS

First introduced in 2001, the term 'Never Events' refers to shocking, egregious, unambiguous and measurable **events that should never occur in healthcare**. During the last 15 years, a list of such highly serious adverse events have been catalogued in many countries. These events result in death or significant disability and are preventable. SVIMS has started measuring each of these 'Never Events' and has put in place safety parameters to mitigate any harm with the goal to eliminate them. Thus, SVIMS become the First Health Care System in India, to voluntarily report safety record, towards continuous quality improvement. Never Events indicate fundamental safety problems within an organization or system. They are grouped into 7 categories SVIMS will choose one from each of these groupings as outlined above & will methodically put in place safety measures to eliminate them:

Never Event Category	Indicator		
	Description	Benchmark	
Care Management Events	Stage 3 & 4 Decubitus ulcer during hospital	0	
Administration of drug or biological	Mismatched Blood Transfusion with serious harm.	0	
Radiological Events	Metallic object in MRI suite causing injury	0	
Environmental Events	Falls in hospital premises with serious injury	1	
Procedure Events	Wrong site/wrong patient procedure	0	
Device Events	Foreign object unintentionally left inside body during surgery	0	
Patient Protection Events	Misidentification or missing baby	0	

On 12-07-2016, Hon'ble Health Minister, Dr. Kamineni Srinivas garu unveiled SVIMS Website reporting of one such never event, namely stage 3/4 Decubitus Ulcer.



NEVER EVENTS AT SVIMS: SERIOUS SEVEN

i. Decubitus Ulcer - stage 3 /4

Decubitus Ulcer is also known as Pressure sore/bed sore. Since the monitoring started in September 2015 after the arrival of the new Director and during the period Sep 2015 to 31st January, 2021, no stage 3 / 4 Decubitus Ulcer has developed in any patient as a result of stay at SVIMS.

Even though only stage 3 and 4 Decubitus Ulcer are considered as never events, at SVIMS nursing section has started following all patients for the identification and corrective measures for stage 1 and stage 2 Decubitus Ulcer in order to prevent them progressing to stage 3 or 4. It is to be noted that stage 2 ulcers are observed only in patients who are transferred in with decubitus ulcers and no patients at SVIMS developed any stage 2 ulcers.

Definition:

Stage I: Redness without skin breakdown.

Stage II: Skin breakdown – Epidermis and Dermis.

Stage III: Full thickness destruction through dermis into subcutaneous tissue

Stage IV: Deep tissue destruction through subcutaneous tissue to fascia muscle, bone.

Decubitus Ulcers Report Stage 1 (January 2020 to 31st January 2021)

Note : Total Hospital Census :	29422	
ICU patients	5238	20.69%
Stage 1 & 2 Decubitus ulcer incidence:		
Developed at SVIMS For the Year 2020	60	0.23%
Present on Admission For the Year 2020	90	0.38%

Decubitus Ulcers Report Stage 1 (January to December 2019)

Note : Total Hospital Census :	34078	
ICU patients	7108	20.69%
Stage 1 & 2 Decubitus ulcer incidence:		
Developed at SVIMS For the Year 2019	56	0.23%
Present on Admission For the Year 2019	76	0.38%

Decubitus Ulcers Report Stage 1 (Sept 2015 to 31st December 2018)

Note: Total Hospital Census:	31968	
ICU patients	6783	21.94%
Stage 1 & 2 Decubitus ulcer incidence:		
Developed at SVIMS For the Year 2018	55	0.17%
Present on Admission For the Year 2018	74	0.24%

	Ulcers Developed at		
Year	SVIMS	Outside	Total
2015	15	22	37
2016	51	82	133
2017	52	85	137
2018	55	77	132
2019	70	150	220
2020	22	<mark>117</mark>	<mark>139</mark>
Total	265	533	798

Decubitus Ulcers Report Stage I

Month	Ulcers D	eveloped	
	SVIMS	Outside	Total
Sept,2015	05	13	18
Oct,2015	05	02	07
Nov,2015	01	0	01
Dec,2015	04	07	11
Total (A)	15	22	37
Jan,16	09	09	18
Feb,16	05	08	13
Mar,16	03	03	06
Apr,16	09	05	14
May,16	02	07	09
Jun,16	01	06	07
Jul,16	06	08	14
Aug,16	02	04	06
Sep,16	06	08	14
Oct,16	01	05	06
Nov,16	04	08	12
Dec,16	03	11	14
Total (B)	51	82	133
Jan,17	06	14	20
Feb,17	05	08	13
Mar,17	06	08	14
Apr,17	03	06	09
May,17	05	06	11
Jun,17	09	10	19
Jul,17	04	07	11
Aug,17	02	04	06
Sep,17	04	06	10
Oct,17	04	07	11
Nov,17	02	02	04
Dec,17	02	07	09
Total (C)	52	85	137
Jan,18	06	08	14
Feb,18	07	06	13
Mar,18	04	03	07
Apr,18	06	08	14
May,18	02	06	08
Jun,18	02	12	14
July,18	0	04	04
Aug,18	04	07	11
Sep,18	11	08	19
Oct,18	05	07	12
Nov,18	05	05	10
Dec,18	03	03	06
TOTAL(D)	55	77	132

	Ulcers Developed		
Month	SVIMS	Outside	Total
January,2019	4	11	15
February,2019	10	5	15
March, 2019	09	12	21
April, 2019	3	20	23
May, 2019	16	12	28
June,2019	09	07	16
July, 2019	05	09	14
August,2019	03	11	14
September,2019	01	10	11
October,2019	04	18	22
November,2019	02	18	20
December,2019	04	17	21
Total (E)	70	150	220
January,2020	02	10	12
February,2020	03	16	19
March, 2020	02	16	18
April, 2020	02	12	14
May, 2020	02	13	15
June,2020	02	12	14
July, 2020	01	14	15
August,2020	04	11	15
September,2020	00	05	05
October,2020	01	04	05
November,2020	02	05	07
December,2020	01	04	05
Total (F)	22	122	144
Grand Total (A+B+C+D+E+F)	265	538	803

Measures taken for preventing stage III & IV. Never events incidence none.

Mismatched Blood Transfusions causing serious harm

Protocol for Prevention of Mismatched Blood Transfusion

1. Scope & Application

Never events are serious medical errors or adverse events that should never happen to a patient. Consequences include both patient harm and increased cost to the institution. Technicians and nurses provide a critical role in preventing never events through risk anticipation and adoption of evidence-based practice. Mismatched blood transfusion is one of the never events which should never happen in a hospital

2. Responsibility

- Staff nurse in donor section to correctly label the blood bag.
- The technician on duty in Red Cell Laboratory to correctly receive the blood sample and to issue the blood for which requisition is received.
- The staff concerned in the ward/OT to correctly label the sample and to transfuse the blood unit.

3. Reference

- Technical Manual, Directorate General for Health Services-2ndedition
- Model standard operating procedures for blood transfusion services, WHO
- NACO guidelines2015

4. Protocol

Checks at the donor blood collection section

- Each donor will be given a unique number and once his blood is collected, it is identified by that number only.
- Verify the donor's identity by tallying with the name on the donor card and the donor number.
- Write the segment number of the blood bag on to the donor card as a second check.
- Cross check the numbers on the bag, pilot tubes and donor card to ensure identity. Record the entry in the donor registers using the same number.

Checks while doing blood grouping and typing:

- One technician should do forward grouping from the segment of the blood bag by correlating the segment number and unique donor number with that entered in the donor card. Enter the results in the donor unit and in the donor cell grouping register.
- Another technician should do reverse grouping from the pilot tubes collected, by identifying the unique donor number. Enter the result in the serum grouping register. Both the forward and reverse grouping result should correlate each other

Checks at the component storage section

- All untested units should be kept in the unscreened Refrigerator / agitator.
- After testing is over, release the fully tested. Write clearly the unit number, date of collection and expiry and the volume on each colour coded label as per the grouping register records.
- After the bags are labelled, ask a second technician to double check the number and group on the bags tallying them with the records.

Checks in the cross matching section:

- Receive the requisition form along with the patient's blood sample. Check for patient's identity.
 Name of the patient, UHID number, age and sex should correlate with the blood sample and requisition form. Check the blood group with that of the blood group entered in the request. If there is any discrepancy, check the blood group of the received blood sample. If it correlates with the hospital information system, then ask the concerned ward staff to change in the request before proceeding with the cross matching.
- If there is no discrepancy between the HIS and the blood group in the request, proceed with the blood grouping of the patient with the currently received sample
- If there is no discrepancy then proceed with the cross matching. If still discrepancy persists, then the old blood sample might be a wrong sample. Trace back the old details and investigate where the fault is.
- Carry out compatibility testing using departmental SOP. In order to avoid outdating, implement FIFO policy
- The technician who is issuing blood should make entries in the cross matching form with counter sign from the medical officer.
- Make entries in the issue register and in the request.
- The receiving person should check the blood unit and the cross matching report from for any discrepancy

Checks at the ward/OT:

- Before administering blood component, FINAL IDENTITY -check of the patient, blood unit compatibility tag
 and the complete documentation should be done.
- Ask the patient, if conscious, to identify himself/ herself by name, spouse name, age or any other identification.
- If unconscious, ask relatives or any other staff to verify the patient's identity.
- Check that details on the compatibility tag exactly match with the documentation.
- Check the blood unit for any leakage and for any visible discoloration & expiry date
- Two different persons should do the check for patient's identity and the same should be documented.

5. Documentation

 Make necessary entries in donor register, grouping register, cross matching register, issue register, incident report register, critical value reporting register, cross matching form, case file.

STATISTICS OF WHOLE BLOOD/BLOOD COMPONENTS ISSUES AND NEVER EVENTS

S.No.	Year	Total No. of Whole Blood/ Blood Components Issued	Never events Record
1.	2014	18,062	Nil
2.	2015	17,109	Nil
3.	2016	17,807	Nil
4.	2017*	23,548	Nil
5.	2018	26,287	Nil
6.	2019**	27704	01
7.	2020	15222	Nil

*2017: One patient received blood components in 2017 minor subtype mismatched blood treated with steroid promptly without any sequelae and discharged in normal condition.

**2019: Date of Mismatch: 13th June 2019

Patient Developed Renal Failure and now recovered. Root cause analysis is in progress to identify Causative Factors and implement corrective action plans.

iii. Metallic Object in MRI Suite causing injury

MRI SAFETY REPORT

The last unexpected event in MRI occurred on 10th January 2015 at 2.30 PM where in Oxygen cylinder was pulled in the magnet. However **no patient / personnel injury** or hardware loss was suffered. **No adverse MRI events during 2016**, 2017 & also upto January 31st 2021.

To totally avoid such situation in future following steps are being followed :-

- 1. Oxygen lines are made available in preparation area
- 2. Screening at inlet for oxygen cylinders is being done
- 3. Maintenance of routine duly signed MRI safety check list for all the patients is being done since from that time no such incident has occurred in our department.

	SVIMS MRI SAFETY CHECK NT NAME/JUNID: \$\frac{1}{2}\cdot \nail \frac{1}{2}\sqrt{1}\sqrt{1}\frac{1}{2}1	DATE	7/12	
	OUESTION MRI - Littine .	TIME		
S.No	Have you had an MRI before	VES*	5:0	
1	Did you have any differ to	165*	NO*	
2	Did you have any difficulty related to the procedure		1	
4	Do you have or have you had a pacemaker, ICD or defibrillator Have you ever worked with grinding metals or had metal fragmen your eyes			
5.	Have you ever had a reaction or ill effect from MRI contrast mater (gadolinium)	rial		
6	Do you have medicine or food allergies		1	
	Do you have kidney problems or a kidney transplant?		1	
7 8 9	Do you have diabetes (high blood sugar)?		12	
9	Is there a possibility that you might be pregnant?		-	
10	Are you currently breastfeeding?	×	10	
11	Aneurysm clips, coil or graft, Vascular stent, coil, clips or clamps	-	-	
12	Heart valve replacement		1	
13	Implanted infusion pump, catheter or device		1	
14	Ear surgery/Stapes prosthesis, cochlear implant			
15	Eye prosthesis, lens implant, cyclid spring or wire, retinal tack			
16	Medication patch (nitro-glycerine, nicotine, hormones)		~	
17	Ingested camera pill for capsule endoscopy		1	
18	Currently wearing a wig, hairpiece, hair pins, magnetic fingernal or a body piercing	polish	~	
19	Do you have any wound dressings		1	
	SPECIAL NOTE: CHECK FOR			
	MRI COMPATIBLE TROLLY			
	OXYGEN CYLINDER WITH PATIENT			
Tick in	the column applicable.			
DBTAR	TUREALTI OF PATIENT: SO AS CONSENT NED AND INFORMED ABOUT SAFETY	Sat		
SIGNAT	TURE OF MRI TECHNICIAN ON DUTY Wheel	2		


sample checklist

iv. Falls in Hospital Premises Causing Serious Injury or Death

Fall Huddle Report from Nov 2015 to January31st 2021

Year	Falls	Fracture	Mild Injuries
2015 (Nov & Dec)	02	01	01
2016	16	09	07
2017	07	03	04
2018	08	-	08
2019	06	01	05
2020	2	-	03
Total	<mark>41</mark>	14	<mark>28</mark>

Fractures & Mild Injuries from Nov 2015 to January 31st 2021



Huddle Report on 1st November, 2015 to January 31st 2021

Month	Fracture	Type of Fracture	Injury	Type of Injury
Nov,15	1	Patella transversa	-	-
Dec,15	-	-	1	Patella swelling & back pain
Jan,16	1	Ulnar bone fracture	1	Mild head injury.
Feb,16	-	-	-	-
Mar,16	1	Lt.humerus fracture	1	Injury over chin.
Apr,16	-	-	1	Injury over Rt.eye brow.
May,16	1	Rt.femur fracture	2	1.Rt.parietal region injury. 2.Mild back pain.
Jun,16	-	-	1	Injury over occipital region
July,16	1	Lt.femur fracture	-	-
Aug,16	1	Left elbow ulnar region	1	Laceration over occipital region.
Sep,16	2	Medical condyle of Lt.humerus. Rt.prosthetic femur	-	-
Oct,16	-	-	-	-
Nov,16	2	Lt.distal radial & ulnar fracture. Bilateral fracture calcaneum.	-	-
Dec,16	-	-	-	-
Jan,17	-	-	-	-
Feb,17	-	-	-	-
Mar,17	1	Rt.temporal bone fracture	-	-
Apl,17	-	-	-	-
May,17	=	-	1	Mild laceration over the frontal region.
Jun,17	-	-	-	-
Jul,17	-	-	2	Swelling over left arm &occipital region. Swelling over left leg ankle.
Aug,17	-	-	-	-
Sep,17	1	Left tibia fibula fracture	-	-
Oct,17	1	Right femur fracture	-	-
Nov,17	-	-	-	-
Dec,17	-	-	1	Laceration over chin.
Jan,18	=	-	-	-
Feb,18	-	-	1	Meniscus tear.
Mar,18	-	-	-	-
Apr, 18	-	-	-	-
May'18	-	-	3	No Fall Injuries. Laceration over parietal region. Laceration over left frontal region.

lun 19				1	
Jun,18	-	<u> </u> -	-	-	
Jul,18	-	-	-	-	
Aug,18	-	-	1		
Sep 18		No falls in Sep 2018			
Oct' 18	-	Scalp hematoma at occipital region	1	Slight laceration over Rt.cheek.	
Nov'18	1	Lt.side fracture	-	-	
Dec'18		No falls in the m	onth of Dec	ember 2018	
Jan,19			1		
Feb,2019		No falls in the m	onth Februa	ary,2019	
Mar,2019	-	No falls in the m	onth March	,2019 (since 79 days)	
Apr, 2019	-	No falls in the n	nonth of Ap	ril,2019 (since 109 days)	
		Open reduction internal fixation with			
May,2019	1	plating for Lt.radius & ulna	1		
June, 2019	No falls in the month of June, 2019 (last fall 39 days back)				
July, 2019	No falls in the month of July,2019 (last fall 68 days back)				
August,2019	No falls in the month of August, 2019 (last fall 109 days back)				
September,19	No falls in the month of September, 2019 (last fall 139 days back)				
October,19 to January,20		No falls fro	om October,	,19 to January,20,	
February,2020			1	Injury in temporal region	
March,20 to 15 th		<u>-</u>		injury in temporar region	
September,20	No falls from March,20 to 15 th September,2020,				
October, 2020				Head Injury (Temporal Region)	
to December,				&	
2020	•		2	Right ankle pain	
Total	14		<mark>28</mark>		

Since starting the record in Nov 2015 to till date, no deaths in the hospital premises reported. However, the fractures and injuries are shown below.

Detailed Fall Huddle Report from 1st November 2015 to 31st January 2021

	2015									
S.N o	Name of the Resident	Injury after fall	Diagnosis	Date of fall	Time	Cause of fall	Treatment & status at discharge			
1	Patient attender	Patella transverse #	Not Applicable	November 2015	7.30 pm	Rain water stagnation & pt not taken diet more than 10 hrs	T.Dolo 650, Ranctac, Physiotherapy & shifted to BIRRD OT			
2	Staff Nurse	Patella swelling and back pain	N.A	December 2015	1.15 pm	Due to water stagnation	Strict bedrest 14 days, Volini gel, myospase			
				201						
3	Fessy worker	Fracture ulnar bone ,	N.A	January, 19 th 2016	5.30 pm	Slip from trolley while cleaning Roof	POP applied, Immobilisation of hand, voveran, Rantac, myospase			
4	Patient Attender	Head injury	N.A	January, 17 ^{tn} , 2016	12.30pm	Giddiness due to not taken diet	Inj –Rantac, Inj- Diclofenac- 1 Taxim given			
5	Patient Attender	Injury over chin 3x2 cms	N.A	March,8"1 2016	3.45 pm	Phobia regarding hospital instruments	Suturing done, minor dressing,voveron, antacids			
6	Patient	Left humerus #	N.A	March, 22 ^{na} 2016	7 am	Hypertension sudden giddiness	POP applied & shifted to BIRRD			
7	Patient	Injury over Rt.eyebrow	Metabolic Encepahal opathy	April, 26 ¹¹ 2016	11.45am	Hypertension sudden giddiness	Suturing done, minor dressing, voveron, antacids			
8	Patient	Rt.parietal region injury	Meningoma	May, 4 ^{"1} 2016	5.30 pm	Giddiness, reoccurrence history of fall	Suturing done, minor dressing, voveron, antacids			
9	Patient	Fracture Rt.femur	Dcmp with Afwith FVR	28 ¹¹ , May, 16	10.30pm	Giddiness, vomitings	Skin traction, bird consultation sent plan for sub trachetic extension			
10	Patient Attender	Mild back pain	CKD,HTN on MHD	29"', May, 2016	10:45pm	Dizziness	Tab;ultracet;local application of diclo gel			
11	Patient	Injury over Lt.fore head	Right occipital infract in parietal region	9"' ,June, 2016	4.00am	Sudden loss of muscle control, parathesia	Suturing done, minor dressing, voveron, antacids			
12	Patient	Fracture Left femur	Rt.Lung consolidati on	7"', July, 2016	7.00am	Obstructed dhoti of patient leads fall	Skin traction with 3kgs of weight			
13	Patient Attender	Fracture at Lt.elbow ulnar region	-	August, 20, 2016	12.30pm	Slip while walk	Pop applied on left elbow, Aceclopara, Rantac, Chymoralforte			
14	Patient Attender	Injury Occipital region	-	August, 29, 2016	10.30am	Went to wash room for washing cloths, slipped slippers.	Tab. Cefixime 200mg Tab. Aceclopara Inj.T.T IM given.			
15	Student	Fracture medical condyle of Lt.humerus	-	Sep 19th, 2016	2.30pm	Slipped leg	Pop applied Tab. Dolpal Tab. Chymoral forte			
16	Staff	Fractured Rt. periprosthatic femur.	-	Sept 26th, 2016	9.30am	Slipped leg.	1.Reffered to BIRRD. 2.Rt.LCLCP fixation.			
17	Patient attender	Fracture communitedLt. distal radius & ulnar fracture.	-	5 th Nov,2016	6.20am	Experienced electrical shock in bath room tap.				

S.N o	Name of the Resident	Injury after fall	Diagnosis	Date of fall	Time	Cause of fall	Treatment & status at discharge				
18	Patient	Laceration in parietal region, Calcaneum B/L, D2-L1 fracture.	Pre CRHD, Post op 7" MVR.	9"', Nov, 2016	8.30pm	Fear about ICU events. She attempt to go outside & unfortunately fell down.	Post op slab applied. Suturing & dressing done.				
		2017									
19	Patient	Rt.temporal bone fracture with laceration over lower lip	CKD diabetic nepphropathy HTN, DM, HBs AG+ve	11/03/17	At 6.30 am	Patient went to bath room for jugular access preparation due to wet area in bath room fell down	-Neurosurgery consculation done. -Tab.Chymoral forte BD -Tab.Ultracet SOS -Tab.Augmentin 625mg				
20	Patient	Mild laceration over the left & Right frontal region	CKD	17/05/17	At 12 noon	Patient went to NTRVSS room.101 for approval & the surrounding area was digged and step behind	-Dressing & suffering done over laceration & patient stable and fall injury lacerated.				
21	Patient	Swelling over left arm& occipital region	Ca. vagina & retroving positive	21/7/17	At 6.45am	Patient went to bath room repeatedly due to 3-4 episodes of loose stools. She went to bath room & fall down	-Neurosurgery dressing. -Tab.chymoral forte BD,Lokome-BD, Sporolac TID				
22	Patient	Swelling over Left ankle	Recurrent ankle pancreatitis	24/7/17	At 1.30am	Patient went to bath room suddenly slip his foot while walking & fell down.	-Inj.Tramodal SOS, Emset SOS, Gel				
23	Patient Attender	Left fibia fibula fracture	NA	27/9/17		Resident while walking through near NTRVSS R.No.101 she wearing slippers, the slippers are slipped.	-Inj.Pan 40mg BD -Inj.Dynapar 40mg IM - BIRRD consultation done. Cost applied over the fracture. Bed rest.				
24	Patient	Inter trocheonic fracture Rt.femur	Ca. recurrent meningioma Post op excision of tumor (in our Hosp 2011, Mar, 2017) with Rt.hemiplegia	02/10/17		While going to bathroom with support of assistive device (walker) suddenly he felt slight massive ramp slipped infront of bathroom and fell down.	-Tab.chymoral forte TID,Ultracet BD -Cap.OMZ 20mg OD. Plan for closed reduction & slided TID screw fixation.				
25	Patient	Laceration over chin	CLD with splenomegaly	23/12/17		While walking slippery foot slipped over floor mat & fell down & he was fasting since night.	-Inj.TT IM givenDressing doneTab.Ultracent BD, -Patient observe				
S.N	Name of the	, ,	Diagnosis	Date of fall	Time	Cause of fall	1/2hrly & not to wear. Treatment & status at				
0	Resident	fall		2018	<u> </u>		discharge				
26	Staff	Meniscus tear & swelling	-	06.02.18	pm	The Resident went to washroom for hand washing, after that she returned & while walking	Orthopaedic consultation. Ortho consultation done. Tab.Chymoral forte TID,.Limcee OD				

27	Patient	No Fall Injuries	Lt.Buccal mucosa	03.05.18	07.50 pm	the room and unfortunately fell down. The Resident shift to Radiotherapy while walking she missed step behind the room and unfortunately fell down.	Knee support trace. Avoid bending, using steps & speed walk. Advised Medical leave for 3 weeks. CT Brain Plain done, Reports shows normal. Tab. Ultracet BD.
28	Patient	Laceration over parietal region.	Primi with epilepsy with IUGR, Pop:EMLSC S.	05.05.18	7.00 am	There is no fall injuries. The Resident went to wash room to brush her teeth she suddenly attack of seizure at bath room and fell down.	Dressing & Suturing done. Inj.Levera 1gm IV.
29	Patient	Laceration over left frontal region.	Acute on CKD.	08.05.18	1.45 pm.	The Resident was restrained with bandage then she was try to sit on the bed and may be had pre syncope and fell down. Patient has psychiatric problem.	CT Brain done. Report shows normal. Tab.Chymoral forte TID, Ultracet OD
30	Patient	Small laceration over nose and left ear pinna.	Infarct Rt.occipital region. Rayanoands phenomenon	07.08.18	3.45 pm	The resident shifted to radiology for the purpose of Doppler. While waiting at corridor, the resident underwent to call her attender, unfortunately she slipped from wheel chair.	CT Brain done. Report shows normal. Mild dressing done.
31	Patient	Slight laceration over Rt.cheek	Acute Gastritis,	09.10.18	At 7am	The resident trying to stepping down from trolley suddenly she fell down.	CT Brain done. Report shows normal. Mild dressing done. Dressing over laceration.
32	Patient	Scalp hematoma at occipital region	Ca ovary	30.10.18	At 7.50am	The resident has sudden fall due to giddiness.	CT Brain done. Report shows a scalp hematoma at occipital region.
33	Patient	Lt.side fracture	Bilateral lobar infarct	19.11.18	At 3.30pm	The resident went to bathroom, after that to get she takes support of door and fell down.	X-ray hip AP & Lat.view shows Lt.side fracture.

		2019								
S/No	Name of the Resident	Injury after fall	Diagnosis	Date of fall Time		Cause of fa	ll Treatment & status			
34	Patient	SDH	Uterus sarcoma, staging laporatomy done on 03-1-19.	11-01-19	3.20pm	Giddiness.	Rt.fronto temporo parietal craniotomy & SDH Evacuation done on 17-1-19.			
35	No falls in the month February,2019									
36	No falls in the I	month March,2019	(since 79 days)							
37	No falls in the m	onth of April,2019 (s	ince 109 days)							
38	No falls in the i	month of May,201	9 (since 140 days	s)						
39	Staff Nurse	Both bones fracture at Lt.fo arm	- ore	16-0519)	2.05pm	The resident has sudden fall due to internal fixation slippage of with plating for slipper. Lt.radius and ulna.			

40	Doctor Staff	NO INJURIES	_	23-05-19	9.45am	Skid from chair (chair was broken while sitting)	NO INJURIES.
41		No falls in t	the month of June	e, 2019 (last fall 3	9 days back)		
42							
43		No falls in th	e month of Augus	st, 2019 (last fall :	109 days back)		
44		No falls in the	month of Septem	ber, 2019 (last fal	l 139 days back)		
45	P.A (Pharmacology)	No injuries	-	16.11.2019	11.30AM	Fell down while taking the phone from the switch board	-
46	Patient	No injuries	CKD	28.11.2019	2PM	washroom due to giddiness	CT Brain Plain done, Report shows normal, Tab. Ultracet BD.
47	Patient	Pain left at hip region	Ca cervix	17.12.2019	5.40PM	Fell down in washroom	Hip X-ray was done, injection Tremadal IV given
48	Patient	Injury in temporal region	CA cervix	25.02.2020	11.30AM	Fell down in washroom	X-Ray done, small injuries identified, Ortho consultation done, CT brain normal.
49	Patient	Head Injury (Temporal Region)	CA left breast	29.11.2020	12pm	While coming from washroom with attender	CT brain done, X-Ray done, General Surgery consultation done.
50	Patient	Right ankle pain	CA Rectum	19.12.2020	5am	While coming from washroom	X-Ray done and report is normal.

No. of Patients : 28
Patient Attenders : 09
Staff : 07
Student : 01

TOTAL: 45

Preventive Measures & Corrective Actions:

- 1. Side rails fixed to all trolleys in EMD & decided to be procured side rails Trolleys in future.
- 2. Fixed support handles in all toilets
- 3. Fixed support handles to ramps.
- 4. For construction of new bathrooms/toilets anti-skid tiles arranged.
- 5. Arranged caution boards while mopping the floors.
- 6. Education programmes regarding prevention of falls to nursing, physicians, allied health & administrative staff.

V. Procedure Events

In order to prevent wrong site/wrong patient procedure, SVIMS has begun implementation of WHO surgical checklist in all procedure areas. Members of SVIMS quality council (SQC) group assigned this task, will monitor & report data monthly.

Department of Anaesthesiology and Critical care	WHO SURGICAL SAFETY CHECK
	LIST

Hand over S/N	Take over S/N				Han	Hand over S/N/Anaesth Tech.				
Ward Date Time	OT Date Time				RR-	RR DateTime				
BEFORE INDUCTION OF ANAESTH	ESIA (SI	GN IN)								
Patient has confirmed	Yes	Yes No Relevant Lab Yes No Anaesthesia safety check lis						No		
			result							
Identity			ECG/ECHO/An gio			Known allergy				
Site marked/Not applicable			CXR/CT/MRI			Airway/Aspiration risk				
Consent obtained			Biochemistry			lf, yes assistance/equipment available				
Procedure			Haematology			Risk of > 0.5L(>7mL/kg in children) blood loss				
Part preparation done			Microbiology			If, yes IV access and fluid planned				
Denture/Jewellery/contact lenses			Xylocaine/Antibio	otic test o	dose giv	ven and encircled				
removed										
Double hair bun prepared for			DVT Prophylaxis	OVT Prophylaxis						
females										
NPO status(write no of hours)			Patient warming	Patient warming system/Need for active warming						
Blood group and cross matching			Blood and blood	product	availab	ility				
done										
		В	SEFORE SKIN I	NCISIO	N (TIME	OUT)				
Entire surgical team confirms	Yes	No	Surgeon shares	i		Nursing /Anaesthesia technician revie	ews			
Patient's name			Critical/Unexpect	ed step		Sterility, including indicator results				
Surgical procedure to be performed			Expected duratio	n		Equipment Issues				
Surgical site			Expected blood loss			Working suction				
Essential imaging available			Anaesthesiologist share		es	Baby tray/Crash cart				
Antibiotic prophylaxis within the last 60 minutes			Anaesthesia plar	1		Catheter/Tube/Lines				
Antibiotic re-dosing plan			Patient specific c	oncerns		Other concerns				
BEFORE PATIENT LEAVES OPERA	TING RO	OM (SI	GN OUT)							
Nurse reviews with Team Yes No		Equipment problems that need to be addressed.								
Instrument, sponge and needle			Entire team discusses conce			for patient recovery and management				
counts are correct										
Specimen labelling										
Name of the procedure recorded										

WHO check list implemented in stages starting in 2016 and monitoring continued till date.

Vi. Device Events

No Foreign object unintentionally left inside body during surgery at SVIMS during 2016 to till date.

vii. Patient Protection Events

Measures taken in SPMC Hospital to prevent baby abduction

- Standard Operating Procedures have been developed for security& ward staff in order to prevent baby abduction.
- ID tags tied to the wrist of the mother and baby immediately after delivery.
- Foot prints of the baby taken in the Case sheet/File immediately after delivery in the case sheet along with signature of responsible patient attender.
- Transfer out/discharge forms developed to transfer the baby with in hospital (Intra hospital) and outside hospital (Inter hospital), also for normal discharge.
- Baby will not be allowed to move outside of the ward without proper transfer out/discharge form and also without responsible attendant along with hospital staff.
- At the time of transfer out/discharge of the baby from the post natal ward/NICU the duty nurse along
 with doctor on duty and baby mother will sign on the transfer out/discharge slip which will be
 checked by security at Post natal ward &main entrance along with baby ID tag.
- Security guards at the Post natal ward and main entrance will record the details of the baby along with attendant details at the time of transfer out/discharge.
- CC Camera's were fixed at the entrance of the Post natal ward and at maintenance.
- Failure Modes Effects & Analysis (FMEA) done for baby abduction in July 2018 & surveillance through mock drills regularly conducted.

CODE PINK MOCK DRILL

EVENTS:

Code Pink Mock drill has conducted on 29.11.2019 at 03:00 p.m. to 03:30 p.m. at OBS Ward, SVIMS- SPMC (W) Hospital for awareness on Baby abduction.

PHOTOS:



Ward sister & Security alerting about **CODE PINK** to Main gate Security



Main gate Security receiving call about **CODE PINK**



Alerting about **CODE PINK** though Public Addressing System



Commencement of searching process from all entrance & exit points

NO BABY ABDUCTION / MISIDENTIFICATION TILL DATE AT SVIMS

+++