Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

Quality & Patient Safety

It is envisaged to **transform SVIMS into a "High Reliability Organization"** and **an "Accountable Health System".** Towards that path of transformation & global repute, the new Director / Vice Chancellor Dr. T.S.Ravikumar, on behalf of the institute, has laid out a road-map of value based health care. A major step towards this value proposition is emphasis on quality and patient safety as drivers of health system performance. To drive the performance, a programme of **SVIMS Quality Council (SQC)** is commissioned by the Director for iterative self improvement. Cataloguing, reporting, analyzing and learning from errors hasbecome the lynchpin for quality improvement in health care.

The **SQC** planning process resulted in the formation of nine focus groups and four core groups of workforce consisting of Doctors, Nurses, Administrators, Allied health staff and various other types of employees representing all segments of health system. The focus groups were formed to address: Emergency services, Never events, Medication safety, workforce/workplace safety, fire safety / disaster management, Radiation safety, Hospital Acquired Infections, Blood / injection safety and operating room / interventional areas safety. The four core groups will find sustainable solutions through – Root cause analysis of sentinel events, check lists / communications, accreditations and hospitalityservices.

Domains of SVIMS Quality Council

The groups work, on monthly deliverables and share barriers / successes, so as to find culturally competent and substantively sound sustainable solutions. The ultimate goal is to deliver **"Right Care,** to the **Right Patient** by the **Right Teams** in the **Right Place** at the **Right Time**…. ***Every Time***".

PDSA Cycle for Quality Improvement



At SVIMS, a modified PDSA (Plan, Do, Study, Act) cycle is implemented and followed, during & between monthly SQC meetings. This is termed 'Rapid Cycle Bidirectional Learning' as shown below:



This is conceived as a two month cycle of Intra-group learning, Department level learning & monthly SQC meetings.

Tools of Trade

In order to empower ever healthcare worker and to measure performance against the set goals, SVIMS has developed several Tools of the Trade and analytics. One major tool & process is “Structured Mortality & Morbidity (M&M) Review”.

a) Structured M&M format



Structure for M&M

RCA	Categorization		QI Plan
	Preventive harm	Yes	with GANTT Chart
	Patient disease	yes	
	System issue	no	
	Human factor	no	
	Knowledge deficit	None	
	Cognitive dissonance	None	
	Delay in diagnosis	yes	
	Delay in treatment	No	
	Delay in escalation of treatment	Yes	
	Error in technique	No	
	Error in treatment	No	
	Communication gap	No	
	Policy issue	None	
	People issue	None	
	Team issue	None	

SVIMS Mortality & Morbidity (M&M) Review
"Safe Practices Save Lives"

- **Until 2015**
  - monthly/ Bimonthly hospital wide mortality meetings
    - 4 cases presented (2 medical/ 2 surgical)
- **December 2015**
  - SVIMS Quality Council (SQC) formed. RCA, patient safety education & categorization of root causes started in practice.
  - Order for weekly department-wide M&M; promulgated:
- **April 2016**
  - Structure for M&M defined: RCA → categorization of contributing factors → QI plan
- **July 2016:**
  - Voluntary public reporting of quality/patient safety metrics in website
- **June 2017:**
  - Daily mortality review with assignments to responsible departments for immediate review & remedial actions.
- **January 2018:**
  - Monthly analysis of death cohorts: Pranadana cases; NTRVSS cases for further "systems redesign" & "Human factor engineering".



Development of Tools & Analytics

Tools of Trade	Analytics (Pre and Post intervention)
➢ Check lists, SOPs	➢ Hospital patient safety survey
➢ Rounding tool	➢ Staff competence, knowledge and satisfaction questionnaires
➢ Structured hand offs	➢ Mutual performance assessment
➢ Structured communication tools	➢ Measurable patient related outcomes
➢ Real case studies/ Scenarios	➢ Patient and care taker's feedback forms
➢ Simulation models	
➢ Root cause analysis models	

b) **Root Cause Analysis : Principles and striving for best practices at SVIMS.**

i) **SVIMS Policy**

http://svimstpt.ap.nic.in/quality_files/sep2018/RCA.pdf

ii) **Tools & Techniques:** FIFTH EDITION, Joint Commission Resources, Joint Commission International **https://www.jcrinc.com/assets/1/14/EBRCA15Sample.pdf**

c) In addition to outlining its unique Quality & Patient Safety initiative through 'SQC',SVIMS took a major step on June 12th 2016, coinciding with the visit of Hon'ble Health Minister, Dr. Kamineni Srinivas garu, in declaring its accountability & transparency in quality improvement and patient-centered care by announcing voluntary public reporting in four domains on 7/12/16 to start with, and reporting of many other areas to follow sequentially.

The four areas were:

1. **Code Blue**
2. **NeverEvents**
3. **Healthcare AssociatedInfections**
4. **Biomedical Equipment List and PerformanceReport**

On 14.08.2017 in keeping with 71st independence day initiatives and coinciding again with Hon'ble HealthMinister, Dr. Kamineni Srinivas garu's visit to SVIMS, an additional domain unveiled: Total Hospital Mortality trended over time.

5. **Mortality Rate: a) Net Death Rate (NDR) b) Gross Death Rate(GDR)**

Each of these can be accessed in this quality portal by **clicking here**.

SVIMS CODE BLUE

It is well recognized that preventable deaths occur in hospitals due to ‘failure to rescue’ a patient with deteriorating condition. When cardiopulmonary arrest or acute deterioration of condition occurs, appropriate resources need to be summoned to resuscitate & rescue the patient. This concept is codified in ‘CODE BLUE’. Code blue teams are in existence for many years in health systems of developed countries, but need emphasis in India. Accordingly, under the leadership of SVIMS Director a working group was formed and **CODE BLUE** is launched in June to establish the process. It is formally unveiled on **12-7-2016** by the **Hon’ble HealthMinister**.

TM



TM Application for registration of trademark for the logo is submitted and accordingly, unauthorized reproduction of the logo is prohibited.

Code Blue is a comprehensive process design for emergency responder team and response process to rescue patients and other personnel in the hospital premises. When the person sustains cardio pulmonary arrest or experiences sudden deterioration on physiologic condition Code Blue activates the afferent limb of recruiting the necessary personnel and equipments and medicines as well as the efferent limb of the response and post – responsemanagement.

Code Blue has been evolved for integration of all the stakeholders i.e., Emergency physician, Cardiologist, Anaesthetist, Emergency Nurse, ICU physician, Orderly for transportation, Pharmacist, as well as Nurse Manager, Security Officer, Medico Social Worker and Telephone Operator while attending to an emergency situation. Necessary resuscitation medicines, gadgets, including defibrillator will be made available with alacrity. Resuscitation training is imparted to all first responders.

Code Blue may be initiated from any in patient or out patient service areas of the SVIMS hospital by dialing 2525 in the intercom. The 2525 call is only for code blue to mobilize emergency responder team and not for other calls.

The process and outcomes will be monitored regularly for iterative improvement.

Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

CODE BLUE DATA

MONTH OF INITIATION OF CODE BLUE: June, 2016

PERIOD (BY YEAR)	NUMBER OF CALLS			OUTCOMES	
	Total	Initial	*Repeat	Survived	Died
June-Dec, 2016	259	235	24	45	190
Jan- Dec,2017	484	429	55	60	369
Jan - Dec, 2018	691	627	64	112	515
Total	**1434**	**1291**	**143**	**217**	**1074**

* Denotes second CODE BLUE call on a patient who survived initial resuscitation, but sustained another arrest.

Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

CODE BLUE DATA

June 2016 – December 2016

PERIOD (June 2016 to Dec 2016)	NUMBER OF CALLS			OUTCOMES	
	Total	Initial	Repeat	Survived	Died
June	33	29	4	6	23
July	58	55	3	12	43
August	35	33	2	8	25
September	33	25	8	3	22
October	33	30	3	6	24
November	28	27	1	3	24
December	39	36	3	7	29
Total	**259**	**235**	**24**	**45**	**190**

Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

CODE BLUE DATA

January 2017 – December 2017

PERIOD (Jan 2017-Dec 2017)	NUMBER OF CALLS			OUTCOMES	
	Total	Initial	Repeat	Survived	Died
January	41	38	3	5	33
February	39	36	3	6	30
March	36	35	1	5	30
April	46	36	10	2	34
May	43	38	5	5	33
June	34	31	3	5	26
July	41	40	1	6	34
August	49	44	5	4	40
September	45	39	6	2	37
October	67	58	9	12	46
November	70	63	7	13	50
December	53	45	8	6	39
TOTAL	**484**	**429**	**55**	**60**	**369**

Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

CODE BLUE DATA

January 2018 – December 2018

PERIOD (Jan 2018-Dec 2018)	NUMBER OF CALLS			OUTCOMES	
	Total	Initial	Repeat	Survived	Died
January	45	36	9	6	30
February	49	34	15	0	34
March	65	56	9	11	45
April	46	46	0	18	28
May	61	58	3	8	50
June	56	56	0	16	40
July	52	47	5	6	41
August	64	57	7	7	50
September	56	53	3	14	39
October	73	67	6	8	59
November	54	51	3	8	43
December	70	66	4	10	56
TOTAL	**691**	**627**	**64**	**112**	**515**

Sri Venkateswara Institute of Medical Sciences (SVIMS), Tirupati

CODE BLUE DATA

January 2019 – July 2019

PERIOD (Jan 2019-Feb 2019)	NUMBER OF CALLS			OUTCOMES	
	Total	Repeat	Initial	Survived	Died
January	60	03	57	09	48
February	48	01	47	11	36
March	52	02	50	06	44
April	53	04	49	11	38
May	59	04	55	10	45
June	49	04	45	08	37
July	53	08	45	06	39
TOTAL	**374**	**26**	**348**	**61**	**287**

Improving the effectiveness and long term survival analysis after Code Blue

SVIMS is currently performing 'Analysis of Code Blue outcomes in Long term Survivors'. SVIMS is also conducting audit of the effectiveness of resuscitation as well as instituting 'Debriefing' after each Code Blue call. Further, all Code Blue responders are being trained in BLS/ACLS protocol of American Heart Association, through SVIMS International Training Center, designated by AHA.

***

SVIMS NEVER EVENTS

First introduced in 2001, the term 'Never Events' refers to shocking, egregious, unambiguous and measurable **events that should never occur in healthcare**. During the last 15 years, a list of such highly serious adverse events have been catalogued in many countries. These events result in death or significant disability and are preventable. SVIMS has started measuring each of these 'Never Events' and has put in place safety parameters to mitigate any harm with the goal to eliminate them. Thus, SVIMS become the First Health Care System in India, to voluntarily report safety record, towards continuous quality improvement. Never Events indicate fundamental safety problems within an organization or system. They are grouped into 7 categories SVIMS will choose one from each of these groupings as outlined above & will methodically put in place safety measures to eliminate them:

Never Event Category	Indicator	
	Description	Benchmark
Care Management Events	Stage 3 & 4 Decubitus ulcer during hospital	**0**
Administration of drug or biological	Mismatched Blood Transfusion with serious harm.	0
Radiological Events	Metallic object in MRI suite causing injury	0
Environmental Events	Falls in hospital premises with serious injury	1
Procedure Events	Wrong site/wrong patient procedure	0
Device Events	Foreign object unintentionally left inside body during surgery	0
Patient Protection Events	Misidentification or missing baby	0

On 12-07-2016, Hon'ble Health Minister, Dr. Kamineni Srinivas garu unveiled SVIMS Website reporting of **one such never event, namely stage 3 / 4 Decubitus Ulcer.** On 9-12-2016, to coincide with **"World Patient Safety Day'**, Director-cum-VC of SVIMS Dr.T.S.Ravikumar unveiled ('go live') the full spectrum of Seven Never Events listed, under the banner **'Serious Seven'**

NEVER EVENTS AT SVIMS : SERIOUS SEVEN

i. Decubitus Ulcer - stage 3 /4

Decubitus Ulcer is also known as Pressure sore/bed sore. Since the monitoring started in September 2015 after the arrival of the new Director and **during the period Sep 2015 to 31st July, 2019, no stage 3 / 4 Decubitus Ulcer has developed in any patient as a result of stay at SVIMS.**

Even though only stage 3 and 4 Decubitus Ulcer are considered as never events, at SVIMS nursing section has started following all patients for the identification and corrective measures for stage 1 and stage 2 Decubitus Ulcer in order to prevent them progressing to stage 3 or 4. It is to be noted that stage 2 ulcers are observed only in patients who are transferred in with decubitus ulcers and no patients at SVIMS developed any stage 2 ulcers.

Definition:

Stage I: Redness without skin breakdown.
Stage II: Skin breakdown – Epidermis and Dermis.
Stage III: Full thickness destruction through dermis into subcutaneous tissue
Stage IV: Deep tissue destruction through subcutaneous tissue to fascia muscle, bone.

Decubitus Ulcers Report Stage 1 (January 2019 to 31st July 2019)

Note : Total Hospital Census :	19389	
ICU patients	**3943**	**20.33%**
Stage 1 & 2 Decubitus ulcer incidence:		
Developed at SVIMS For the Year 2019	56	0.28%
Present on Admission For the Year 2019	76	0.39%

Decubitus Ulcers Report Stage 1 (Sept 2015 to 31st December 2018)

Note : Total Hospital Census :	31968	
ICU patients	6783	21.94%
Stage 1 & 2 Decubitus ulcer incidence:		
Developed at SVIMS For the Year 2018	55	0.17%
Present on Admission For the Year 2018	74	0.24%

	Ulcers Developed at		
Year	**SVIMS**	**Outside**	**Total**
2015	15	22	37
2016	51	82	133
2017	52	85	137
2018	55	77	132
2019 upto 31st july	56	76	132
Total	**229**	**342**	**571**

Decubitus Ulcers Report Stage I

Month	Ulcers Developed		
	SVIMS	Outside	Total
Sept,2015	05	13	18
Oct,2015	05	02	07
Nov,2015	01	0	01
Dec,2015	04	07	11
Total (A)	**15**	**22**	**37**
Jan,16	09	09	18
Feb,16	05	08	13
Mar,16	03	03	06
Apr,16	09	05	14
May,16	02	07	09
Jun,16	01	06	07
Jul,16	06	08	14
Aug,16	02	04	06
Sep,16	06	08	14
Oct,16	01	05	06
Nov,16	04	08	12
Dec,16	03	11	14
Total (B)	**51**	**82**	**133**
Jan,17	06	14	20
Feb,17	05	08	13
Mar,17	06	08	14
Apr,17	03	06	09
May,17	05	06	11
Jun,17	09	10	19
Jul,17	04	07	11
Aug,17	02	04	06
Sep,17	04	06	10
Oct,17	04	07	11
Nov,17	02	02	04
Dec,17	02	07	09
Total (C)	**52**	**85**	**137**
Jan,18	06	08	14
Feb,18	07	06	13
Mar,18	04	03	07
Apr,18	06	08	14
May,18	02	06	08
Jun,18	02	12	14
July,18	0	04	04
Aug,18	04	07	11
Sep,18	11	08	19
Oct,18	05	07	12
Nov,18	05	05	10
Dec,18	03	03	06
TOTAL(D)	**55**	**77**	**132**

Month	Ulcers Developed		
	SVIMS	Outside	Total
January,2019	4	11	15
February,2019	10	5	15
March, 2019	09	12	21
April, 2019	3	20	23
May, 2019	16	12	28
June,2019	09	07	16
July, 2019	05	09	14
Total (E)	**56**	**76**	**132**
Grand Total (A+B+C+D+E)	**229**	**342**	**571**

Measures taken for preventing stage III & IV. Never events incidence none.

Mismatched Blood Transfusions causing serious harm

Protocol for Prevention of Mismatched Blood Transfusion

1. Scope & Application

Never events are serious medical errors or adverse events that should never happen to a patient. Consequences include both patient harm and increased cost to the institution. Technicians and nurses provide a critical role in preventing never events through risk anticipation and adoption of evidence-based practice. Mismatched blood transfusion is one of the never events which should never happen in a hospital

2. Responsibility

- Staff nurse in donor section to correctly label the blood bag.
- The technician on duty in Red Cell Laboratory to correctly receive the blood sample and to issue the blood for which requisition is received.
- The staff concerned in the ward/OT to correctly label the sample and to transfuse the blood unit.

3. Reference

- Technical Manual, Directorate General for Health Services-2ndedition
- Model standard operating procedures for blood transfusion services, WHO
- NACO guidelines2015

4. Protocol

Checks at the donor blood collection section

- Each donor will be given a unique number and once his blood is collected, it is identified by that number only.
- Verify the donor's identity by tallying with the name on the donor card and the donor number.
- Write the segment number of the blood bag on to the donor card as a second check.
- Cross check the numbers on the bag, pilot tubes and donor card to ensure identity. Record the entry in the donor registers using the same number.

Checks while doing blood grouping and typing:

- One technician should do forward grouping from the segment of the blood bag by correlating the segment number and unique donor number with that entered in the donor card. Enter the results in the donor unit and in the donor cell grouping register.
- Another technician should do reverse grouping from the pilot tubes collected, by identifying the unique donor number. Enter the result in the serum grouping register. Both the forward and reverse grouping result should correlate each other

Checks at the component storage section

- All untested units should be kept in the unscreened Refrigerator / agitator.

- After testing is over, release the fully tested. Write clearly the unit number, date of collection and expiry and the volume on each colour coded label as per the grouping register records.
- After the bags are labelled, ask a second technician to double check the number and group on the bags tallying them with the records.

Checks in the cross matching section:

- Receive the requisition form along with the patient's blood sample. Check for patient's identity. Name of the patient, UHID number, age and sex should correlate with the blood sample and requisition form. Check the blood group with that of the blood group entered in the request. If there is any discrepancy, check the blood group of the received blood sample. If it correlates with the hospital information system, then ask the concerned ward staff to change in the request before proceeding with the cross matching.
- If there is no discrepancy between the HIS and the blood group in the request, proceed with the blood grouping of the patient with the currently received sample
- If there is no discrepancy then proceed with the cross matching. If still discrepancy persists, then the old blood sample might be a wrong sample. Trace back the old details and investigate where the fault is.
- Carry out compatibility testing using departmental SOP. In order to avoid outdating, implement FIFO policy
- The technician who is issuing blood should make entries in the cross matching form with counter sign from the medical officer.
- Make entries in the issue register and in the request.
- The receiving person should check the blood unit and the cross matching report from for any discrepancy

Checks at the ward/OT:

- Before administering blood component, FINAL IDENTITY -check of the patient, blood unit compatibility tag and the complete documentation should be done.
- Ask the patient, if conscious, to identify himself/ herself by name, spouse name, age or any other identification.
- If unconscious, ask relatives or any other staff to verify the patient's identity.
- Check that details on the compatibility tag exactly match with the documentation.
- Check the blood unit for any leakage and for any visible discoloration & expiry date
- Two different persons should do the check for patient's identity and the same should be documented.

5. Documentation

- Make necessary entries in donor register, grouping register, cross matching register, issue register, incident report register, critical value reporting register, cross matching form, case file.

STATISTICS OF WHOLE BLOOD/BLOOD COMPONENTS ISSUES AND NEVER EVENTS

S.No.	Year	Total No. of Whole Blood/ Blood Components Issued	Never events Record
1.	2014	18,062	Nil
2.	2015	17,109	Nil
3.	2016	17,807	Nil
4.	2017*	23,548	Nil
5.	2018	26,287	Nil
6.	2019**	15,388 (Till July)**	01

*2017: One patient received blood components in 2017 minor subtype mismatched blood treated with steroid promptly without any sequelae and discharged in normal condition.

**2019: Date of Mismatch: 13th June 2019

Patient Developed Renal Failure and now recovered. Root cause analysis is in progress to identify Causative Factors and implement corrective action plans.

iii. Metallic Object in MRI Suite causing injury

MRI SAFETY REPORT

The last unexpected event in MRI occurred on 10th January 2015 at 2.30 PM where in Oxygen cylinder was pulled in the magnet. However **no patient / personnel injury** or hardware loss was suffered. **No adverse MRI events during 2016, 2017 & also upto July 31st , 2019.**

To totally avoid such situation in future following steps are being followed :-

1. Oxygen lines are made available in preparation area
2. Screening at inlet for oxygen cylinders is being done
3. Maintenance of routine duly signed MRI safety check list for all the patients is being done since from that time no such incident has occurred in our department.



SVIMS MRI SAFETY CHECK LIST

PATIENT NAME/UHID: K. Vishnu Priya
MRI PART TO BE EXAMINED: MRI - L Spine.
DATE: 7/12/16
TIME: 8:00 AM

S.No	QUESTION	YES*	NO*
1	Have you had an MRI before		✓
2	Did you have any difficulty related to the procedure		✓
3	Do you have or have you had a pacemaker, ICD or defibrillator		✓
4	Have you ever worked with grinding metals or had metal fragments in your eyes		✓
5	Have you ever had a reaction or ill effect from MRI contrast material (gadolinium)		✓
6	Do you have medicine or food allergies		✓
7	Do you have kidney problems or a kidney transplant?		✓
8	Do you have diabetes (high blood sugar)?		✓
9	Is there a possibility that you might be pregnant?		✓
10	Are you currently breastfeeding?	✗	✓
11	Aneurysm clips, coil or graft, Vascular stent, coil, clips or clamps		✓
12	Heart valve replacement		✓
13	Implanted infusion pump, catheter or device		✓
14	Ear surgery/Stapes prosthesis, cochlear implant		✓
15	Eye prosthesis, lens implant, eyelid spring or wire, retinal tack		✓
16	Medication patch (nitro-glycerine, nicotine, hormones)		✓
17	Ingested camera pill for capsule endoscopy		✓
18	Currently wearing a wig, hairpiece, hair pins, magnetic fingernail polish or a body piercing		✓
19	Do you have any wound dressings		✓

SPECIAL NOTE:CHECK FOR
MRI COMPATIBLE TROLLY
OXYGEN CYLINDER WITH PATIENT

*Tick in the column applicable.

SIGNATURE/LTI OF PATIENT: SO AS CONSENT OBTAINED AND INFORMED ABOUT SAFETY

SIGNATURE OF MRI TECHNICIAN ON DUTY

sample checklist

iv. Falls in Hospital Premises Causing Serious Injury or Death

Fall Huddle Report from Nov 2015 to July, 2019

Year	Falls	Fracture	Mild Injuries
2015 (Nov & Dec)	02	01	01
2016	16	09	07
2017	07	03	04
2018	08	-	08
2019	03	01	02
Total	36	14	22

Fractures & Mild Injuries from Nov 2015 to July 2019



Huddle Report on 1st November, 2015 to July, 2019

Month	Fracture	Type of Fracture	Injury	Type of Injury
Nov,15	1	Patella transversa	-	-
Dec,15	-	-	1	Patella swelling & back pain
Jan,16	1	Ulnar bone fracture	1	Mild head injury.
Feb,16	-	-	-	-
Mar,16	1	Lt.humerus fracture	1	Injury over chin.
Apr,16	-	-	1	Injury over Rt.eye brow.
May,16	1	Rt.femur fracture	2	1.Rt.parietal region injury. 2.Mild back pain.
Jun,16	-	-	1	Injury over occipital region
July,16	1	Lt.femur fracture	-	-
Aug,16	1	Left elbow ulnar region	1	Laceration over occipital region.
Sep,16	2	Medical condyle of Lt.humerus. Rt.prosthetic femur	-	-
Oct,16	-	-	-	-
Nov,16	2	Lt.distal radial & ulnar fracture. Bilateral fracture calcaneum.	-	-
Dec,16	-	-	-	-
Jan,17	-	-	-	-
Feb,17	-	-	-	-
Mar,17	1	Rt.temporal bone fracture	-	-
Apl,17	-	-	-	-
May,17	-	-	1	Mild laceration over the frontal region.
Jun,17	-	-	-	-
Jul,17	-	-	2	Swelling over left arm &occipital region. Swelling over left leg ankle.
Aug,17	-	-	-	-
Sep,17	1	Left tibia fibula fracture	-	-
Oct,17	1	Right femur fracture	-	-
Nov,17	-	-	-	-
Dec,17	-	-	1	Laceration over chin.
Jan,18	-	-	-	-
Feb,18	-	-	1	Meniscus tear.
Mar,18	-	-	-	-
Apr, 18	-	-	-	-
May'18	-	-	3	No Fall Injuries. Laceration over parietal region. Laceration over left frontal region.
Jun,18	-	-	-	-
Jul,18	-	-	-	-
Aug,18	-	-	1	
Sep 18		No falls in Sep 2018		
Oct' 18	-	Scalp hematoma at occipital region	1	Slight laceration over Rt.cheek.
Nov'18	1	Lt.side fracture	-	-
Dec'18		No falls in the month of December 2018		
Jan,19			1	
Feb,2019		No falls in the month February,2019		
Mar,2019	-	No falls in the month March,2019 (since 79 days)		
Apr, 2019	-	No falls in the month of April,2019 (since 109 days)		
May,2019	1	Open reduction internal fixation with plating for Lt.radius & ulna	1	
June, 2019		No falls in the month of June,2019 (last fall 39 days back)		
July, 2019		No falls in the month of June,2019 (last fall 68 days back)		
Total	**14**		**22**	

Since starting the record in Nov 2015 to till date, no deaths in the hospital premises reported. However, the fractures and injuries are shown below.

Detailed Fall Huddle Report from 1st November 2015 to 31st July 2019

S.No	Name of the Resident	Injury after fall	Diagnosis	Date of fall	Time	Cause of fall	Treatment & status at discharge
	2015						
1	Patient attender	Patella transverse #	Not Applicable	November 2015	7.30 pm	Rain water stagnation & pt not taken diet more than 10 hrs	T.Dolo 650, Ranctac, Physiotherapy & shifted to BIRRD OT
2	Staff Nurse	Patella swelling and back pain	N.A	December 2015	1.15 pm	Due to water stagnation	Strict bedrest 14 days, Volini gel, myospase
	2016						
3	Fessy worker	Fracture ulnar bone ,	N.A	January, 19th 2016	5.30 pm	Slip from trolley while cleaning Roof	POP applied, Immobilisation of hand, voveran, Rantac, myospase
4	Patient Attender	Head injury	N.A	January, 17th, 2016	12.30pm	Giddiness due to not taken diet	Inj –Rantac, Inj-Diclofenac- 1 Taxim given
5	Patient Attender	Injury over chin 3x2 cms	N.A	March,8th 2016	3.45 pm	Phobia regarding hospital instruments	Suturing done, minor dressing,voveron, antacids
6	Patient	Left humerus #	N.A	March, 22nd 2016	7 am	Hypertension sudden giddiness	POP applied & shifted to BIRRD
7	Patient	Injury over Rt.eyebrow	Metabolic Encepahal opathy	April, 26th 2016	11.45am	Hypertension sudden giddiness	Suturing done, minor dressing, voveron, antacids
8	Patient	Rt.parietal region injury	Meningoma	May, 4th 2016	5.30 pm	Giddiness, reoccurrence history of fall	Suturing done, minor dressing, voveron, antacids
9	Patient	Fracture Rt.femur	Dcmp with Afwith FVR	28th, May, 16	10.30pm	Giddiness, vomitings	Skin traction, bird consultation sent plan for sub trachetic extension
10	Patient Attender	Mild back pain	CKD,HTN on MHD	29th, May, 2016	10:45pm	Dizziness	Tab;ultracet;local application of diclo gel
11	Patient	Injury over Lt.fore head	Right occipital infract in parietal region	9th ,June, 2016	4.00am	Sudden loss of muscle control, parathesia	Suturing done, minor dressing, voveron, antacids
12	Patient	Fracture Left femur	Rt.Lung consolidation	7th, July, 2016	7.00am	Obstructed dhoti of patient leads fall	Skin traction with 3kgs of weight
13	Patient Attender	Fracture at Lt.elbow ulnar region	-	August, 20, 2016	12.30pm	Slip while walk	Pop applied on left elbow, Aceclopara, Rantac, Chymoralforte
14	Patient Attender	Injury Occipital region	-	August, 29, 2016	10.30am	Went to wash room for washing cloths, slipped slippers.	Tab. Cefixime 200mg Tab. Aceclopara Inj.T.T IM given.
15	Student	Fracture medical condyle of Lt.humerus	-	Sep 19th, 2016	2.30pm	Slipped leg	Pop applied Tab. Dolpal Tab. Chymoral forte
16	Staff	Fractured Rt. periprosthatic femur.	-	Sept 26th, 2016	9.30am	Slipped leg.	1.Reffered to BIRRD. 2.Rt.LCLCP fixation.
17	Patient attender	Fracture communitedLt. distal radius & ulnar fracture.	-	5th Nov,2016	6.20am	Experienced electrical shock in bath room tap.	

S.No	Name of the Resident	Injury after fall	Diagnosis	Date of fall	Time	Cause of fall	Treatment & status at discharge
18	Patient	Laceration in parietal region, Calcaneum B/L, D2-L1 fracture.	Pre CRHD, Post op 7th MVR.	9th, Nov, 2016	8.30pm	Fear about ICU events. She attempt to go outside & unfortunately fell down.	Post op slab applied. Suturing & dressing done.
	2017						
19	Patient	Rt.temporal bone fracture with laceration over lower lip	CKD diabetic nepphropathy HTN, DM, HBs AG+ve	11/03/17	At 6.30 am	Patient went to bath room for jugular access preparation due to wet area in bath room fell down	-Neurosurgery consculation done. -Tab.Chymoral forte BD -Tab.Ultracet SOS -Tab.Augmentin 625mg
20	Patient	Mild laceration over the left & Right frontal region	CKD	17/05/17	At 12 noon	Patient went to NTRVSS room.101 for approval & the surrounding area was digged and step behind	-Dressing & suffering done over laceration & patient stable and fall injury lacerated.
21	Patient	Swelling over left arm& occipital region	Ca. vagina & retroving positive	21/7/17	At 6.45am	Patient went to bath room repeatedly due to 3-4 episodes of loose stools. She went to bath room & fall down	-Neurosurgery dressing. -Tab.chymoral forte BD,Lokome-BD, Sporolac TID
22	Patient	Swelling over Left ankle	Recurrent ankle pancreatitis	24/7/17	At 1.30am	Patient went to bath room suddenly slip his foot while walking & fell down.	-Inj.Tramodal SOS, Emset SOS, Gel
23	Patient Attender	Left fibia fibula fracture	NA	27/9/17		Resident while walking through near NTRVSS R.No.101 she wearing slippers, the slippers are slipped .	-Inj.Pan 40mg BD -Inj.Dynapar 40mg IM - BIRRD consultation done. Cost applied over the fracture. Bed rest.
24	Patient	Inter trocheonic fracture Rt.femur	Ca. recurrent meningioma Post op excision of tumor (in our Hosp 2011, Mar, 2017) with Rt.hemiplegia	02/10/17		While going to bathroom with support of assistive device (walker) suddenly he felt slight massive ramp slipped infront of bathroom and fell down.	-Tab.chymoral forte TID,Ultracet BD -Cap.OMZ 20mg OD. Plan for closed reduction & slided TID screw fixation.
25	Patient	Laceration over chin	CLD with splenomegaly	23/12/17		While walking slippery foot slipped over floor mat & fell down & he was fasting since night.	-Inj.TT IM given. -Dressing done. -Tab.Ultracent BD, -Patient observe 1/2hrly & not to wear.
S.No	**Name of the Resident**	**Injury after fall**	**Diagnosis**	**Date of fall**	**Time**	**Cause of fall**	**Treatment & status at discharge**
	2018						
26	Staff	Meniscus tear & swelling	-	06.02.18	9.45 pm	The Resident went to washroom for hand washing, after that she returned & while walking she missed step behind	Orthopaedic consultation. Ortho consultation done. Tab.Chymoral forte TID,.Limcee OD

						the room and unfortunately fell down.	Knee support trace. Avoid bending, using steps & speed walk. Advised Medical leave for 3 weeks.
27	Patient	No Fall Injuries	Lt.Buccal mucosa	03.05.18	07.50 pm	The Resident shift to Radiotherapy while walking she missed step behind the room and unfortunately fell down. There is no fall injuries.	CT Brain Plain done, Reports shows normal. Tab. Ultracet BD.
28	Patient	Laceration over parietal region.	Primi with epilepsy with IUGR, Pop:EMLSCS.	05.05.18	7.00 am	The Resident went to wash room to brush her teeth she suddenly attack of seizure at bath room and fell down.	Dressing & Suturing done. Inj.Levera 1gm IV.
29	Patient	Laceration over left frontal region.	Acute on CKD.	08.05.18	1.45 pm.	The Resident was restrained with bandage then she was try to sit on the bed and may be had pre syncope and fell down. Patient has psychiatric problem.	CT Brain done. Report shows normal. Tab.Chymoral forte TID, Ultracet OD
30	Patient	Small laceration over nose and left ear pinna.	Infarct Rt.occipital region. Rayanoands phenomenon	07.08.18	3.45 pm	The resident shifted to radiology for the purpose of Doppler. While waiting at corridor, the resident underwent to call her attender, unfortunately she slipped from wheel chair.	CT Brain done. Report shows normal. Mild dressing done.
31	Patient	Slight laceration over Rt.cheek	Acute Gastritis,	09.10.18	At 7am	The resident trying to stepping down from trolley suddenly she fell down.	CT Brain done. Report shows normal. Mild dressing done. Dressing over laceration.
32	Patient	Scalp hematoma at occipital region	Ca ovary	30.10.18	At 7.50am	The resident has sudden fall due to giddiness.	CT Brain done. Report shows a scalp hematoma at occipital region.
33	Patient	Lt.side fracture	Bilateral lobar infarct	19.11.18	At 3.30pm	The resident went to bathroom, after that to get she takes support of door and fell down.	X-ray hip AP & Lat.view shows Lt.side fracture.

	2019						
S/No	**Name of the Resident**	**Injury after fall**	**Diagnosis**	**Date of fall**	**Time**	**Cause of fall**	**Treatment & status**
34	Patient	SDH	Uterus sarcoma, staging laporatomy done on 03-1-19.	11-01-19	3.20pm	Giddiness.	Rt.fronto temporo parietal craniotomy & SDH Evacuation done on 17-1-19.
35	No falls in the month February,2019						
36	No falls in the month March,2019 (since 79 days)						
37	No falls in the month of April,2019 (since 109 days)						
38	No falls in the month of May,2019 (since 140 days)						
39	Staff Nurse	Both bones fracture at Lt.fore arm	-	16-05.-19	2.05pm	The resident has sudden fall due to slippage of slipper.	Open reduction internal fixation with plating for Lt.radius and ulna.

40	Doctor Staff	NO INJURIES	-	23-05-19	9.45am	Skid from chair (chair was broken while sitting)	NO INJURIES.
41	No falls in the month of June, 2019 (last fall 39 days back)						
42	No falls in the month of July, 2019 (last fall 68 days back)						

Patients : 23
Patient Attenders : 06
Staff : 06
Student : 01

TOTAL : 36

Preventive Measures & Corrective Actions:

1. Side rails fixed to all trolleys in EMD & decided to be procured side rails Trolleys in future.
2. Fixed support handles in all toilets
3. Fixed support handles to ramps.
4. For construction of new bathrooms/toilets anti-skid tiles arranged.
5. Arranged caution boards while mopping the floors.
6. Education programmes regarding prevention of falls to nursing, physicians, allied health & administrative staff.

V. Procedure Events

In order to prevent wrong site/wrong patient procedure, SVIMS has begun implementation of WHO surgical checklist in all procedure areas. Members of SVIMS quality council (SQC) group assigned this task, will monitor & report data monthly.

Department of Anaesthesiology and Critical care	**WHO SURGICAL SAFETY CHECK LIST**

Hand over S/N **Ward---------- Date----- Time----**	**Take over S/N** **OT---------- Date-------- Time ------**	**Hand over S/N/Anaesth Tech.** **RR---------- Date----------Time---------**

BEFORE INDUCTION OF ANAESTHESIA (SIGN IN)								
Patient has confirmed	**Yes**	**No**	**Relevant Lab result**	**Yes**	**No**	**Anaesthesia safety check list**	**Yes**	**No**
Identity			ECG/ECHO/Angio			Known allergy		
Site marked/Not applicable			CXR/CT/MRI			Airway/Aspiration risk		
Consent obtained			Biochemistry			If, yes assistance/equipment available		
Procedure			Haematology			Risk of > 0.5L(>7mL/kg in children) blood loss		
Part preparation done			Microbiology			If, yes IV access and fluid planned		
Denture/Jewellery/contact lenses removed			Xylocaine/Antibiotic test dose given and encircled					
Double hair bun prepared for females			DVT Prophylaxis					
NPO status(write no of hours)			Patient warming system/Need for active warming					
Blood group and cross matching done			Blood and blood product availability					

BEFORE SKIN INCISION (TIME OUT)				
Entire surgical team confirms	**Yes**	**No**	**Surgeon shares**	**Nursing /Anaesthesia technician reviews**
Patient's name			Critical/Unexpected step	Sterility, including indicator results
Surgical procedure to be performed			Expected duration	Equipment Issues
Surgical site			Expected blood loss	Working suction
Essential imaging available			**Anaesthesiologist shares**	Baby tray/Crash cart
Antibiotic prophylaxis within the last 60 minutes			Anaesthesia plan	Catheter/Tube/Lines
Antibiotic re-dosing plan			Patient specific concerns	Other concerns

BEFORE PATIENT LEAVES OPERATING ROOM (SIGN OUT)			
Nurse reviews with Team	**Yes**	**No**	Equipment problems that need to be addressed.
Instrument, sponge and needle counts are correct			Entire team discusses concerns for patient recovery and management
Specimen labelling			
Name of the procedure recorded			

WHO check list implemented in stages starting in 2016 and monitoring continued till date.

vi. Device Events

No Foreign object unintentionally left inside body during surgery at SVIMS during 2016-18 till date.

vii. Patient Protection Events

Measures taken in SPMC Hospital to prevent baby abduction

- Standard Operating Procedures have been developed for security& ward staff in order to prevent baby abduction.
- ID tags tied to the wrist of the mother and baby immediately after delivery.
- Foot prints of the baby taken in the Case sheet/File immediately after delivery in the case sheet along with signature of responsible patient attender.
- Transfer out/discharge forms developed to transfer the baby with in hospital (Intra hospital) and outside hospital (Inter hospital), also for normal discharge.
- Baby will not be allowed to move outside of the ward without proper transfer out/discharge form and also without responsible attendant along with hospital staff.
- At the time of transfer out/discharge of the baby from the post natal ward/NICU the duty nurse along with doctor on duty and baby mother will sign on the transfer out/discharge slip which will be checked by security at Post natal ward &main entrance along with baby ID tag.
- Security guards at the Post natal ward and main entrance will record the details of the baby along with attendant details at the time of transfer out/discharge.
- CC Camera's were fixed at the entrance of the Post natal ward and at maintenance.
- Failure Modes Effects & Analysis (FMEA) done for baby abduction in July 2018 & surveillance through mock drills regularly conducted.

NO BABY ABDUCTION / MISIDENTIFICATION TILL DATE AT SVIMS

***




Healthcare Associated Infections (HAI)

Between 5% and 10% of patients admitted to hospitals acquire one or more infections, based on reporting data largely from developed countries. In the USA, it is reported that 1 out of every 136 hospital patients becomes seriously ill as a result of acquiring an infection in the hospital. It is estimated that in developing countries (including India) the risk of Healthcare Associated Infections (HAI) is 2 to 20 times higher than in developed countries. In India, indiscriminate use of antibiotics both in community settings and in hospital settings contributes to development of antibiotic resistance. Further there is need for robust reporting of HAI in India. This 'double-edged-sword' of indiscriminate antibiotic use and lack of reporting of healthcare associated infections needs to be addressed. The Director-cum-Vice Chancellor of SVIMS Dr. T.S.Ravikumar announced that SVIMS is taking a step forward to contribute in containing HAI in India. Adapting international guidelines (eg WHO, CDC) SVIMS is invoking a ten pronged strategy. One key component is 'Antimicrobial Stewardship', which aims to optimize antibiotic use among patients in order to reduce antibiotic resistance, improve patient outcomes and safety and ensure cost effective therapy. Hon'ble Health Minister of Andhra Pradesh, Dr. Kamineni Srinivas garu released the first edition of "SVIMS Antimicrobial Stewardship pocket guide" on 12.07.2016. This is revised 6 monthly and new editions are released every January and July to inform all health care personnel (doctors, nurses, and allied health staff) of pathogen surveillance, antimicrobial use, infection control measures and outcomes. This programme is jointly monitored by Hospital Infection Control Committee and SVIMS QualityCouncil.

CONTENTS

1. Ten Pronged Strategy

2. Hospital Infection Control (HIC) Committees

3. HIC Terms of Reference

4. Hand Hygiene

5. Outcomes & KPIs for Infection

    i) VAP
    ii) CLABSI
    iii) CAUTI
    iv) SSI
    v) Standardized infection ratio (SIR)

6. Antimicrobial Stewardship Hand Pocket Guide 4th Edition

1) Healthcare Associated Infections (HAI): SVIMS Ten Pronged Strategy



SQC = SVIMS Quality Council

HICC = Hospital Infection Control Committee

BME = Biomedical Engineering

CDC = Center for Disease Control

WHO = World Health Organization

2) Hospital Infection Control (HIC) Committees

HIC Committee Members:

- HICC Chairman – Dr T.S.Ravikumar, Director cum Vice Chancellor
- HICC Co-Chairman Dr. Aloksachan,Medical Superintendent
- Member Secretary- Dr K.K.Sharma,HOD of Microbiology
- Hospital Infection Control Officers -Dr.R.Jayaprada, Dr.N.Ramakrishna.
- Senior Consultant- Dr A. Mohan, Senior professor& HOD of Medicine-Member
- All the heads of the departments- Members
- Nursing Superintendent- Mrs.C.Sunitha-Member
- Infection Control Nurses- V.Karpugam, D.Redemma, A.Shobharani, N.Bayamma & all 47 Head nurses-Members

Operating theatre Incharge- Mrs Shakira- Member

- In-charge of Central Sterile Supplies Department- Mrs.C.Sunitha-Member
- Health inspector – Mrs. A.Umamaheswari-Member
- In-charge of pharmacy- Dr. P.Subramanyam-Member
- In-charge of hospital linen- Mrs. C.Sunitha-Member
- In-charge of hospital laundry- D.Indiramma-Member
- In-charge of hospital kitchen- Mrs M.Sunitha-Member
- Epidemiologist- Dr Ravishankar, Assistant professor, Social & Preventive medicine-Member
- Member Secretary- Dr K.K.Sharma, HOD of Microbiology
- Hospital Infection Control Officers - Dr. R. Jayaprada, Dr. N. Ramakrishna.
- Infection Control Nurses- V. Karpugam, D.Redemma, A. Shobharani, N.Bayamma & all 47 Head nurses- Members
- Infection Control technicians: Mr P.Yashodhar, Mr. P.Rammurthy

3) HIC Terms of Reference

1. Health care associated infections

    i) VAP
    ii) CLABSI
    iii) CAUTI
    iv) SSI
    v) Standardized infection ratio (SIR)

2. Bed sore analysis
3. O.T. surveillance (Monthly)
4. Blood bank surveillance
5. Environmental surveillance (water& air) (Monthly)
6. Hand hygiene
7. Dialysate fluid testing
8. Needle-stick injuries incidence
9. Multi drug-resistant organisms (MDRO's) Surveillance
10. Outbreak investigation
11. Biomedical waste management
12. High end antibiotic monitoring
13. AMR surveillance
14. HBs Ag antibody titre testing
15. Endotoxin (LAL) assay for Dialysate fluid & water

4) Hand Hygiene

- The organization adheres to standard precautions at all times regarding the use of PPE, prevention of sharp injury etc.
- Hand Hygiene guidelines are followed in all areas of the hospital-Posters regarding Hand Hygiene are available.
- Specific precautions are being followed when required.
- Safe Injection and Infusion practices are followed.
- Cleaning, disinfection and sterilization practices being followed

Steps of Procedure Hand Washing

Surgical Hand Wash (3-5mts)

5) Outcomes & KPIs for Infections

i) Ventilator Associated Pneumonia (VAP)

Parameters	All Ventilated patients	RICU
Total no. of infections - July	22	11
Total ventilator days for July	814 (109 patients)	386 (23 patients)
July 2018	27/1000 Days	28.5/1000 Days
June 2018	18/1000 Days	24.8/1000 Days
May 2018	29.5/1000 Days	30.3/1000 Days
April 2018	32/1000 Days	22.6/1000 Days
March 2018	57/1000 Days	48 /1000Days
February 2018	68/1000 Days	48/1000 Days



ii) Central Line Associated Blood Stream Infection Rate (CLABSI)

PARAMETERS	CLABSI rate
no of infections-July	*Zero*
total no of line days for July	1876 Days(177 patients)
CLABI rate July 2018	Zero
CLABI rate June 2018	0.6
CLABI rate May 2018	0.7
CLABI rate April 2018	Zero
CLABI rate March 2018	Zero
CLABI Rate February 2018	Zero

Two blood cultures has grown different organisms (Acinetobacter, Enterococcus spp). Rest 17 were sterile.

Control Chart for CLABSI



iii) CAUTI

CAUTI from ICU's & Recovery rooms

PARAMETERS	RICU AND MICU,CTRR,GS ICU, ANCU patients
No. of Infections -July	09
Total no of Catheterized days for July	898(87Patients)
July 2018	10/1000 days
June 2018	9.8/1000 Days
May 2018	11.8/1000 Days
April 2018	3.8/1000 days
March 2018	05/1000 days

Average CAUTI the year 2016 -26.5/1000
Average CAUTI the year 2017 -5.7/1000





iv) SSI

SSI Rate

PARAMETERS	
No. of infections-July	15
Total Number of Surgeries for July	1210
SSI Rate - July 2018-1210	1.2
SSI Rate - June 2018-1082	1.2
SSI Rate - May 2018-593	0.8
SSI Rate - April 2018-1012	0.7
SSI Rate - March 2018-467	1.9
SSI Rate - February 2018-543	0.9
SSI Rate - January 2018-521	2.5



v) Standardized Infection Ratio (SIR)

Trends of Standardized Infection Ratio for the Year 2018



SVIMS

Antimicrobial Stewardship Pocket Guide

JUL 2018 – DEC 2018

6th Edition

Editors

Dr T.S.Ravikumar (Director-cum-VC)

Dr R.Jayaprada

Dr N.Ramakrishna

Dr K.K.Sharma

Dr. KAMINENI SRINIVAS
Minister for Health, Medical
Education & Family Welfare,
Govt. of Andhra Pradesh
Hyderabad.

Office Address :
Room No. 301,
3rd Floor, J-Block,
A.P. Secretariat,
Hyderabad - 500 022.
Office Telephones Nos. :
040-23455976
040-23451135

Message from Health Minister

It is very timely that Sri Venkateswara Institute of Medical sciences is making strides in controlling Health Care Associated Infections and innovating Antimicrobial Stewardship. Congratulations to the institute and I am proud that my Government will be at the forefront of tackling this emerging healthcare menace of misuse / overuse of antibiotics and drug resistance.

Dr. Kamineni Srinivas garu
Hon'ble Minister for Health Medical and Family Welfare
Govt., of Andhra Pradesh

Preface

Healthcare Associated Infections (HAI)

Among patients admitted to hospitals 5%-10% acquire one or more infections, based on reporting data largely from developed countries. It is estimated that in developing countries the risk of HAI is 2 to 20 times higher than in developed countries. In India, indiscriminate use of antibiotics both in community settings and in hospital settings contributes to development of antibiotic resistance. Further there is need for robust reporting of HAI in India. The Director-cum-Vice Chancellor of SVIMS Dr. T.S.Ravikumar announced that SVIMS is taking a step forward to contribute in containing HAI in India. Adapting international guidelines (e.g. WHO, CDC), SVIMS is invoking a ten pronged strategy. One key component is 'Antimicrobial Stewardship', which aims to optimize antibiotic use among patients in order to reduce antibiotic resistance, improve patient outcomes and safety and ensure cost effective therapy. This pocket guide of SVIMS Antimicrobial Stewardship (fist Edition) is released on 12-7-2016 by Hon'ble Health Minister of Andhra Pradesh, Dr. Kamineni Srinivas garu. This will be revised 6 monthly and new editions will be released every January and July to inform all health care personnel (doctors, nurses, and allied health staff) of pathogen surveillance, antimicrobial use, infection control measures and outcomes. This programme is jointly monitored by Hospital Infection Control Committee and SVIMS Quality Council.

Dr. T.S.Ravikumar
Director cum Vice Chancellor

From the desk of editors……..

Greetings from Infection Control team,

- Antimicrobial resistance (AMR) results in increased morbidity, mortality, and costs of healthcare
- Prevention of the emergence of resistance and the dissemination of resistant microorganisms will reduce these adverse effects and their attendantcosts.
- Predominant isolates in ICU's were *Klebsiella* followed by *Acinetobacter, Escherichia coli and Pseudomonas spp.*
- In ICU's empirical choice of antibiotic in our institute is Cefaperazone + sulbactam.
- Based on Gram staining report prophylactic drug of choice for gram negative bacilli is Cefaperazone + sulbactam, and for gram positive bacteria is Linezolid in all ICU's.
- We therefore urge everyone to restrict the use of antimicrobialagents.

R. Jayaprada
InfectionControlOfficer
Hospital Infection Control Committee

T.S.Ravikumar
Director cum ViceChancellor

INDEX

1. **Hand Hygiene-Steps**
2. **Hand HygieneCompliance**
3. **Trends of Multidrug Resistance from Jan 2018 – Jun 2018**
4. **Rates of Ventilator Associated Pneumonia (VAP), Catheter Associated Urinary tract Infection(CAUTI)**
5. **Antibiotic policy**
6. **Surveillance-Critical care area surveillance, Environmental surveillance, Sterilitycheck of Blood bags, Dialysis fluid &Drinking water Zonetesting.**
7. **Biomedical WasteManagement**

Steps of Procedure Hand Washing

Courtesy : WHO/ CDC

Surgical Hand Wash (3-5mts)

Courtesy : WHO/ CDC

Greeting each other in Health care

Another dimension
in Hand Hygiene!

Spread Goodwill, not Germs

SVIMS

Prevent droplet spread
when coughing, sneezing

Dr. T.S.Ravikumar
Director cum Vice-Chancellor

Sri Venkateswara Institute of
Medical Sciences, Tirupati.

Key messages.....

- **Predominant isolates in ICU's were *Klebsiella* followed by *Acinetobacter, Pseudomonas spp and Escherichia coli.***
- **In ICU's empirical choice of antibiotic in our institute is Cefaperazone+sulbactam. In case of suspicion of *Pseudomonas* infections, empirical choice of antibiotic is Piperacillin+ Tazobactam.**
- **Based on Gram staining report prophylactic drug of choice for gram negative bacilli is Cefaperazone+sulbactam, and for gram positive bacteria is Linezolid in all ICU's.**

Organism wise Anti Microbial Resistance pattern (Gram negative bacilli) (%)

S.No	Organisms	AK	CFS	CTX	CF	COT	G	M	PTZ	Pb	CTZ
1	*E.coli*(1646)	16	20	89	65	64	27	11	22	0.4	-
2	*Klebsiella* (602)	51	57	94	42	78	55	40	55	2	-
3	*Acinetobacter(*279)	49	44	92	63	67	53	47	68	1	-
4	*Pseudomonas*(270)	30	57	-	77	-	51	77(Imp)	46	Nil	87
5	*Enterobacter* (109)	31	37	83	37	63	39	18	42	2	-

AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Anti Microbial Resistance (AMR) pattern of Isolates in ICU's (%)

S.No	Organisms	AK	CFS	CTX	CF	COT	G	M	PTZ	Pb	CTZ
1	*Klebsiella (66)*	55	56	97	42	89	50	39	52	3	-
2	*Acinetobacter(43)*	67	51	93	67	72	70	53	70	2	
3	*Pseudomonas(25)*	56	76	-	84	-	56	88(Imp)	52	Nil	92
4	*E.coli (19)*	32	53	100	32	84	32	37	58	Nil	-

AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Anti Microbial Resistance (AMR) pattern of gram negative Isolates (%)

Organism	AK	CFS	CTX	CF	COT	G	M	PTZ	Pb
Gram negative bacilli	28	34	89	53	62	38	23	36	1.7

AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Anti Microbial Resistance (AMR) spectrum of *S.aureus, CoNS and Enterococcus spp (%)*

S.No	**Organisms**	**Ampp**	**Cef**	**Cip**	**E**	**CD**	**COT**	**G**	**LZ**	**P**	**VA**	**TE**
1	*S.aureus*	96	66	64	64	46	61	22	4	96	1.4	13
2	*Coagulase negative staphylococcus*	95	71	65	68	47	60	18	4	95	1.5	17
3	*Enterococcus spp*	83	-	91	92	-	-	-	3	84	5	38

Amp-Ampicillin, Cef-Cefoxitin, Cip-Ciprofloxacin, E-Erythromycin, CD-Clindamycin, COT-Cotrimaxazole, G-Gentamicin, LZ-Linezolid, P-Penicillin, VA-Vancomycin, TE-Tetracycline

Percentage of VRE: 5%

Percentage of MRSA: 66%,

Percentage of MRCoNS: 71%,

Percentage of VRSA: 1.4%.

Percentage of VRCoNS: 1.5%.

Percentage of Klebsiella pneumoniae Carbapenemases (KPC's)



Department wise distribution of KPC



Antimicrobial resistance (AMR) spectrum of *Staphylococcus aureus, Coagulase negative Staphylococci (CONS), Enterococcus*



Antimicrobial resistance (AMR) patterns of *Escherichia .coli*



AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Antimicrobial resistance (AMR) patterns of *Klebsiella spp*



AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Antimicrobial resistance (AMR) patterns of *Acinetobacter spp*



AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Antimicrobial resistance (AMR) patterns of Enterobacter species



AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Antimicrobial resistance (AMR) patterns of *Pseudomonas spp*



AK-Amikacin, CTX-Cefotaxime, CFS-Cefaperazone +Sulbactum, CF-Ciprofloxacin, COT-Cotrimaxazole, G-Gentamicin, I-Imipenem, PTZ-Piperacillin+ Tazobactam, Pb-Polymixin-B, CTZ-Ceftazidime

Ward wise distribution of MRSA (%)



Dept wise distribution of Imipenem resistance (%)



Contribution of individual imipenem resistant isolates



Percentage of imipenem resistance among individual isolates



- Most common gram negative isolates were *Escherichia coli, Klebsiella, Acinetobacter spp and Pseudomonas.*
- Escherichia coli isolates were highly resistance to cefotaxime(89%), ciprofloxacin(65%), Cotrimaxazole(64%) and sensitive to Amikacin(84%), Cefaperazone+sulbactam(80%), Gentamicin(73%), Piperacillin +tazobactam(78%), Meropenem(89%) and Colistin/Polymixin B(99.6%).
- Klebsiellae isolates were highly resistance to cefotaxime (94%), Amikacin (51%), Gentamicin (55%), Cotrimaxazole (78%), Cefaperazone+sulbactam (57%) Piperacillin +tazobactam (55%) and sensitive to ciprofloxacin/Levofloxacin (58%), Meropenem (60%) and Colistin/Polymixin B(98%).
- *Acinetobacter* spp isolates were highly resistance to cefotaxime (92%), ciprofloxacin (63), Cotrimaxazole (54%), Amikacin (67%), Gentamicin (53%), Piperacillin +tazobactam (68%) and sensitive to Meropenem (53%), Cefaperazone+sulbactam (56%), and Colistin/Polymixin B (99%)
- *Pseudomonas spp* isolates were highly resistance to ciprofloxacin (77%), ceftazidime (87%),Imipenem(77%),Cefaperazone+sulbactam(57%),Gentamicin(51%),and sensitive to Amikacin(70%), Piperacillin +tazobactam(54%) and Colistin/Polymixin B(100%).
- Most of the Gram negative isolates were shown highly resistance to cephalosporins (89%), cotrimaxazole (62%), ciprofloxacin (53%).
- On the other hand, Gram negative isolates were shown sensitivity to cefoperazone+sulbactum (66%), aminoglycosides (72%), Meropenem(77%), and Polymixin B(98.3).
- ✓ Screening of health care workers (HCW) for MRSA should be done as MRSA(Methicillin resistance Staphylococcus aureus) percentage was 66 &Methicillin resistance Coagulase negative Staphylococcus percentage was 71, and these isolates are predominantly from emergency and Nephrology departments. HCW's must be treated for the same.
- ✓ S.aureus has show high resistance against ciprofloxacin (64%),erythromycin(64%), Clindamycin(46%), and penicillins(96%).
- ✓ VRE (vancomycin resistance Enterococci) percentage was 5.
- ✓ Imipenem resistance was noted high in *Pseudomonas* (77%) followed by Klebsiellae (43%), *Acinetobacter (*42%) *Enterobacter* (29%) and E.coli (15%). So cautious prescription of carbapenems required.

Flow diagram for known MRSA positive patients



Routinely assess all patients on admission for CPE status

Guideline for Infection Prevention and Control (IPC) of Carbapenemase-Producing Enterobacteriaceae (CPE)



Revision of Antibiotic policy as per WHO 2016 guidelines:

As part of the review of antibacterial agents, a new categorization of antibacterial agents into three groups was proposed:

- ACCESS – first and second choice antibiotics for the empiric treatment of most common infectioussyndromes;
- WATCH – antibiotics with higher resistance potential whose use as first and second choice treatment should be limited to a small number of syndromes or patient groups;and
- RESERVE – antibiotics to be used mainly as 'lastresort' treatment options

Access group antibiotics			
Beta-lactam medicines		**Other antibacterials**	
amoxicillin	cefotaxime*	Amikacin	**Gentamicin**
amoxicillin + clavulanic acid	ceftriaxone*	azithromycin*	**Metronidazole**
ampicillin	Cloxacillin	Chloramphenicol	**Nitrofurantoin**
benzathinebenz ylpenicillin	Phenoxymethylpenicill in	ciprofloxacin*	**spectinomycin (EML only)**
benzylpenicillin	piperacillin + tazobactam*	clarithromycin*	**sulfamethoxazole + trimethoprim**
cefalexin	procaine benzyl penicillin	Clindamycin	**vancomycin (oral)***
cefazolin	*meropenem**	Doxycycline	***vancomycin (parenteral)****
cefixime*			

Watch group antibiotics
Quinolones and fluoroquinolones e.g. ciprofloxacin, levofloxacin, moxifloxacin, norfloxacin
3rd-generation cephalosporins (with or without beta-lactamase inhibitor) e.g. cefixime, ceftriaxone, cefotaxime,ceftazidime
Macrolides e.g. azithromycin, clarithromycin, erythromycin
Glycopeptidese.g. teicoplanin, vancomycin
Anti-pseudomonalpenicillins with beta-lactamase inhibitor e.g. piperacillin +tazobactam
Carbapenems e.g. meropenem, imipenem + cilastatin
Penemse.g. faropenem

Reserve group ('last-resort') antibiotics	
Aztreonam	Fosfomycin (IV)
4th generation cephalosporinse.g. cefepime	Oxazolidinones e.g. linezolid
5th generation cephalosporinse.g. ceftaroline	Tigecycline
Polymyxins e.g. polymyxin B, colistin	Daptomycin

Sri Venkateswara Institute of Medical Sciences
Segregation of Biomedical Waste

Yellow (Non-Chlorinated Plastic Bags)	Red (Non-Chlorinated Plastic Bags)	Blue Card Board Boxes	White (Translucent Puncture Proof Container)
Human Anatomical, Infectious Waste & Cytotoxic Waste ➢ Human tissues, organs, body parts and foetus ➢ Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs ➢ Bags containing residual or discarded blood and blood components ➢ Antibiotics, cytotoxic drugs along with glass or plastic ampoules, vials (with cytotoxic labelled bag) ➢ Discarded disinfectants ➢ Discarded linen, mattresses, beddings contaminated with blood or body fluid ➢ Blood bags ➢ Laboratory culture, stocks or specimens of microorganisms ➢ Live or attenuated vaccines	**Contaminated Waste (Recyclable)** ➢ Disposable items ➢ Tubing ➢ Bottles ➢ Intravenous tubes & sets ➢ Catheters ➢ Urine bags ➢ Gloves ➢ Syringes (without needles and fixed needle syringes) ➢ Vaccutainers with their needles cut	**Glassware** ➢ Broken or discarded and contaminate glass including medicine vials and ampoules except those contaminate with cytotoxic wastes **metallic body implants**	**Waste Sharps Including Metals** ➢ Needles ➢ Syringes with fixed needles ➢ Needles from needle tip cutter or burner ➢ Scalpels ➢ Blades ➢ Any other contaminated sharp object that may cause puncture and cuts ➢ Contaminated sharps

Black/ Green – General Garbage (domestic waste, papers, packaging material, left over food)

Biomedical Waste Management (BMW) RULES 2016

Category	Type ofwaste	Type of Bag/ container	Treatment/ Disposal options
Yellow	Human anatomical waste	Yellow coloured	Incineration/ Plasma pyrolysis/ deepburial
	Animal anatomical waste		
	Soiledwaste	non chlorinated plasticbags	Incineration/ Plasma Pyrolysis/ deepburial/ autoclaving or hydroclaving+ shredding/mutilation
	Expired/ discarded medicines-pharmaceutical waste,cytotoxic drugs	Yellow coloured containers/ non chlorinated plastic bags	Incineration (cytotoxic drugs at temperature > 1200□C)
	Chemicalwaste	Yellow coloured containers/ non chlorinated plastic bags	Incineration or Plasma pyrolysis orEncapsulation
	Discarded linen contaminated with blood/ bodyfluids	Non- chlorinated yellow plastic bags / suitable packing material	Non- chlorinated chemical disinfection followedby incineration/ plasmapyrolysis
	Microbiology, other clinical lab waste, blood bags, live/attenuated vaccines	Autoclave safe plastic bag/container	Pre-treattosterilizewith non-chlorinated chemicals on-site asper NACO/ WHOguidelines+Incineration
Red	Contaminated Waste(Recyclable)	Red coloured non- chlorinated Plastic bags or containers	• Autoclaving/ micro- waving/ hydroclaving + shredding • Mutilation/ sterilization+ shredding. Treated waste sent to registered or authorized recyclers or for energy recovery or plastics to diesel or fuel oil or for road making,
White (Translucent)	Waste sharps including Metals	Puncture proof, Leak proof, tamper proof containers	• Autoclaving/dry heat sterilization+ shredding/ mutilation • Encapsulation in metal container or cement concrete • Sanitary landfill/ designated concrete waste sharppit
Blue	Glassware, Metallic body implants	• Glass test tubes • Empty glass Bottles • Contaminated glass bottles • Broken glass ampoules containing discarded/Expired medicines except chemotherapeutic medicines • Metallic body implants • Reusable glass slide	Disinfection (by soaking the washed glass waste after cleaning with detergent and Sodium Hypochlorite treatment)/ through autoclaving/ microwaving/ hydroclaving + recycling

Biomedical Equipment List and Performance Report

SVIMS and SPMC Hospital

In order to improve efficiency, effectiveness and reduce Non Performing Assets (NPA) in the health system, SVIMS has put forth an accountable system of making a full list of Biomedical Equipment and enumerate the functional status of each and every equipment. The goal is to ensure that 99-100% of equipmentare functional and repairs are done in a timely fashion according to benchmark (days in disrepair). In addition all equipment will be listed with their price and date of commissioning in the website. As on 3rd August 2019 the following functional equipment benchmark is shown. The details are listed in nextpage.

SVIMS
Bio-Medical Equipment Status List

Total No. of Equipments	1176
No. of functional Equipments	1167
No. of non-functional Equipments	09
Percentage functional	1167/1176 *100 = 99%

SVIMS SPMC (W) IPW
Bio-Medical Equipment Status List

Total No. of Medical Equipments	138
Total No. of Medical Equipments Working	137
Total No. of Medical Equipments Not Working	1
Percentage functional	137/138 *100 =99%

Equipment status Report on 3rd August, 2019- SVIMS

Total Number of Equipment = 1176
Number functional Equipment = 1167
Number non functional Equipment = 09
Percentage = 1167 /1176 *100 = 99%

Action Report

Sl No	Equipment	Manufacturer	Days of Disrepair	Value	Remarks
1	Patient Monitor - MP20	Philips	18/01/2018	US$6493	Replacement under process
2	Patient Monitor - MP20	Philips	18/01/2018	US$6493	Replacement under process
3	Patient Monitor - MP20	Philips	18/01/2018	US$6493	Replacement under process
4	3 chip Camera	Strykar	01-01-2019	Rs 7,00,000	PO Released
5	Patient Monitor - MP60	Philips	01-09-2019	US$19,283	Module needs replacement. PO under process
6	Patient Monitor - MP60	Philips	01-09-2019	US$19,283	Module needs replacement. PO under process
7	Patient Monitor - MP60	Philips	01-09-2019	US$19,283	Module needs replacement. PO under process
8	B.Bank Refrigerator	Forma Scientific	03-03-2019	US$ 9,148	Spare are not available. More than 19years old.Hence same may be condemmed
9	Emergencg Medicine	Ventilator-Hamilton	04-08-2019	Swiss Franc 1862	Multiple problem and costly parts needed (Display and Controlpcb for display , flow sensor . More than 14years old.Hence same may be condemmed

Equipment List - SVIMS Hospital

	Sl No	Index No	Department	C / NC	Equipment	Manufacturer	Model	Serial Number	Supplier	War	War Start	War End	**Purchased By**	Status
1	1	SVIMS/cardio/08/2007/0001/C	**Cardiology**	**NC**	**Cath Lab**	Philips	Allura	723	Philips	3Y	27.09.2018	30.09.2021	SVIMS	Working
2	2	SVIMS/cardio/05/2010/0002/NC	Cardiology	**NC**	**Cath Lab With Ablator & Stimulator**	Siemens	Artis Sensis	135430	Siemens	5Y	05-01-10	30/5/2015	PMSSY-HLL	Working
3	3	SVIMS/cardio/09/2002/0003/NC	Cardiology	**NC**	**Echo System**	Philips	Sonos 4500	US60210973	Philips	3Y	09-01-02	31/9/2005	SVIMS	Working
4	4	SVIMS/cardio/06/2005/0004/NC	Cardiology	**NC**	**Echo System**	Philips	Sonos 7500	USNO621924	Philips	3Y	29-06-05	28/06/08	SVIMS	Working
5	5	SVIMS/cardio/05/2008/0005/NC	Cardiology	**NC**	**Echo System**	Philips	IE 33	O2XD63	Philips	3Y	23-05-08	22/05/11	SVIMS	Working
6	6	SVIMS/cardio/06/2014/0006/NC	Cardiology	**NC**	**Echo System**	Esaote	MyLab25 Gold	7382	Esaote India	5Y	06-03-14	06-02-19	SVIMS	Working
7	7	SVIMS/cardio/06/2015/0007/NC	Cardiology	**NC**	**Echo System**	Esaote	MyLab 40	40-13075	Esaote India	3Y	06-01-15	31/05/2018	SVIMS	Working
8	8	SVIMS/cardio/01/2018/0008/C	Cardiology	C	Defibrillator	Philips	DFM 100	CN32610805	Alliance	1Y	01-10-18	01-09-19	SVIMS	Working
9	9	SVIMS/cardio/12/2003/0009/C	Cardiology	C	Defibrillator	Philips	Heart Start XL	US00122519	Philips	3Y	18-12-03	17/02/06	SVIMS	Working
10	10	SVIMS/cardio/04/2010/0010/C	Cardiology	C	Defibrillator	Philips	Heart Start MRX	US00537834	Philips	2y	28/04/2010	27/04/2012	PMSSY-HLL	Working
11	11	SVIMS/cardio/09/2012/0011/C	Cardiology	C	Debifrillator	Medtronics	LifePak	40173623	Instromedix	2Y	21/09/12	20/09/14	PMSSY-HLL	Working
12	12	SVIMS/cardio/09/2012/0012/C	Cardiology	C	Debifrillator	Medtronics	LifePak	40173631	Instromedix	2Y	21/09/12	20/09/14	PMSSY-HLL	Working
13	13	SVIMS/cardio/06/2005/0013/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405111	Philips	3Y	20/06/05	19/06/08	SVIMS	Working
14	14	SVIMS/cardio/06/2005/0014/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405118	Philips	3Y	20/06/05	19/6/2008	SVIMS	**Not Working**
15	15	SVIMS/cardio/06/2005/0015/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405112	Philips	3Y	20/06/05	19/06/08	SVIMS	**Not Working**
16	16	SVIMS/cardio/06/2005/0016/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405123	Philips	3Y	20/06/05	19/06/08	SVIMS	**Not Working**
17	17	SVIMS/cardio/06/2005/0017/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405104	Philips	3Y	20/06/05	19/06/08	SVIMS	Working

18	18	SVIMS/cardio/06/2005/0018/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405110	Philips	3Y	20/06/05	19/06/08	SVIMS	Working
19	19	SVIMS/cardio/06/2005/0019/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405109	Philips	3Y	20/06/05	19/06/08	SVIMS	Working
20	20	SVIMS/cardio/06/2005/0020/C	Cardiology	C	Patient Monitor	Philips	MP 20	DE50405095	Philips	3Y	20/06/05	19/06/08	SVIMS	Working
21	21	SVIMS/cardio/04/2010/0021/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103984	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
22	22	SVIMS/cardio/04/2010/0022/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103985	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
23	23	SVIMS/cardio/04/2010/0023/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103996	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
24	24	SVIMS/cardio/04/2010/0024/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104002	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
25	25	SVIMS/cardio/04/2010/0025/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104019	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
26	26	SVIMS/cardio/04/2010/0026/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104022	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
27	27	SVIMS/cardio/04/2010/0027/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104642	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
28	28	SVIMS/cardio/04/2010/0028/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104647	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
29	29	SVIMS/cardio/04/2010/0029/C	Cardiology	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104662	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
30	30	SVIMS/cardio/09/2008/0030/NC	Cardiology	NC	Tread Mill System	Recorders	MARK II	V2-AH490	Recorders	2y	09-09-08	09-08-10	PMSSY-HLL	Working
31	31	SVIMS/cardio/03/2011/0031/NC	Cardiology	NC	Tread Mill System	Marquet	Case state TM2100	SBC104069070SA	Wipro GE	2Y	18/03/2011	17/03/2013	PMSSY-HLL	Working
32	32	SVIMS/cardio/03/2011/0032/NC	Cardiology	NC	Tread Mill System	Marquet	Case state TM2101	SBC104069195A	Wipro GE	2Y	18/03/2011	17/03/2013	PMSSY-HLL	Working
33	33	SVIMS/cardio/10/2007/0033/NC	Cardiology	NC	Hoter System	Delmer	Impreserio	LX17hhap5	Instromedix	3y	16/10/07	15/10/10	SVIMS	Working
34	34	SVIMS/cardio/11/2009/0035/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-101	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
35	35	SVIMS/cardio/11/2009/0036/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-232	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
36	36	SVIMS/cardio/11/2009/0038/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-242	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
37	37	SVIMS/cardio/11/2009/0039/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-270	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working

38	38	SVIMS/cardio/11/2009/0040/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-273	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
39	39	SVIMS/cardio/11/2009/0041/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-275	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
40	40	SVIMS/cardio/11/2009/0043/NC	Cardiology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-272	L & T	2Y	11-10-09	11-09-11	PMSSY-HLL	Working
41	41	SVIMS/cardio/02/2010/0044/NC	Cardiology	NC	ECG Recorder	Motorora	ELI-250	28271	Compamedic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
42	42	SVIMS/cardio/02/2010/0045/NC	Cardiology	NC	ECG Recorder	Motorora	ELI-250	28272	Compamedic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
43	43	SVIMS/cardio/02/2010/0046/NC	Cardiology	NC	ECG Recorder	Motorora	ELI-250	28276	Compamedic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
44	44	SVIMS/cardio/02/2010/0047/NC	Cardiology	NC	ECG Recorder	Motorora	ELI-250	28277	Compamedic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
45	45	SVIMS/cardio/11/2009/0048/C	Cardiology	C	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN01004	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
46	46	SVIMS/cardio/11/2009/0049/C	Cardiology	C	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN01005	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
47	47	SVIMS/cardio/11/2009/0050/C	Cardiology	C	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN 01009	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
48	48	SVIMS/cardio/11/2009/0051/NC	Cardiology	NC	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN 01001	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
49	49	SVIMS/cardio/06/2007/0052/C	Cardiology	NC	IABP	Datacope	CS300	SI281635F8	Maquet India	5 Y	28.11.2018	27.11.2023	SVIMS	Working
50	50	SVIMS/cardio/05/2012/0053/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112351Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
51	51	SVIMS/cardio/05/2012/0054/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112356Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
52	52	SVIMS/cardio/05/2012/0055/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112358Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
53	53	SVIMS/cardio/05/2012/0056/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112363Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
54	54	SVIMS/cardio/05/2012/0057/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112361Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
55	55	SVIMS/cardio/05/2012/0058/NC	Cardiology	NC	Syringe Pump	Orange Medical	Prima	1112346-Z	Organge Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
56	56	SVIMS/cardio/05/2013/0059/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050531-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
57	57	SVIMS/cardio/05/2013/0060/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050532-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working

58	58	SVIMS/cardio/05/2013/0061/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050533-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
59	59	SVIMS/cardio/05/2013/0062/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050534-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
60	60	SVIMS/cardio/05/2013/0063/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050535-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
61	61	SVIMS/cardio/05/2013/0064/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050536-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
62	62	SVIMS/cardio/05/2013/0065/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050537-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
63	63	SVIMS/cardio/05/2013/0066/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050538-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
64	64	SVIMS/cardio/05/2013/0067/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050539-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
65	65	SVIMS/cardio/05/2013/0068/NC	Cardiology	NC	Syringe Pump	Organge	Flow Prima	13050540-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
66	66	SVIMS/cardio/12/2014/0069/NC	Cardiology	NC	Cardiac reader/Analyzer	RadioMeter	AQT90 FLEX	838R0200N0006	RadioMeter	-	12-11-14		Reagent rental	Working
67	67	SVIMS/cardio/12/2014/0070/NC	Cardiology	NC	Cardiac reader/Analyzer	RadioMeter	AQT90 FLEX	838R0273N0002	RadioMeter	-	12-11-14		Reagent rental	Working
68	68	SVIMS/cardio/03/2012/0071/NC	Cardiology	NC	EO Gas sterilizer	Anderson	AN310	111762	Agama	5Y	28/03/2012	27/03/2017	SVIMS	Working
69	69	SVIMS/cardio/10/2009/0072/NC	Cardiology	NC	Deep Freezer -40 Deg C	Terumo	Df40u	908115	Terumo	3Y	10-06-09	10-05-12	SVIMS	Working
70	70	SVIMS/cardio/06/2016/0073/NC	Cardiology	NC	Intra Vaqscular Ultra Sound	Boston Scientic	Mdu MDU5Plus	32065	Lakshi	5Y	15/06/2016	14/06/2021	SVIMS	Working
71	71	SVIMS/cardio/03/2013/0074/NC	Cardiology	NC	Blood Pressure monitor	Kody Medical	TM 2655	2N0818813	Kody Medical	1Y	22/03/2013	21/03/2014	Donation	Working
72	72	SVIMS/cardio/08/2016/0075/NC	Cardiology	NC	F F R	St Jude Medical	Quantian	Q01784	Excel	5Y	24/08/2016	23/08/2021	SVI MS	Working
73	73	SVIMS/cardio/02/2017/0076/NC	Cardiology	NC	Rotablator	Boston Scientic	RC5000	RC400921	Lakshi	5Y	16/02/2017	15/02/2022	SVI MS	Working
74	74	SVIMS/cardio/02/2017/0077/NC	Cardiology	NC	Echo Machine	Siemens	SC2000	403018	Iris	5Y	02-01-17	31/01/2022	SVI MS	Working
75	75	SVIMS/cardio/03/2009/0078/NC	Cardiology-cath lab	NC	Syringe Pump	Fresenius	injectomat/Agilia	20497448					SVI MS	Working
76	76	SVIMS/cardio/02/2017/0079/NC	Cardiology-cath lab	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion+	1400					SVI MS	Working
77	77	SVIMS/cardio/02/2017/0080/NC	Cardiology-cath lab	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion+	1399					SVI MS	Working

78	78	SVIMS/cardio/00/2000/0081/NC	Cardiology-cath lab	NC	Syringe Pump	Bbraun	Perfusor Compact	63601					SVI MS	Working
79	79	SVIMS/Cardio/05/2013/1111/NC	Cardiology-cath lab	NC	Dicom Storage & Dicom CD/DVD		ML 110-G7		Cyone Med	3 Y	15.05.2013	14.05.2016	SVIMS	Working
80	80	SVIMS/Cardio/06/2018/1114/C	Cardiology-ICU	C	Defibrillator	Mindray		EI-84000505	Green Apple	5Y	07.06.2018	06.06.2023	SVIMS	Working
81	81	SVIMS/Cardio/05/2013/1115/C	Cardiology-cath lab	C	Defibrillator	Mindray		EI-84000843	Green Apple	5Y	07.06.2018	06.06.2023	SVIMS	Working
82	82	SVIMS/Cardio/06/2018/1126/C	Cardiology	C	ECG Recorder	GE Healthcare	MAC 2000	SRR18150307PA	Wipro GE	1Y	06-06-18	06-05-19	SVIMS	Working
83	83	SVIMS/Cardio/06/2018/1127/C	Cardiology	C	ECG Recorder	GE Healthcare	MAC 2000	SRR18150308PA	Wipro GE	1Y	06-06-18	06-05-19	SVIMS	Working
84	84	SVIMS/cardio/10/2018/1132 /NC	Cardiology	Nc	Ultrasound System	Philips	CX50	SG61800158	Philips	3 Y	05.10.2018	04.10.2021	SVIMS	Working
85	85	SVIMS/Cardio/02/2019/1141	Cardiology	NC	ECG Recorder	GE Healthcare	MAC 2000	SRR18420144PA	Wipro GE	1Y	02-02-19	02-01-20	SVIMS	Working
86	86	SVIMS/Cardio/06/2019/1176	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C9	18320 2889	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
87	87	SVIMS/Cardio/06/2019/1177	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C10	18320 2922	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
88	88	SVIMS/Cardio/06/2019/1178	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C11	18320 2910	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
89	89	SVIMS/Cardio/06/2019/1179	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C12	18320 2912	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
90	90	SVIMS/Cardio/06/2019/1180	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C13	18320 2805	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
91	91	SVIMS/Cardio/06/2019/1181	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C14	18320 2808	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
92	92	SVIMS/Cardio/06/2019/1182	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C15	18320 2904	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
93	93	SVIMS/Cardio/06/2019/1183	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C16	18320 2896	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
94	94	SVIMS/Cardio/06/2019/1184	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C17	18320 2906	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
95	95	SVIMS/Cardio/06/2019/1185	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C18	18320 2897	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
96	96	SVIMS/Cardio/06/2019/1186	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C19	18320 2911	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
97	97	SVIMS/Cardio/06/2019/1187	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C20	18320 2925	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working

98	98	SVIMS/Cardio/06/2019/1188	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C21	18320 2894	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
99	99	SVIMS/Cardio/06/2019/1189	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C22	18320 2909	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
100	100	SVIMS/Cardio/06/2019/1190	Cardiology - ICU	NC	Syringe Pump	Smiths Medical	Grese by C23	18320 2892	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
101	1	SVIMS/Nephro/12/2006/0083/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	6VCADQ02	Trivitron	3Y	12-06-06	12-05-09	SVIMS	Working
102	2	SVIMS/Nephro/01/2009/0085/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	8VCALF06	Trivitron	3Y	01-07-09	01-06-12	SVIMS	Working
103	3	SVIMS/Nephro/01/2009/0086/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	8VCALF07	Trivitron	3Y	01-07-09	01-06-12	SVIMS	Working
104	4	SVIMS/Nephro/01/2009/0087/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	8VCALF73	Trivitron	3Y	01-07-09	01-06-12	SVIMS	Working
105	5	SVIMS/Nephro/01/2009/0088/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	8V5AK532	Trivitron	3Y	01-07-09	01-06-12	SVIMS	Working
106	6	SVIMS/Nephro/01/2009/0089/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	8V5AK531	Trivitron	3Y	01-07-09	01-06-12	SVIMS	Working
107	7	SVIMS/Nephro/09/2010/0090/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	OVCAQST80	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
108	8	SVIMS/Nephro/09/2010/0091/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	OVCAST71	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
109	9	SVIMS/Nephro/09/2010/0092/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	OVCASW34	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
110	10	SVIMS/Nephro/09/2010/0093/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	0VCAST58	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
111	11	SVIMS/Nephro/09/2010/ 0094/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	OVCASW16	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
112	12	SVIMS/Nephro/09/2010/ 0095/C	Nephrology	c	Dialysis Machine	Fresenius	Art Plus	OVRA0470	Fresenius India	5Y	22/09/2010	21/09/2015	SVIMS	Working
113	13	SVIMS/Nephro/03/2013/0096/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB696	Fresenius India	5Y	14/03/2013	13/03/2018	SVIMS	Working
114	14	SVIMS/Nephro/03/2013/0097/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB700	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
115	15	SVIMS/Nephro/03/2013/0098/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB702	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
116	16	SVIMS/Nephro/03/2013/ 0099/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB703	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
117	17	SVIMS/Nephro/03/2013/ 0100/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB704	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working

118	18	SVIMS/Nephro/03/ 2013/ 0101/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB705	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
119	19	SVIMS/Nephro/03/ 2013/ 0102/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB706	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
120	20	SVIMS/Nephro/03/ 2013/ 0103/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB707	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
121	21	SVIMS/Nephro/03/ 2013/0104/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB708	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
122	22	SVIMS/Nephro/03/ 2013/ 0105/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB709	Fresenius India	5Y	14/03/2013	13/03/2016	SVIMS	Working
123	23	SVIMS/Nephro/07/ 2012/0106/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB498	Fresenius India	3Y	28/07/2012	27/07/2015	SVIMS	Working
124	24	SVIMS/Nephro/07/ 2012/ 0107/C	Nephrology	c	Dialysis Machine	Fresenius	4008S	2SXAB499	Fresenius India	3Y	28/07/2012	27/07/2015	SVIMS	Working
125	25	SVIMS/Nephro/04/ 2012/0108/NC	Nephrology	NC	Dialysis Machine	Fresenius	ARTPLUS	1VRAO745	Trivitron	2Y	18/04/2012	17/04/2014	SVIMS	Working
126	26	SVIMS/Nephro/12/ 2014/ 0109/NC	Nephrology	NC	Dialysis Machine	Fresenius	Art Plus	4VRAO925	Fresenius India	5Y	12-10-14	12-09-19	SVIMS	Working
127	27	SVIMS/Nephro/04/ 2012/0110/C	Nephrology	c	CRRT	GAMBRO	PRISMAFLEX	4752	Gambro India	2y	04-04-12	04-03-14	SVIMS	Working
128	28	SVIMS/Nephro/07/ 2015/0111/C	Nephrology	c	CRRT	GAMBRO	PRISMAFLEX	14942	Gambro India	1Y	07-02-15	07-01-16	Donation	Working
129	29	SVIMS/Nephro/07/ 2015/0112/NC	Nephrology	NC	PD CYCLER	Baxter	R5C 8320		Gambro India	1y	07-02-15	07-01-16	SVIMS	Working
130	30	SVIMS/Nephro/03/ 2010/0113/NC	Nephrology	NC	PD CYCLER	Baxter	R5C 8320	621109	HC Pro cycler	1y	24/03/10	23/03/11	SVIMS	Working
131	31	SVIMS/Nephro/02/ 2014/0114/NC	Nephrology	NC	PD CYCLER	Baxter	R5C 8320	301349	Banafar pharma	1Y	24/2/2014	23/2/2015	SVIMS	Working
132	32	SVIMS/Nephro/12/ 2008/0115/C	Nephrology	C	Defibrillator	BPL	DF 2509R	AAMD4H2240	Bharat Medi	1Y	12-12-08	12-11-09	SVIMS	Working
133	33	SVIMS/Nephro/12/ 2008/0116/C	Nephrology	C	Defibrillator	BPL	DF 2509R	BYMD7J2812	Bharat Medi	1Y	12-12-08	12-11-09	SVIMS	Working
134	34	SVIMS/Nephro/02/ 2014/ 0117/NC	Nephrology	NC	Bi-Corb Mixer	SR Med	200L		SR Med	1Y	02-01-14	31/1/2015	SVIMS	Working
135	35	SVIMS/Nephro/02/ 2005/0118/NC	Nephrology	NC	Bi-Corb Mixer	SR Med	200L		SR Med	3Y	02-01-05	31/1/2008	SVIMS	Working
136	36	SVIMS/Nephro/10/ 1998/0119/NC	Nephrology	NC	Digital Weighing Scale	Tulaman	115Es		Tulaman	1Y	28/10/98	27/10/99	SVIMS	Working
137	37	SVIMS/Nephro/09/ 2005/0120/NC	Nephrology	NC	Digital Weighing Scale	Tulaman	115Es		Tulaman	1Y	21/09/05	20/09/06	SVIMS	Working

138	38	SVIMS/Nephro/11/2009/0121/C	Nephrology	C	ICU Ventilator	GE Datex Ohmeda	Anaesthesia	CBCN 00998	Engstrom	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
139	39	SVIMS/Nephro/11/2010/0122/C	Nephrology	C	ICU Ventilator	GE Datex Ohmeda	Anaesthesia	CBCN 00999	Engstrom	2Y	30/11/2010	29/11/2011	PMSSY-HLL	**Working**
140	40	SVIMS/Nephro/11/2009/0123/NC	Nephrology	NC	Syringe Pump	Neuron BioMed	SP 102		L & T	2Y	11-02-09	11-01-11	PMSSY-HLL	Working
141	41	SVIMS/Nephro/11/2009/0124/NC	Nephrology	NC	Syringe Pump	Neuron BioMed	SP 102		L & T	2Y	11-02-09	11-01-11	PMSSY-HLL	Working
142	42	SVIMS/Nephro/04/2010/0125/C	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104018	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
143	43	SVIMS/Nephro/04/2010/0126/	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104016	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
144	44	SVIMS/Nephro/04/2010/0127	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104001	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
145	45	SVIMS/Nephro/04/2010/0128	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104655	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
146	46	SVIMS/Nephro/04/2010/0129	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103988	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
147	47	SVIMS/Nephro/04/2010/0130	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104011	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
148	48	SVIMS/Nephro/04/2010/0131	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103979	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
149	49	SVIMS/Nephro/04/2010/0132	Nephrology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103998	Instromedic	2Y	04-02-10	04-01-12	PMSSY-HLL	Working
150	50	SVIMS/Nephro/11/2014/0133	Nephrology	c	Microscope	Nikon	E-200	610543	Towa Optics	1Y	14/11/2014	13/11/2015	SVIMS	Working
151	51	SVIMS/Nephro/11/2014/0134	Nephrology	NC	Ultra Sound Scanner	Esote	MyLab 25 Gold	3867	Esote India	5Y	12-03-15	12-02-20	SVIMS	Working
152	52	SVIMS/Nephro/06/2016/0135	Nephrology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1834	Plenum Tech	3Y	15/06/2016	14/06/2018	SVIMS	Working
153	53	SVIMS/Nephro/06/2016/0136	Nephrology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1423	Plenum Tech	3Y	15/06/2016	14/06/2018	SVIMS	Working
154	54	SVIMS/Nephro/06/2016/0137	Nephrology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1424	Plenum Tech	3Y	15/06/2016	14/06/2018	SVIMS	Working
155	55	SVIMS/Nephro/11/2009/0138	Nephrology	NC	Syringe Pump	Neuron BioMed	SP 102	0609-230	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
156	56	SVIMS/Nephro/02/2010/0139	Nephrology	NC	ECG Recprder	Motorora	ELI-250	28269	Compamedic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
157	57	SVIMS/Nephro/02/2010/0140	Nephrology	NC	Pulse Oximeter	Mediaid	900P	EGo9G00172	Adv. Micronic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working

158	58	SVIMS/Nephro/02/2010/0141	Nephrology	NC	Pulse Oximeter	Mediaid	900P	EGo9G00177	Adv. Micronic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
159	59	SVIMS/Nephro/02/2010/0142	Nephrology	NC	Pulse Oximeter	Mediaid	900P	EGo9G00178	Adv. Micronic	2Y	02-06-10	02-05-12	PMSSY-HLL	Working
160	60	SVIMS/Nephro/02/2010/0143	Nephrology	NC	Pulse Oximeter	Mediaid	900P	**EGO9G00199**	Adv. Micronic	2Y	02-06-10	02-05-12		Working
161	61	SVIMS/Nephro/02/2010/0144	Nephrology	NC	Syringe Pump	Organge	Flow Prima	13051373Z						
162	62	SVIMS/Nephro/06/2019/1191	Nephrology -Medicine Ward	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 0263	M M Medical	5 Y	17.06.2019	16.06.2024	SVIMS	Working
163	63	SVIMS/Nephro/06/2019/1192	Nephrology -Medicine Ward	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 2919	M M Medical	5 y	17.06.2019	16.06.2024	SVIMS	Working
164	1	SVIMS/Neurol/07/2005/0145/M	**Neurology**	NC	**EEG Video Digital-128 Channel**	EB Neuro	Gaiieo 128	51	Shibumi	3Y	16/07/05	15-07-08	SVIMS	Working
165	2	SVIMS/Neurol/01/2015/0147	Neurology	NC	**EEG Video 40 Channel**	EB Neuro	Gaiieo Mizar 40	22514	Shibumi	5Y	01-01-15	31-12-2019	SVIMS	Working
166	3	SVIMS/M/Neurol/09/2009/0148/M	Neurology	NC	**8 Channel ENMG**	Nicolet	Medelec Synngy	90790	Allied	3Y	09-11-09	08-10-12	Pmssy-HLL	Working
167	4	SVIMS/Neurol/05/2015/0149/M	Neurology	NC	**ENMG**	Nicolet	Medelec Synngy	RZ 154587G	Allied	5y	05-06-15	05-05-20	SVIMS	Working
168	5	SVIMS/Neurol/09/2009/0150/M	Neurology	NC	**Trans cranial Mag. Stimulator**		Magstim rapid 2	c0514/a0205	HospiMedical	3Y	26/09/09	25/09/2012	PMSSY-APHMHIDC	Working
169	6	SVIMS/Neurol/11/2009/0151/C	Neurology	C	**ICU Ventilator**	GE Datex Ohmeda	Engstrom	CBCN01012	Mindray	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
170	7	SVIMS/Neurol/11/2009/0152/C	Neurology	C	**ICU Ventilator**	GE Datex Ohmeda	Engstrom	CBCN 01014	Mindray	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
171	8	SVIMS/Neurol/11/2009/0153/C	Neurology	C	**ICU Ventilator**	GE Datex Ohmeda	Engstrom	CBCN00997	Mindray	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
172	9	SVIMS/Neurol/11/2009/0154/C	Neurology	C	**ICU Ventilator**	GE Datex Ohmeda	Engstrom	CBCN00995	Mindray	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
173	10	SVIMS/Neurol/02/2010/0155	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103983	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
174	11	SVIMS/Neurol/02/2010/0156	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103977	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
175	12	SVIMS/Neurol/02/2010/0157	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99103972	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
176	13	SVIMS/Neurol/02/2010/0158	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104021	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
177	14	SVIMS/Neurol/02/2010/0159	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104020	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working

178	15	SVIMS/Neurol/02/2010/0160	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104023	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
179	16	SVIMS/Neurol/02/2010/0161	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104000	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
180	17	SVIMS/Neurol/02/2010/0162	Neurology	c	Multi Para Monitor	Mindray	Beneview T8	CF-99104024	Instromedic	2Y	02-04-10	01-03-12	PMSSY-HLL	Working
181	18	SVIMS/Neurol/06/2016/0163	Neurology	NC	EEG Video 40 Channel	EB Neuro	Gaiieo Mizar 40	22526	Shibumi	5Y	13/06/2016	06-12-21	SVIMS	Working
182	19	SVIMS/Neurol/02/2009/0164	Neurology	C	Defibrillator	BPL	DF2509	BYMD9A3629	BPL	1Y	02-06-09	01-05-10	SVIMS	Working
183	20	SVIMS/Neurol/03/2009/0165	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497421	Medi	5Y	19/03/09	18-03-14	SVIMS	Working
184	21	SVIMS/Neurol/03/2009/0166	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497450	Medi	5y	19/03/09	18-03-14	SVIMS	Working
185	22	SVIMS/Neuolr/03/2009/0167	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497462	Medi	5Y	19/03/09	18-03-14	SVIMS	Working
186	23	SVIMS/Neurol/03/2009/0168	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497427	Medi	5y	19/03/09	18-03-14	SVIMS	Working
187	24	SVIMS/Neurol/03/2009/0169	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497439	Medi	5Y	19/03/09	18-03-14	SVIMS	Working
188	25	SVIMS/Neurol/03/2009/0170	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497459	Medi	5Y	19/03/09	18-03-14	SVIMS	Working
189	26	SVIMS/Neur/03/2009/0171	Neurology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497457	Medi	5Y	19/03/09	18-03-14	SVIMS	Working
190	1	SVIMS/casual/02/2003/0172	**Casuality**	**C**	Defibrillator	Philips	Heart start	US 122180	Philips	3y	18-02-03	17/02/06	SVIMS	Working
191	2	SVIMS/casual/04/2014/0173	Casuality	C	Defibrillator	Schiller	Defigard-400	J14Bo67	Schiller	2Y	04-02-14	04-01-16	SVIMS	Working
192	3	SVIMS/casual/02/2010/0174	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121311	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
193	4	SVIMS/casual/02/2010/0175	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121312	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
194	5	SVIMS/casual/02/2010/0176	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121314	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
195	6	SVIMS/casual/02/2010/0177	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121315	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
196	7	SVIMS/casual/02/2010/0178	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121316	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
197	8	SVIMS/casual/02/2010/0179	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121317	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working

198	9	SVIMS/casual/02/2010/0180	Casuality	c	Multi Para Monitor	Mindray	PM-8000	AA-99121318	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
199	10	SVIMS/Caual/10/2011/0181/C	Casuality	C	**ICU Ventilator**	Tecme	Grpahnet	9101 114 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
200	11	SVIMS/Casual/10/2011/0182/C	Casuality	C	**ICU Ventilator**	Tecme	Grpahnet	9101 126 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
201	12	SVIMS/Casual/10/2011/0183/C	Casuality	C	**ICU Ventilator**	Tecme	Grpahnet	9101 105 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
202	13	SVIMS/Casual/10/2011/0184/C	Casuality	C	**ICU Ventilator**	Tecme	Grpahnet	9101 120 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
203	14	SVIMS/Casual/11/2009/0185	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-185	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
204	15	SVIMS/Casual/11/2009/0186	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-225	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
205	16	SVIMS/Casual/11/2009/0188	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-231	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
206	17	SVIMS/Casual/11/2009/0189	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-234	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
207	18	SVIMS/Casual/11/2009/0190	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-238	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
208	19	SVIMS/Casual/11/2009/0191	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-267	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
209	20	SVIMS/Casual/11/2009/0192	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-276	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
210	21	SVIMS/Casual/11/2009/0193	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-282	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
211	22	**SVIMS/casual/11/2009/0194**	Casuality	NC	Syringe Pump	Neuron BioMed	SP 102	0609-283	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
212	23	SVIMS/casual/04/2014/0195	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026008-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
213	24	SVIMS/casual/04/2014/0196	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026009-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
214	25	SVIMS/casual/04/2014/0197	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026010-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
215	26	SVIMS/casual/04/2014/0198	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026011-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
216	27	SVIMS/casual/04/2014/0199	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026012-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
217	28	SVIMS/casual/04/2014/0200	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026013-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working

218	29	SVIMS/casual/04/2014/0201	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026014-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
219	30	SVIMS/casual/04/2014/0202	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026015-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
220	31	SVIMS/casual/04/2014/0203	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026016-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
221	32	SVIMS/casual/04/2014/0204	Casuality	NC	Syringe Pump	Organge	Flow Prima	14026017-Z	Organge Medical	2Y	04-02-14	04-01-16	SVIMS	Working
222	1	SVIMS/EmeMed/01/2016/0205	**Emergence Medicine**	NC	Ultra Sound Scanner	Esote	Mylab 40	40-13554	Esote India	3Y	15/01/2016	14/01/2019	SVIMS	Working
223	2	SVIMS/EmeMed/12/2016/0206	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1821	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
224	3	SVIMS/EmeMed/12/2016/0207	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1788	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
225	4	SVIMS/EmeMed/12/2016/0208	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1787	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
226	5	SVIMS/EmeMed/12/2016/0209	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1841	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
227	6	SVIMS/EmeMed/12/2016/0210	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1796	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
228	7	SVIMS/EmeMed/12/2016/0211	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1789	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
229	8	SVIMS/EmeMed/12/2016/0212	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1889	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
230	9	SVIMS/EmeMed/12/2016/0213	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1811	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
231	10	SVIMS/EmeMed/12/2016/0214	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1901	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
232	11	SVIMS/EmeMed/12/2016/0215	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1824	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
233	12	SVIMS/EmeMed/12/2016/0216	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1900	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
234	13	SVIMS/EmeMed/12/2016/0217	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1818	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
235	14	SVIMS/EmeMed/12/2016/0218	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1802	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
236	15	SVIMS/EmeMed/12/2016/0219	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1803	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working

237	16	SVIMS/EmeMed/12/2016/0220	Emergence Medicine	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1834	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
238	17	SVIMS/EmeMed/07/2016/0221	Emergence Medicine	NC	Syringe Pump	L&T	SP102	609266	L&T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
239	18	SVIMS/EmeMed/02/2010/0222	Emergence Medicine	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497428	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
240	19	SVIMS/EmeMed/02/2010/0223	Emergence Medicine	C	Defibrillator	Mindray	BeneHeart D3	EL-65027002	Green Apple	2Y	19/07/2016	18/07/2018	SVIMS	Working
241	20	SVIMS/EmeMed/02/2010/0224	Emergence Medicine	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104651	Instromedic	2y	02-04-10	02-03-12	SVIMS	Working
242	21	SVIMS/EmeMed/02/2010/0225	Emergence Medicine	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104652	Instromedic	2y	02-04-10	02-03-12	SVIMS	Working
243	22	SVIMS/EmeMed/09/2016/0226	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8N 0300109	Vijetha	1Y	28/09/16	27/09/17	SVIMS	Working
244	23	SVIMS/EmeMed/09/2016/0227	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8N 0300106	Vijetha	1Y	28/09/16	27/09/17	SVIMS	Working
245	24	SVIMS/EmeMed/09/2016/0228	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8N 0300110	Vijetha	1Y	28/09/16	27/09/17	SVIMS	Working
246	25	SVIMS/EmeMed/09/2017/0229	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8R 0300064	Jk Medical	1Y	09-06-17	09-05-18	SVIMS	Working
247	26	SVIMS/EmeMed/09/2017/0230	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8R 0300066	Jk Medical	1Y	09-06-17	09-05-18	SVIMS	Working
248	27	SVIMS/EmeMed/09/2017/0231	Emergence Medicine	C	Multi Para Monitor	Bionet	BM 5	D8R 0300068	Jk Medical	1Y	09-06-17	09-05-18	SVIMS	Working
249	28	SVIMS/MedMed/02/2010/0232	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103989	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
250	29	SVIMS/EmeMed/02/2010/0233	Emergence Medicine Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104010	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
251	30	SVIMS/EmeMed/02/2010/0234	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104663	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
252	31	SVIMS/EmeMed/02/2010/0235	Emergence Medicine Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104638	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
253	32	SVIMS/EmeMed/02/2010/0236	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104648	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
254	33	SVIMS/EmeMedi/02/2010/0237	Emergence Medicine Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104636	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
255	34	SVIMS/EmeMed/02/2010/0238	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104661	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
256	35	SVIMS/EmeMed/02/2010/0239	Emergeny Medicine	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104631	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working

			EX											
257	36	SVIMS/EmeMed/02/2010/0240	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104646	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
258	37	SVIMS/EmeMed/06/2018/1117	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011706	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
259	38	SVIMS/EmeMed/06/2018/1118	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011707	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
260	39	SVIMS/EmeMed/06/2018/1119	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011708	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
261	40	SVIMS/EmeMed/06/2018/1120	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011709	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
262	41	SVIMS/EmeMed/06/2018/1121	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011711	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
263	42	SVIMS/EmeMed/06/2018/1122	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011712	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
264	43	SVIMS/EmeMed/06/2018/1123	Emergence Medicin Ex	C	Multi Para Monitor	Mindray	UMEC 12	KQ-84011713	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
265	44	SVIMS/EmeMed/03/2018/1112	Emergence Medicin	NC	Flexi.Intubating Video Endo	Karl stroz			Medi Focus	5y	26.03.2018	25.03.2023	SVIMS	Working
266	45	SVIMS/EmeMed/03/2018/1104	Emergence Medicin Ex	c	Defibrillator	Mindray	BeneHeart D2	EI-82000342	Green Apple	5Y	30.03.2018	29.03.2023	SVIMS	Working
267	46	**SVIMS/EmeMed/06/2005/1128**	**Emergence Medicin Ex**	**c**	**Ventilator**	**Hamilton**	**Raphel**	**6273**	**Trivitron**	**3Y**	**06-04-05**	**06-03-08**	**SVIMS**	**Not Working**
268	47	**SVIMS/EmeMed/03/2005/1129**	**Emergence Medicin Ex**	**c**	**Ventilator**	**Maquet**	**Servo 300**	**17756**	**Maquet India**	**5Y**	**27/05/09**	**26/05/14**	**SVIMS**	**Working**
269	48	SVIMS/EmeMed/04/2019/1164	Emergence Medicin (New Ambulance)	c	Defebrillator	Mindray	Bene heart D2	EI-92003259	Green Apple	5Y	13.04.2019	12.04.2024	SVIMS	Working
270	1	SVIMS/Medici/03/2009/0241	**Medicine/ MICU**	NC	**Sleep Lab System**	Natus medical	Sleep Scan	APE 082383	Sleep Scan	2y	26/03/09	25/03/11	PMSSY-HLL	Working
271	2	SVIMS/Medici/08/2003/0242	Medicine/ MICU	NC	**PFT System**	Morgan	Bench Mark	384	PK Morgon	3y	26/08/03	25/08/06	SVIMS	Working
272	3	SVIMS/MedIici/10/2016/0243	Medicine/ MICU	NC	**PFT System**	NDD	Easyone Pro Lab	600446	Jk Med	5Y	10-01-16	31/09/2021	SVIMS	Working
273	4	SVIMS/MedICU/02/2010/0244	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103987	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
274	5	SVIMS/MedICU/02/2010/0245	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103976	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working

275	6	SVIMS/MedICU/02/2010/0246	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104017	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
276	7	SVIMS/MedICU/02/2010/0247	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104629	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
277	8	SVIMS/MedICU/02/2010/0248	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104667	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
278	9	SVIMS/MedICU/02/2010/0249	Medicine/ MICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104658	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
279	10	SVIMS/MEDICU/02/2010/0250	Medicine/ENDO Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104666	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
280	11	SVIMS/MedICU/02/2010/0251	Medicine /ENDO Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104633	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
281	12	SVIMS/MedICi/01/2010/0252	Medicine/ MICU	NC	Spectro Photometer	Elico	BL-200		Sri Vijaya	3y	23/01/10	22/01/12	PMSSY-APHMHIDC	Working
282	13	SVIMS/MedICU/08/2014/0253	Medicine/ MICU	NC	ECG Recorder	BioNet	Cardio 7	T7N1200015	Vijetha	1Y	27/08/2014	26/08/2015	SVIMS	Working
283	14	SVIMS/MedICU/10/2011/0254/C	Medicine/ MICU	C	ICU Ventilator	Tecme	Grpahnet	9101 118 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
284	15	SVIMS/MedICU/10/2011/0255/C	Medicine/ MICU	C	ICU Ventilator	Tecme	Grpahnet	9101 121 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
285	16	SVIMS/MedICU/10/2011/0256/C	Medicine/ MICU	C	ICU Ventilator	Tecme	Grpahnet	9101 110 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
286	17	SVIMS/MedICU/10/2011/0257/C	Medicine/ MICU	C	ICU Ventilator	Tecme	Grpahnet	9101 129 1080	Meditronic	2y	10-01-11	31/09/2013	PMSSY-HLL	Working
287	18	SVIMS/Medici/02/2013/0258	Medicine/ MICU	NC	Deep Freezer -86	Forma	991	826493-1202	Vijaya	5y	02-04-13	02-03-18	SVIMS	Working
288	19	SVIMS/Medici/09/2013/0259	Medicine/ MICU	NC	Deep Freezer -40	Terumo penpol	Df 40U	1304309	Terumo	5Y	09-05-13	09-04-18	SVIMS	Working
289	20	SVIMS/Medici/09/2013/0260	Medicine/ MICU	NC	Deep Freezer -40	Terumo penpol	Df 40U	1304311	Terumo	5Y	09-05-13	09-04-18	SVIMS	Working
290	21	SVIMS/MedICU/00/0000/0261/C	Medicine/ MICU	C	Defibrillator	BPL	DF 2509R	BYMD72986	Bharat Medi	1Y			SVIMS	Working
291	22	SVIMS/MedICU/11/2009/0262	Medicine/ MICU	NC	Syringe Pump	L&T	SP102	609278	L&T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
292	23	SVIMS/MedICU/03/2009/0263	Medicine/ MICU	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497447	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
293	24	SVIMS/Medici/12/2016/0264	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1387	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working
294	25	SVIMS/Medici/12/2016/0265	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1389	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working

295	26	SVIMS/Medici/12/2016/0266	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	2269	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working
296	27	SVIMS/Medici/12/2016/0267	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	2270	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working
297	28	SVIMS/Medici/12/2016/0268	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	2271	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working
298	29	SVIMS/M/Medici/12/2016/0269	Medicine/ MICU	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	2274	Plenum Tech	3Y	16/12/16	15/12/19	SVIMS	Working
299	1	SVIMS/PraDha/02/2010/0270	**Pranadhana ward**	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104653	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
300	2	SVIMS/PraDha/02/2010/0271	Pranadhana ward	C	Multi Para Monitor	Mindray	PM-8000	AA-99121313	Instromedic	2y	02-07-10	02-06-12	PMSSY-HLL	Working
301	3	SVIMS/PraDha/11/2009/0272	Pranadhana ward	NC	Syringe Pump	Neuron BioMed	SP 102	609226	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
302	4	SVIMS/PraDha/11/2009/0273	Pranadhana ward	NC	Syringe Pump	Neuron BioMed	SP 102	609244	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
303	1	SVIMS/AshisW/11/2009/0274	**Ashis Ward**	NC	Syringe Pump	Neuron BioMed	SP 102	609228	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
304	2	SVIMS/AshisW/11/2009/0275	Ashis Ward	NC	Syringe Pump	Neuron BioMed	SP 102	609243	L & T	2Y	11-04-09	11-03-11	PMSSY-HLL	Working
305	1	SVIMS/EndLab/01/1997/0276	**Endo crinology** - Lab	NC	Auto Beta Counter	Wallac	1409		Pharmacia	3Y	1997	2000	SVIMS	working
306	2	SVIMS/EndLab/01/1997/0277	Endo crinology - Lab	NC	Manual Gamma Counter	ECIL	W76415	076-415	ECIL	1Y	1997	1998	SVIMS	Working
307	3	SVIMS/EndLab/01/1997/0278	Endo crinology - Lab	NC	Centrifuge	Remi	R8C	JNLC-6837	Remi	1Y	1997	1998	SVIMS	Working
308	4	SVIMS/EndLab/01/1997/0279	Endo crinology - Lab	NC	Centrifuge	Remi	R8C	ILCO-2487	Remi	1Y	1997	1998	SVIMS	Working
309	5	SVIMS/EndLab/10/2000/0280	Endo crinology - Lab	NC	Cooling Centrifuge	Remi		HOCI-5821	Indian Scientific	1y	21/10/00	20/10/01	SVIMS	Working
310	6	SVIMS/EndoC/02/2007/0281	Endo crinology - Lab	NC	Bone Densitometer	Hologic	Discovry-A	SQ9844	ADS Medical	3Y	02-02-07	02-01-10	SVIMS	Working
311	7	SVIMS/EndLab/12/2014/0282	Endo crinology - Lab	NC	PCR System	Eppendorf	MasterCycler Nexus	6333DQ108630	Eppendorf	5Y	23/12/2014	22/12/2019	SVIMS	Working
312	8	SVIMS/EndLab/07/2009/0283	Endo crinology - Lab	NC	Deep Freezer -40 Deg C	Terumo	DF40u	906108	Terumo	3Y	18/07/09	17/07/12	SVIMS	Working
313	9	SVIMS/EndLab/09/2016/0284	Endo crinology - Lab	NC	Deep Freezer -40 Deg C	Terumo	DF40u	201608538	Terumo	3Y	30/09/16	29/09/19	SVIMS	Working

314	10	SVIMS/EndLab/09/2016/0285	Endo crinology - Lab	NC	Deep Freezer -20 Deg C	Terumo	DF40u	201608541	Terumo	3Y	30/09/16	29/09/19	SVIMS	Working
315	11	SVIMS/EndLab/03/2013/0286	Endo crinology - Lab	NC	Chemi Illuminance syatem	Beckman	Acess-2	502630	Beckman India		03-05-13		Reagent Rental	Working
316	12	SVIMS/EndLab/10/2016/0287	Endo crinology - Lab	NC	Chemi Illuminance syatem	Beckman	Acess-2	511676	Beckman India		15/10/2016		Reagent Rental	Working
317	13	SVIMS/EndLab/02/2012/0288	Endo crinology - Lab	NC	A1C Analyzer	BioRad	D-10	DC2G732316	Pooja Medical	5Y	23/2/12		Reagent Rental	Working
318	14	SVIMS/EndLab/02/2012/0289	Endo crinology - Lab	NC	A1C Analyzer	BioRad	D-10	DB7E131001	Pooja Medical	5Y	23/2/12		Reagent Rental	Working
319	15	SVIMS/EndLab/03/2010/0290	Endo crinology - Lab	NC	Elisa Reder	Bio Tek	Max 200	236604	MediSoec	5y	23/03/10	22/03/15	SVIMS	Working
320	16	SVIMS/EndLab/11//2016/0291	Endo crinology - Lab	NC	Cooling Centrifuge	Remi	CPR-30 Plus	ZCU-26725	Medicoy	5Y	16/11/2016	15/11/2021	SVIMS	Working
321	17	SVIMS/EndLab/04/2018/1101	Endo crinology - Lab	NC	Cardiac Autonomic Neuropathy System Analyser	Royal Medi System	CANS 504	C51803176	Royal Medi System	1 Y	05.04.2018	04.04.2019	SVIMS	Working
322	18	SVIMS/EndoWa/02/2010/0292	ENDO Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104660	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
323	19	SVIMS/EndoWa/02/2010/0293	ENDO Ward	NC	Multi Para Monitor	Mindray	Beneview T8	CF-9A104665	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
324	20	SVIMS/EndoWa/02/2010/0294	ENDO Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104634	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
325	21	SVIMS/EndoWa/02/2010/0295	ENDO Ward	NC	Multi Para Monitor	Mindray	Beneview T8	CF-9A104649	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
326	22	SVIMS/EndoWa/02/2010/0296	ENDO Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104664	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
327	23	SVIMS/EndoWa/03/2009/0297	ENDO Ward	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497418	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
328	24	SVIMS/EndoWa/03//2009/0298	ENDO Ward	C	Syringe Pump	Fresenius	Injectomat/Agilia	20497354	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
329	25	SVIMS/EndoWa/03//2009/0299	ENDO Ward	NC	Syringe Pump	Neuron BioMed	SP 102	609236	L & T	2Y	11-03-09	18/03/14	PMSSY-HLL	Working
330	26	SVIMS/EndoWa/03/2009/0300	ENDO Ward	C	Syringe Pump	Neuron BioMed	SP 102	609245	L & T	2Y	11-03-09	18/03/14	PMSSY-HLL	Working
331	27	SVIMS/EndoWa/01/2010/0301	ENDO Ward	NC	Pulse Oximeter	MediAid		EGO9G00194	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
332	28	SVIMS/EndoWa/08/2018/1133	ENDO Ward	NC	ECG Machine	Wipro GE	MAC 2000	SRR182770105PA	Wipro GE	1 Y	28.08.2018	27.08.2019	SVIMS	

333	1	SVIMS/Radiol/07/2013/0302	**Radiology**	NC	**CR System with Laser printer-Main Block**	Care stream	Classic	4000921	Care Stream	5Y	07-02-13	07-01-18	SVIMS	Working
334	2	SVIMS/Radiol/05/2013/0303	Radiology	NC	**CR System with Laser printer-opd**	Care stream	Classic	4000930	Care Stream	5Y	22/5/2013	21/5/2018	SVIMS	Working
335	3	SVIMS/Radiol/02/2010/0304/C	Radiology	C	**CT Scan - 128 slice with laser printer & Facuty Work Station**	Siemens	Definision As +	64522	Seimens india	5Y	02-10-10	02-09-15	PMSSY-HLL	**Working**
			3.1		**CT-128 Definition +**									
			3.2		**Facuty Work Station**									
			3.3		**0**									
			3.4		**Defibrillator**									
			3.5		**Fluro system**									
			3.6		**Laser Printer-Film**									
			3.7		**UPS**									
336	4	SVIMS/Radiol/01/2014/0305/C	Radiology	C	**MRI Scan 1.5 Tesla**	Siemens	Aera		Seimens	5Y	27/01/2014	26/01/2019	PMSSY-HLL	Working
			4.1		**MRI Scan- 1.5Tesla**									
			4.2		**Facuty Work Station**									
			4.3		**Laser Film printer**									
			4.4		**MRI Com Pulse Oximeter**									
			4.5		**Anaesthsia work station with Multi Monitor**									
			4.6		**Metal Detector-Stand type-2Nos**									
			4.7		**Metal Detector-Hand Held type-2Nos**									
			4.8		**Pressure Injector**									

			4.9		**UPS**									
			4.1		**Air Conditioning System**									
337	5	SVIMS/Radiol/03/2008/0306	Radiology	NC	**ultra Sound Scanner**	Siemens	Sonoline G40	303929	siemens	3Y	15/03/08	14/03/11	SVIMS	Working
338	6	SVIMS/Radiol/12/2009/0307	Radiology	NC	**Ultra Sound Scanner**	Philips	IU22	03944NY	Philips India	2y	12-01-09	31/11/2011	PMSSY-HLL	Working
339	7	SVIMS/Radiol/03/2011/0308	Radiology	NC	**Ultra Sound Scanner**	G E	Voluson 730 Pro	A43830	GE	2y	24/03/2011	23/03/2013	PMSSY-HLL	Working
340	8	SVIMS/Radiol/01/2016/0309	Radiology	NC	**ultra Sound Scanner**	Esote	Mylab 40	40-13555	Esote India	3Y	15/01/2016	14/01/2019	SVIMS	Working
341	9	SVIMS/Radiol/01/2016/0310	Radiology	NC	**ultra Sound Scanner**	Esote	Mylab 40	40-13556	Esote India	3Y	15/01/2016	14/01/2019	SVIMS	Working
342	10	SVIMS/Radiol/01/2016/0311	Radiology	NC	**ultra Sound Scanner**	Esote	Mylab 40	40-13557	Esote India	3Y	15/01/2016	14/01/2019	SVIMS	Working
343	11	SVIMS/Radiol/07/2016/0312	Radiology	NC	Ultra Sound Color Doppler	Esote	MYLAB TWICE	9995	Healthware	5y	20/07/2016	19/07/2021	SVIMS	Working
344	12	SVIMS/Radiol/10/2011/0313	Radiology	C	**X-Ray 1000ma OPD**	Listen Korea	1000mA	10-0246	Platinum	2Y	14/10/2011	13/10/2013	PMSSY-HLL	Working
345	13	SVIMS/Radiol/12/2013/0314	Radiology	NC	**Digital X-Ray**	Sedecal/Canon	Prorad 3N	12041072	Pronosysd	2Y	19/12/2013	18/12/2015	PMSSY-HLL	Working
346	14	SVIMS/Radiol/03/2013/0315	Radiology	C	**X-Ray 500mA OPD**	Medtronics/Philips	Dignox 4050	11A003	Philips India	2Y	15-03-13	14/03/2015	PMSSY-HLL	Working
347	15	SVIMS/Radiol/02/1992/0316	Radiology	NC	**X-Ray 500mA**	Siemens	polyphos	EO 90566	Siemens	3Y	26/02/92	25/02/95	SVIMS	Working
348	16	SVIMS/Radiol/05/2000/0317	Radiology	NC	**X-Ray Mobile**	Siemens	Multi Mobile	3422	Siemens	1.5 Y	25/05/00	24/11/01	SVIMS	Working
349	17	SVIMS/Radiol/10/2009/0318	Radiology	NC	**X-Ray Mobile**	Allenger	Opel 3.5/ SBM	2K90503075	Allenger	5Y	10-05-09	10-04-14	SVIMS	Working
350	18	SVIMS/Radiol/10/2009/0319	Radiology	NC	**X-Ray Mobile**	Allenger	Opel 3.5/ SBM	2K90503076	Allenger	5y	10-05-09	10-04-14	SVIMS	Working
351	19	SVIMS/Radiol/10/2009/0320	Radiology	NC	**X-Ray Mobile**	Allenger	Opel 3.5/ SBM	2K90503077	Allenger	5y	10-05-09	10-04-14	SVIMS	Working
352	20	SVIMS/Radiol/03/2016/0321	Radiology	NC	**X-Ray Mobile**	Adonis medica	AE 100 HF	151241	Adonis medica	5y	03-10-16	03-09-21	SVIMS	Working
353	21	SVIMS/Radiol/03/2016/0322	Radiology	NC	X-Ray Mobile	Adonis medica	AE 100 HF	151242	Adonis medica	5y	03-10-16	03-09-21	SVIMS	Working
354	22	SVIMS/Radiol/03/2016/0323	Radiology	NC	X-Ray Mobile	Adonis medica	AE 100 HF	160132	Adonis medica	5y	03-10-16	03-09-21	SVIMS	Working

355	23	SVIMS/Radiol/03/2016/0324	Radiology	NC	X-Ray Mobile	Adonis medica	AE 100 HF	160133	Adonis medica	5y	03-10-16	03-09-21	SVIMS	Working
356	24	SVIMS/Radiol/04/2016/0325	Radiology	C	Mamography	Metaltronica	Lylium BYM	0639/CB2	Bet Medical	5Y	29/04/2016	28/04/2021	SVIMS	Working
357	25	SVIMS/Radiol/05/2018/1110	Radiology	C	800mA x-ray Machine with Fluoroscopy & Image Intensifier	IRIS Healthcare	Luminous Select	20053	Siemens	5 Y	04-05-18	03-05-23	SVIMS	Working
358	26	SVIMS/Radiol/01/2019/1138	Radiology	NC	Mamography-PINK BUS	Metaltronica	Lylium BYM	LLILHF 107251CBZ	Bet Medical	5Y	02.01.2019	01-01-24	SVIMS	Working
359	27	SVIMS/Radiol/01/2019/1139	Radiology	NC	**CR System -Pink Bus**	Care stream	Classic	4004102	Care Stream	5Y	02.01.2019	01-01-24	SVIMS	Working
360	28	SVIMS/Radiol/01/2019/1140	Radiology	NC	Ultra Sound scanner	Mindray			Green apple	5Y	00/01/2019	00/01/2024	SVIMS	Working
361	29	SVIMS/Radiol/02/2019/1147	Radiology	NC	Mamography-Digital	Siemenms	Mamomat Fusion		Rotory Club	1Y	14/02/2019	13/02/2020	Rotory Club	Working
362	1	SVIMS/NuMedi/11/2009/0326	**NUCLEAR MEDICINE**	NC	Gamma Camera with Work station, UPS, laser printer, Schiller make TMT	Siemens	Symbia	1102	Siemens India	5Y	17/11/2009	16/11/2014	SVIMS	Working
363	**2**	SVIMS/NuMedi/08/1994/0327	NUCLEAR MEDICINE	NC	Dose Calibrator	Capintec	CRC7	71672	Wipro GE	3Y	08-10-94	08-09-97	SVIMS	Working
364	**3**	SVIMS/NuMedi/08/1994/0328	NUCLEAR MEDICINE	NC	Radiation Monitor	ECIL	RM4564	146	Wipro GE	3Y	08-10-94	08-09-97	SVIMS	Working
365	4	SVIMS/NuMedi/08/1994/0329	NUCLEAR MEDICINE	NC	Radiation Survey meter	ECIL	MR450A	499	Wipro GE	3Y	08-10-94	08-09-97	SVIMS	Working
366	5	SVIMS/NuMedi/10/2010/0330	NUCLEAR MEDICINE	NC	Pet CT - with Laser paper printer, Laser Film printer, Work station, UPS,Contamination monitor extra	Siemens	Biograph	91087	Siemens India	5Y	26/10/2010	25/10/2015	SVIMS	Working
367	6	SVIMS/NuMedi/12/2008/0331	NUCLEAR MEDICINE	C	Defibrillator	BPL	DF-2509	BYMD8C3233	BPL	3Y	12-12-08	12-11-11	SVIMS	Working
368	7	SVIMS/NuMedi/00/2014/0332	NUCLEAR MEDICINE	Nc	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1382	Plenum Tech	3Y	2014	2017	SVIMS	Working
369	1	SVIMS/Anaest/11/2009/0333/C	**Anaesthesiology**	**C**	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN-01003	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
370	2	SVIMS/Anaest/11/2009/0334/C	Anaesthesiology	**C**	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN-01013	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
371	3	SVIMS/Anaest/11/2009/0335/C	Anaesthesiology	**C**	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN-01011	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working

372	4	SVIMS/Anaest/11/2009/0336/C	Anaesthesiology	**C**	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN-00996	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
373	5	SVIMS/Anaest/11/2009/0337/C	Anaesthesiology	**C**	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN-01010	GE Datex Ohmeda	2Y	30/11/2009	29/11/2011	PMSSY-HLL	Working
374	6	SVIMS/Anaest/05/2009/0338/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41979	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
375	7	SVIMS/Anaest/05/2009/0339/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41980	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
376	8	SVIMS/Anaest/05/2009/0340/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41981	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
377	9	SVIMS/Anaest/05/2009/0341/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41982	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
378	10	SVIMS/Anaest/05/2009/0342/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41983	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
379	11	SVIMS/Anaest/05/2009/0343/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41984	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
380	12	SVIMS/Anaest/05/2009/0344/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41985	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
381	13	SVIMS/Anaest/05/2009/0345/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41986	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
382	14	SVIMS/Anaest/05/2009/0346/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41987	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
383	15	SVIMS/Anaest/05/2009/0347/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41988	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
384	16	SVIMS/Anaest/05/2009/0348/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41989	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
385	17	SVIMS/Anaest/05/2009/0349/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41990	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
386	18	SVIMS/Anaest/05/2009/0350/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41991	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
387	19	SVIMS/Anaest/05/2009/0351/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41992	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
388	20	SVIMS/Anaest/05/2009/0352/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41993	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
389	21	SVIMS/Anaest/05/2009/0353/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41994	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
390	22	SVIMS/Anaest/05/2009/0354/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41995	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
391	23	SVIMS/Anaest/05/2009/0355/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41996	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working

392	24	SVIMS/M/Anae/05/2009/0356/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41997	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
393	25	SVIMS/Anaest/05/2009/0357/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41998	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
394	26	SVIMS/Anaest/05/2009/0358/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	41999	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
395	27	SVIMS/Anaest/05/2009/0359/C	Anaesthesiology	**C**	ICU Ventilator	Marquet	Servo-I	42000	Maquet India	5Y	27/05/09	26/05/14	SVIMS	Working
396	28	SVIMS/Anaest/07/2010/0360	Anaesthesiology	**C**	Ana Work Station	GE Datex Ohmeda	Aestiva 7900	AMRN01176	GE Datex India	2Y	07-12-10	07-11-12	PMSSY-HLL	Working
397	29	SVIMS/Anaest/07/2010/0361/C	Anaesthesiology	**C**	Ana Work Station	GE Datex Ohmeda	Aestiva 7900	AMRN01177	GE Datex India	2Y	07-12-10	07-11-12	PMSSY-HLL	Working
398	30	SVIMS/Anaest/07/2010/0362/C	Anaesthesiology	**C**	Ana Work Station	GE Datex Ohmeda	Aestiva 7900	AMRN01178	GE Datex India	2Y	07-12-10	07-11-12	PMSSY-HLL	**Working**
399	31	SVIMS/Anaest/08/2010/0363/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0033	Drager india	2Y	08-08-10	08-07-12	PMSSY-HLL	Working
400	32	SVIMS/Anaest/08/2010/0364/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0036	Drager india	2Y	08-08-10	08-07-12	PMSSY-HLL	Working
401	33	SVIMS/Anaest/08/2010/0365/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0037	Drager india	2Y	08-08-10	08-07-12	PMSSY-HLL	Working
402	34	SVIMS/Anaest/08/2010/0366/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0038	Drager india	2Y	08-08-10	08-07-12	PMSSY-HLL	Working
403	35	SVIMS/Anaest/08/2010/0367/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0040	Drager india	2Y	08-08-10	08-07-12	PMSSY-HLL	Working
404	36	SVIMS/Anaest/01/2012/0368/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0032	Drager india	2Y	01-01-12	31/12/2014	PMSSY-HLL	Working
405	37	SVIMS/Anaest/01/2012/0369/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0034	Drager india	2Y	01-01-12	31/12/2014	PMSSY-HLL	Working
406	38	SVIMS/Anaest/01/2012/0370/C	Anaesthesiology	**C**	Ana Work Station	Drager	Fabius plus	ASAM0035	Drager india	2Y	01-01-12	31/12/2014	PMSSY-HLL	Working
407	39	SVIMS/Anaest/01/2012/0371/C	Anaesthesiology	C	Ana Work Station	Drager	Fabius plus	ASAM0039	Drager india	2Y	01-01-12	31/12/2014	PMSSY-HLL	Working
408	40	SVIMS/Anaest/01/2010/0372	Anaesthesiology-RICU	NC	Syringe Pump	Neuron BioMed	SP 102	0609-235	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
409	41	SVIMS/Anaest/01/2010/0373	Anaesthesiology-RICu	NC	Syringe Pump	Neuron BioMed	SP 102	0609-240	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
410	42	SVIMS/Anaest/01/2010/0374	Anaesthesiology-RICU	NC	Syringe Pump	Neuron BioMed	SP 102	0609-268	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
411	43	SVIMS/Anaest/01/2010/0375	Anaesthesiology-RICu	NC	Syringe Pump	Neuron BioMed	SP 102	0609-224	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working

412	44	SVIMS/Anaest/01/2010/0376	Anaesthesiology-RICU	NC	Syringe Pump	Neuron BioMed	SP 102	0609-239	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
413	45	SVIMS/Anaest/01/2010/0377	Anaesthesiology-RICu	NC	Syringe Pump	Neuron BioMed	SP 102	0609-285	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
414	46	SVIMS/Anaest/01/2010/0378	Anaesthesiology-RICU	NC	Syringe Pump	Neuron BioMed	SP 102	0609-246	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
415	47	SVIMS/Anaest/01/2010/0379	Anaesthesiology-RICu	NC	Syringe Pump	Neuron BioMed	SP 102	0609-274	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
416	48	SVIMS/Anaest/01/2010/0380	Anaesthesiology-RICU	NC	Syringe Pump	Neuron BioMed	SP 102	0609-271	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
417	49	SVIMS/Anaest/01/2010/0381	Anaesthesiology-RICu	NC	Syringe Pump	Neuron BioMed	SP 102	0609-233	L & T	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
418	50	SVIMS/Anaest/06/2013/0382	Anaesthesiology	NC	Vigileo monitor	Edwards life sciences	vigileo		Medical bionic	5Y	06-06-13	06-05-18	SVIMS	Working
419	51	SVIMS/Anaest/03/2009/0383	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497449	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
420	52	SVIMS/Anaest/03/2009/0384	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497464	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
421	53	SVIMS/Anaest/03/2009/0385	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497357	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
422	54	SVIMS/Anaest/03/2009/0386	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497422	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
423	55	SVIMS/Anaest/03/2009/0387	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497441	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
424	56	SVIMS/Anaest/03/2009/0388	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497463	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
425	57	SVIMS/Anaest/03/2009/0389	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497461	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
426	58	SVIMS/Anaest/03/2009/0390	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497452	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
427	59	SVIMS/Anaest/03/2009/0391	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497445	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
428	60	SVIMS/Anaest/03/2009/0392	Anaesthesiology	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497430	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
429	61	SVIMS/Anaest/10/2008/0393	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113034	Philips	3Y	29/10/08	28/10/11	SVIMS	**Working**
430	62	SVIMS/Anaest/10/2008/0394	Anaesthesiology	C	Multi Para Monitor	Philips	MP60	DE73113004	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
431	63	SVIMS/Anaest/10/2008/0395	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113000	Philips	3Y	29/10/08	28/10/11	SVIMS	Working

432	64	SVIMS/Anaest/10/2008/0396	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113015	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
433	65	SVIMS/Anaest/10/2008/0397	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113040	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
434	66	SVIMS/Anaest/10/2008/0398	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113030	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
435	67	SVIMS/Anaest/10/2008/0399	Anaesthesiology	C	Multi Para Monitor	Philips	MP60	DE73112985	Philips	3Y	29/10/08	28/10/11	SVIMS	**Working**
436	68	SVIMS/Anaest/10/2008/0400	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113022	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
437	69	SVIMS/Anaest/10/2008/0401	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113043	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
438	70	SVIMS/Anaest/10/2008/0402	Anaesthesiology	C	Multi Para Monitor	Philips	MP 60	DE73113041	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
439	71	SVIMS/Anaest/10/2008/0403	Anaesthesiology	C	Multi Para Monitor	Philips	X2 MMS	DE73611090	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
440	72	SVIMS/Anaest/10/2008/0404	Anaesthesiology	C	Multi Para Monitor	Philips	X2 MMS	DE73611092	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
441	73	SVIMS/Anaest/10/2008/0405	Anaesthesiology	C	Multi Para Monitor	Philips	X2 MMS	DE73611096	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
442	74	SVIMS/Anaest/10/2008/0406	Anaesthesiology	C	Multi Para Monitor	Philips	X2 MMS	DE73611103	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
443	75	SVIMS/Anaest/10/2008/0407	Anaesthesiology	C	Multi Para Monitor	Philips	X2 MMS	DE73611117	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
444	76	SVIMS/Anaest/02/2010/0408	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103967	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
445	77	SVIMS/Anaest/02/2010/0409	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103970	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
446	78	SVIMS/Anaest/02/2010/0410	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103991	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
447	79	SVIMS/Anaest/02/2010/0411	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103997	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
448	80	SVIMS/Anaesti/02/2010/0412	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103999	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
449	81	SVIMS/Anaest/02/2010/0413	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104012	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
450	82	SVIMS/Anaest/02/2010/0414	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104273	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working

451	83	SVIMS/Anaest/02/2010/0415	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104274	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
452	84	SVIMS/Anaest/02/2010/0416	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104275	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
453	85	SVIMS/Anaest/02/2010/0417	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104276	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
454	86	SVIMS/Anaest/02/2010/0418	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104277	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
455	87	SVIMS/Anaest/02/2010/0419	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104278	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
456	88	SVIMS/Anaest/02/2010/0420	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104279	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
457	89	SVIMS/Anaest/02/2010/0421	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104280	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
458	90	SVIMS/Anaest/02/2010/0422	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104281	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
459	91	SVIMS/Anaest/02/2010/0423	Anaesthesiology-RICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104282	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
460	92	SVIMS/Anaest/06/2016/0424	Anaesthesiology-RICU	C	Blood Gas Analyzer	RadioMeter	ABL 800	754R2258N007	JK Medical		28/06/2016		Reagent Rental	Working
461	93	SVIMS/Anaest/00/0000/0425	Anaesthesiology-RICU	C	Defibrillator	Philips	Heartstart XL	US00465720	Philips					Working
462	94	SVIMS/Anaest/12/2017/1100	Anaesthesiology	NC	Flexible Intubating Video Endoscope	Karl-Storz		XS13663/XS13496/41168/49733/53813	Medifocus (I)	5 Y	26-12-17	25-12-22	SVIMS	Working
463	95	SVIMS/Anaest/12/2017/1130	Anaesthesiology	C	Ana Work Station	Drager	Fabius C	ARXF0119	Drager india	3y				
464	1	SVIMS/CT. OT /01/1993/0426/C	**CT SURGERY** OT	c	Heart Lung Machine	Sarns	System 8000 pumps	1106	J.Mitra	3Y	18/01/93	17/01/96	svims	Working
465	2	SVIMS/CT.OT /04/2007/0427/C	CT SURGERY OT	c	Heart Lung Machine	Maquet	HL 20	100243	Olympus	3y	18/04/2007	17/04/2010	svims	Working
				c	Heater Cooler Unit	Maquet	HUC 30	93101207	Olympus					Working
466	3	SVIMS/CT.OT /01/2016/0428/C	CT SURGERY OT	c	Heart Lung Machine	Maquet	HL 20	94002657	Maquet India	5y	20/01/2016	19/01/2021	svims	Working
				c	Heater Cooler Unit	Maquet	HCU 40	90440503						Working

467	4	SVIMS/CT.OT /01/2016/0429	CT SURGERY OT	c	Heater Cooler Unit	Sorin	HCU 3T	16S16514	ARCOM	5Y	01-08-16	01-07-21	svims	Working
468	5	SVIMS/CT.OT /01/2016/0430	CT SURGERY OT	c	Heater Cooler Unit	Sorin	HCU 3T	16S16515	ARCOM	5Y	01-08-16	01-07-21	svims	Working
469	6	SVIMS/CT.OT /06/2009/0431	CT SURGERY OT	NC	OT Light	Martin	V16 + V 10	1678, 1679	Vishal	3Y	26/06/09	25/06/11	PMSSY-HLL	Working
470	7	SVIMS/CT.OT /06/2009/0432	CT SURGERY OT	NC	OT Light	Martin	V16 + V 10	1,66,61,667	Vishal	3Y	26/06/09	25/06/11	PMSSY-HLL	Working
471	8	SVIMS/CT.OT /09/2012/0433	CT SURGERY OT	NC	OT Light	Martin	V16 + V 10	2088, 2089	Vishal	5Y	21/09/12	20/09/17	SVIMS	Working
472	9	SVIMS/CT.OT /10/2006/0434	CT SURGERY OT	NC	OT Table	Takeuchi	TS-103	TS-01068	Vishal	3Y	10-10-06	10-09-09	SVIMS	Working
473	10	SVIMS/CT.OT /10/2006/0435	CT SURGERY OT	NC	OT Table	Takeuchi	TS-103	TS-01067	Vishal	3Y	11-10-06	09-10-09	SVIMS	Working
474	11	SVIMS/CT.OT /10/2006/0436	CT SURGERY OT	NC	OT Table	Mizuho	5100	90625296	Moola Tools	3Y				
475	12	SVIMS/CT.OT /11/2007/0437	CT SURGERY OT	NC	Surgical Diathermy	Valley Lab	Force RX	16998A	Asian	3Y	14/11/07	13/11/10	SVIMS	Working
476	13	SVIMS/CT.OT /04/2008/0438	CT SURGERY OT	NC	Surgical Diathermy	Valley Lab	Force RX	F54743A	Asian	3Y	04-10-08	04-09-11	SVIMS	Working
477	14	SVIMS/CT.OT /02/2005/0439	CT SURGERY OT	NC	Surgical Diathermy	Alsa	EXCEL 350 MCD	4974	Advanced Med	3Y	02-04-05	02-03-08	SVIMS	Working
478	15	SVIMS/CT.OT /05/2012/0440	CT SURGERY OT	NC	Electro Surgical Diathermy	Div Labs	Trinity-QRF	TY-011087	Div Labs	2Y	25/05/2012	24/05/2014	Pmssy-HLL	Working
479	16	SVIMS/CT.OT /05/2012/0441	CT SURGERY OT	NC	Electro Surgical Diathermy	Div Labs	Trinity-QRF	TY-011088	Div Labs	2Y	25/05/2012	24/05/2014	Pmssy-HLL	Working
480	17	SVIMS/CT.OT /12/2015/0442	CT SURGERY OT	NC	ACT Macine	Meditronics	ACT 200	ACT2005276	medtronic india	1Y	15/12/2015	14/12/2016	SVIMS	Working
481	18	SVIMS/CT.OT /07/2(	CT SURGERY OT	NC	Brahco Scope	Pentex	EB-1975K	H120880		5 Y	25.04.2018	24.05.2023	SVIMS	Working
482	19	SVIMS/CT.OT /06/2007/0444/C	CT SURGERY OT	C	IABP	Datacope	CS100	SA06576-D7	Advanced Micronic	3y	06-01-07	05-01-10	SVIMS	Working
483	20	SVIMS/CT.OT /06/2013/0445/C	CT SURGERY OT	C	IABP	Datacope	CS300	SI222047A3	Advanced Micronic	5y	28/06/2013	27/06/2018	SVIMS	Working
484	21	SVIMS/CT.OT /07/2005/0446	CT SURGERY	NC	Stenum Saw-Manman	Sisco			Sisco	1y	01-07-05	05-06-06	SVIMS	Working

			OT											
485	22	SVIMS/CT.OT /12/2015/0447/C	CT SURGERY OT	C	Defibrillator	Mindray	BeneHeart D3	EL-5B023605	Green Apple	5Y	30/12/2015	29/12/2020	SVIMS	Working
486	23	SVIMS/CT.OT /04/2019/0448/C	CT SURGERY OT	C	Defibrillator	Mindray	Bene heart D2	EI - 92003248	Green apple	5Y	16/04/2019	15/04/2024	SVIMS	**Working**
487	24	SVIMS/CT.OT /02/2017/0449	CT SURGERY OT	NC	Stenum Saw-Manman	Sisco		B 770	Sisco	1y	14/02/17	13/02/18	SVIMS	Working
488	25	SVIMS/CT.OT /02/2017/0450	CT SURGERY OT	NC	Resternotomy-Redo-Saw	Sisco		A991	Sisco	1Y	14/02/17	13/02/18	SVIMS	Working
489	26	SVIMS/CT.OT /02/2017/0451	CT SURGERY OT	NC	Resternotomy-Redo-Saw	Sisco		B174	Sisco	1Y	14/02/17	13/02/18	SVIMS	Working
490	27	SVIMS/CT.OT /11/2017/0452	CT SURGERY OT	NC	Harmonic Scapel	J&J	Gen 11	1111651273	J&J india	1Y	11-10-17	11-09-18	SVIMS	Working
491	28	SVIMS/CT.OT /07/2005/0453	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE62223007	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
492	29	SVIMS/CT.OT /07/2005/0454	CT Surgery RR	C	Patient Monitor	Philips	MP20	DE50405060	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
493	30	SVIMS/CT.OT /07/2005/0455	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE62222989	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
494	31	SVIMS/CT.OT /07/2005/0456	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE62223084	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
495	32	SVIMS/CT.OT /07/2005/0457	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE50405066	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
496	33	SVIMS/CT.OT /07/2005/0458	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE62223053	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
497	34	SVIMS/CT.OT /07/2005/0459	CT Surgery RR	C	Patient Monitor	Philips	MP 20	DE62222982	Philips	3Y	14/07/05	13/07/08	SVIMS	Working
498	35	SVIMS/CT.RR /10/2008/0460	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113044	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
499	36	SVIMS/CT.RR /10/2008/0461	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113035	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
500	37	SVIMS/CT.RR /10/2008/0462	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73112996	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
501	38	SVIMS/CT.RR /10/2008/0463	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113047	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
502	39	SVIMS/CT.RR /10/2008/0464	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113025	Philips	3Y	29/10/08	28/10/11	SVIMS	Working

503	40	SVIMS/CT.RR /10/2008/0465	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113042	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
504	41	SVIMS/CT.RR /10/2008/0466	CT Surgery RR	C	Patient Monitor	Philips	MP60	DE73113031	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
505	42	SVIMS/CT.RR /10/2008/0467	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113028	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
506	43	SVIMS/CT.RR /10/2008/0468	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113039	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
507	44	SVIMS/CT.RR /10/2008/0469	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113037	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
508	45	SVIMS/CT.RR /10/2008/0470	CT Surgery RR	C	Patient Monitor	Philips	MP 60	DE73113026	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
509	46	SVIMS/CT.RR /09/2014/0471	CT Surgery RR	NC	ECG Recorder	BioNet	Cardio 7	T7M11000 47	Vijetha	1Y	01-09-14	31/8/2015	SVIMS	Working
510	47	SVIMS/CT.RR /05/2013/0472	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050541-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
511	48	SVIMS/CT.RR /05/2013/0473	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050542-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
512	49	SVIMS/CT.RR /05/2013/0474	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050543-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
513	50	SVIMS/CT.RR /05/2013/0475	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050544-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
514	51	SVIMS/CT.RR /05/2013/0476	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050545-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
515	52	SVIMS/CT.RR /05/2013/0477	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050546-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
516	53	SVIMS/CT.RR /05/2013/0478	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050547-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
517	54	SVIMS/CT.RR /05/2013/0479	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050548-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
518	55	SVIMS/CT.RR /05/2013/0480	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050549-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
519	56	SVIMS/CT.RR /05/2013/0481	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050550-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
520	57	SVIMS/CT.RR /09/2013/0482	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050577-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
521	58	SVIMS/CT.RR /09/2013/0483	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050578-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
522	59	SVIMS/CT.RR /09/2013/0484	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	130505479-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working

523	60	SVIMS/CT.RR /09/2013/0485	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13050580-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
524	61	SVIMS/CT.RR /09/2013/0486	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051374-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
525	62	SVIMS/CT.RR /09/2013/0487	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051375-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
526	63	SVIMS/CT.RR /09/2013/0488	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051376-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
527	64	SVIMS/CT.RR /09/2013/0489	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051377-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
528	65	SVIMS/CT.RR /09/2013/0490	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051378-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
529	66	SVIMS/CT.RR /09/2013/0491	CT Surgery RR	NC	Syringe Pump	Organge	Flow Prima	13051379-Z	Organge Medical	2Y	03-09-13	02-09-15	SVIMS	Working
530	67	SVIMS/CT.RR /10/2015/0492	CT Surgery RR	C	Defibrillator	Mindray	BeneHeart D3	EL-5B023604	Green Apple	5Y	30/12/2015	29/12/2020	SVIMS	Working
531	68	SVIMS/CT.RR /04/2009/0493	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497424	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
532	69	SVIMS/CT.RR /04/2009/0494	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497440	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
533	70	SVIMS/CT.RR /04/2009/0495	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497442	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
534	71	SVIMS/CT.RR /04/2009/0496	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497423	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
535	72	SVIMS/CT.RR /04/2009/0497	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497355	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
536	73	SVIMS/CT.RR /04/2009/0498	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497420	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
537	74	SVIMS/CT.RR /04/2009/0499	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497356	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
538	75	SVIMS/CT.RR /04/2009/0500	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497458	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
539	76	SVIMS/CT.RR /04/2009/0501	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497456	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
540	77	SVIMS/CT.RR /04/2009/0502	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497451	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
541	78	SVIMS/CT.RR /04/2009/0503	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497438	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
542	79	SVIMS/CT.RR /04/2009/0504	CT Surgery RR	NC	Syringe Pump	Fresenius	Injectomat	20497460	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working

543	80	SVIMS/M/CT.ICU/06/2016/0505	CT Surgery RR	C	Blood Gas Analyzer	RadioMeter	Abl 800	754R2246N0007	JK Medical		28/06/2016		Reagent Rental	Working
544	81	SVIMS/CT.ICU/02/2010/0506	**CT ICU**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF-99103973	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
545	82	SVIMS/CT.ICU/02/2010/0507	**CT ICU**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF-99104006	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
546	83	SVIMS/CT.ICU/02/2010/0508	**CT ICU**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF-99104008	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
547	84	SVIMS/CT.ICU/02/2010/0509	**CT ICU**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF-99103975	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
548	85	SVIMS/CT.POW/02/2010/0510	**CT ICU**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF-99103969	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
549	86	SVIMS/CT.POW/11/2011/0511	CT post operative Ward	C	ICU Ventilator	Tecme	Graphnet	9101 123 1080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
550	87	SVIMS/CT.POW/11/2011/0512	CT post operative Ward	C	ICU Ventilator	Tecme	Graphnet	9101 133 1080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
551	88	SVIMS/CT.POW/04/2010/0513	CT post operative Ward	C	Defibrillator	Philips	MRX	US00537833	US00537833	2Y	28/04/10	27/04/12	PMSSY-HLL	Working
552	89	SVIMS/CT.POW/04/2009/0515	CT post operative Ward	NC	Syringe Pump	Fresenius	Injectomat	20497435	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
553	90	SVIMS/CT.POW/04/2009/0516	CT post operative Ward	NC	Syringe Pump	Fresenius	Injectomat	20497436	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
554	91	SVIMS/CT.POW/04/2009/0518	CT post operative Ward	NC	Syringe Pump	Fresenius	Injectomat	20497453	Mitie	5Y	04-07-09	04-06-14	SVIMS	Working
555	92	SVIMS/CT.POW/07/2009/0519	CT post operative Ward	NC	Pulse Oximeter	MediAid	900P	EGO9G00191	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
556	93	SVIMS/CT.POW/07/2009/0520	CT post operative Ward	NC	Pulse Oximeter	MediAid	900p	EGO9G00192	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
557	94	SVIMS/CT.POW/04/2010/0521	CT post operative Ward	NC	Syringe Pump	Baxter	Sep-105	6606					SVIMS	Working
558	1	SVIMS/GEE.OT/09/2012/0522	**GE Extn/Lung OT**	**NC**	OT Light	Martin	V16 + V 10	1665, 1666	Vishal	5Y	21/09/12	20/09/17	SVIMS	Working
559	2	SVIMS/GEE.OT/08/2013/0523	**GE Extn/Lung OT**	**NC**	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0038	Bet Medical	2Y	27/08/13	26/08/15	PMSSY-HLL	Working
560	3	SVIMS/Uro.OT/07/2013/0524	**GE Extn/Lung OT**	**NC**	Surgical Diathermy	Erbe	vio 300D	11318694	Trivitron	3Y	07-01-13	31/6/2015	SVIMS	Working
561	1	SVIMS/Uro.OT/06/2009/0525	**UROLOGY OT**	**NC**	OT Light	Martin	V16 + V 10	1669, 1670	Vishal	3y	26/06/09	25/06/12	PMSSY-APHMHIDC	Working

562	2	SVIMS/Uro.OT/06/2009/0526	UROLOGY OT	**NC**	OT Light	Martin	V16 + V 10	1680, 1681	Vishal	3y	26/06/09	25/06/12	PMSSY-APHMHIDC	Working
563	3	SVIMS/Uro.ROT/09/2012/0527	UROLOGY OT	**NC**	OT Light	Martin	V16 + V 10	2090, 2091	Vishal	5Y	21/09/12	20/09/17	SVIMS	Working
564	4	SVIMS/Uro.OT/08/2013/0528	UROLOGY OT	**NC**	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0036	Bet Medical	2Y	27/08/13	26/08/15	PMSSY-HLL	Working
565	5	SVIMS/Uro.OT/08/2013/0529	UROLOGY OT	**NC**	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0032	Bet Medical	2Y	27/08/13	26/08/15	PMSSY-HLL	Working
566	6	SVIMS/Uro.OT/03/2017/0530	UROLOGY OT	**NC**	OT Table	Dr.Max	7000SKBD	2A347-PC-0001	Bet Medical	5Y	22/03/2017	21/03/2022	SVIMS	Working
567	7	SVIMS/Uro.OT/01/2009/0531	UROLOGY OT	**NC**	Surgical Diathermy	Alsa	Excel 350 MCD	3676	Advanced Medical	3Y	01-05-09	01-04-12	SVIMS	Working
568	8	SVIMS/Uro.OT/09/2013/0532	**UROLOGY OT**	**NC**	Surgical Diathermy	Aesculap/ B.Braun	GN300	4097	Sisco	3Y				Working
569	9	SVIMS/Uro.OT/01/2009/0533	UROLOGY OT	**NC**	Surgical Diathermy	Martin	ME411	303082679	Visdhal	3y				Working
570	10	SVIMS/Uro.OT/08/2012/0534	UROLOGY OT	**NC**	Mobile C-ARM	Siemens	Compact II	L/30923	Siemens	1Y	31/08/12	30/08/13	SVIMS	Working
571	11	SVIMS/Uro.OT/02/2014/0535	UROLOGY OT	**NC**	3 Chip Camera system	Stykar			Indian Orthocare	3Y	02-11-14	02-10-17	SVIMS	Working
			12A	**NC**	3 Chip camera	Stykar		14GO28214						**Not Working**
			12.2	**NC**	Camera console	Stykar	1188 HD 3 Chip	14G028034						Working
			12.3	**NC**	Light Source	Stykar	X-8000	14G009444						Working
			123.4	**NC**	Monitor	Stykar	Vision Elect HDTV	VEH261EO511						Working
572	12	SVIMS/Uro.OT/04/2015/0536	UROLOGY OT	**NC**	3 Chip camera with light source,processor & Monitor	Karl Storz	Image-1 H3-Z	0V846713-4	Vishal	3Y	24/04/2015	23/04/2018	SVIMS	Working
			13.1	**NC**	3 Chip camera	Karl Storz		OU846713-H						Working
			13.2	**NC**	Camera Console	Karl Storz	22201020	OU729128-P						Working
			13.3	**NC**	Light Source	Karl Storz	LED Nova 150	OT 4437						Working
			13.4	**NC**	Monitor	StorZ	9627NB/KsS-27	A008VVD19						Working

573	13	SVIMS/Uro.OT/09/2013/0537	UROLOGY OT	**NC**	3 Chip camera with light source,processor & Monitor	Aesculap/ B.Braun	PV460,PV462 & OP932	1,00,71,014	Global Life care	2Y	19/9/2013	18/9/2015	PMSSY-HLL	Working
			14.1	**NC**	3 Chip camera	Aesculap/ B.Braun		1,210						Working
			14.2	**NC**	Camera console	Aesculap/ B.Braun	Full HD	1,007						Working
			14.3	**NC**	Light Source	Aesculap/ B.Braun	AXEL 300	3,428						Working
			14.4	**NC**	Insufflator , 20Litres	Aesculap/ B.Braun	Flow 20	6,992						Working
			14.5	**NC**	Monitor		SC-WU26-A1511	12-202869						Working
			14.6	**NC**	Monitor	Aesculap/ B.Braun		12-211511						Working
			14.7	**NC**	Multi Flow Plus		PG 145	1211CE338						Working
574	14	SVIMS/Uro.OT/09/2013/0538	UROLOGY OT	**NC**	single Chip camera with light source,processor & Monitor	Karl Storz								Working
			15.1	**NC**	single Chip camera	Karl Storz								Working
			15.2	**NC**	Camera console	Karl Storz		YU741139-P						Working
			15.3	**NC**	Light Source	Karl Storz	LED Nova 150	NU3255						Working
			15.4	**NC**	Insufflator , 20Litres	Karl Storz	26430520	NT34305						Working
			15.5	**NC**	Monitor	Sony	LMD-2110MD	32,06,141						Working
575	15	SVIMS/Uro.OT/01/2011/0539	UROLOGY OT	**NC**	Lithocast Master	EMS Medical		BCO1573	Health Ware	5Y	01-12-11	01-11-16	SVIMS	Working
576	16	SVIMS/Uro.OT/02/1993/0540	UROLOGY OT	**NC**	Endo Cold Light	Karl Storz	4878		Vishal	3Y	26/02/93	25/02/96	SVIMS	Working
577	17	SVIMS/Uro.OT/01/2016/0541	UROLOGY OT	**NC**	Argon Plasma coagulation	ERBE	ERBE VIO300D	11405752	Colloq	5Y	29/01/2016	28/01/2021	SVIMS	Working
578	18	SVIMS/Uro.OT/06/2016/0542	UROLOGY OT	**NC**	Ultra Sound Scanner	BK	Flex Focus 800	5008034	Healthware	5Y	29/06/16	28/06/21	SVIMS	Working
579	19	SVIMS/Uro.OT/08/2016/0543	UROLOGY OT	**NC**	Laser System	Sphinx	SPHNIX Junior	334	Healthware	5Y	08-04-16	08-03-21	SVIMS	Working

580	20	SVIMS/Uro.OT/02/2018/1099	UROLOGY OT	**NC**	Lower Track Endoscope Set Adult	Karl Storz, Germany		120D8M	Vishal Surgical	5 Y	23.02.2018	22.02.2019	SVIMS	Working
581	21	SVIMS/Uro.RR/09/2009/0544	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99103993	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
582	22	SVIMS/Uro.RR/09/2009/0545	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99103974	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
583	23	SVIMS/Uro.RR/09/2009/0546	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99103992	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
584	24	SVIMS/Uro.RR/09/2009/0547	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99104007	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
585	25	SVIMS/Uro.RR/09/2009/0548	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99103980	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
586	26	SVIMS/Uro.RR/09/2009/0549	Urology RR	**NC**	Multi Para Monitor	Mindray	Beneview T8	CF-99103982	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
587	27	SVIMS/URO.RR/08/2011/0550/C	Urology RR	C	ICU Ventilator	Tecme	Graphnet	9101 128 1080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
588	28	SVIMS/URO.RR/08/2011/0551/C	Urology RR	C	ICU Ventilator	Tecme	Graphnet	9101 112 1080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
589	29	SVIMS/URO.RR/08/2011/0552/C	Urology RR	C	ICU Ventilator	Tecme	Graphnet	9101 111 1080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
590	30	SVIMS/URO.RR/08/2011/0553	Urology RR	C	ICU Ventilator	Tecme	Graphnet	9101 140 1080	Meditronic	2Y	12-01-11	31/10/2013	PMSSY-HLL	Working
591	31	SVIMS/URO.RR/05/2012/0554	Urology RR	NC	Syringe Pump	Orange Medical	Prima	1112354Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
592	32	SVIMS/URO.RR/05/2012/0555	Urology RR	NC	Syringe Pump	Orange Medical	Prima	1112355Z	Orange Medical	2Y	18/05/2012	17/05/2014	SVIMS	Working
593	33	SVIMS/URO.RR/06/2016/0556	Urology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1384	Plenum Tech	3Y			SVIMS	Working
594	34	SVIMS/URO.RR/06/2016/0557	Urology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1395	Plenum Tech	3Y			SVIMS	Working
595	35	SVIMS/URO.RR/01/2010/0558	Urology RR	NC	Pulse Oximeter	MediAid	900P	EGO9G00173	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
596	36	SVIMS/URO.RR/02/2010/0559	Urology RR	NC	Pulse Oximeter	MediAid	900P	EGO9G00179	Micronic	2Y	23/01/2011	22/01/2013	PMSSY-HLL	Working
597	37	SVIMS/URO.RR/02/2010/0560	Urology RR	NC	Pulse Oximeter	MediAid	900P	EGO9G00166	Micronic	2Y	23/01/2013	22/01/2015	PMSSY-HLL	Working
598	38	SVIMS/UrWard/02/1993/0561	Urology RR	NC	Pulse Oximeter	MediAid	900P	EGO9G00171	Micronic	2Y	23/01/2012	22/01/2014	PMSSY-HLL	Working

599	39	SVIMS/UrWard/11/2012/0562	UROLOGY ward	NC	Uro flowmetry- OPD	Status Medical		జనవరి-02	Status	1Y	16/08/2017	15/08/2018	SVIMS	Working
600	40	SVIMS/UrWard/11/2012/0563	UROLOGY ward	NC	Uro flowmetry -Ward	Dan	danflow 3000	271/47	Jai medics	2Y	23/05/2012	22/05/2014	SVIMS	Working
601	41	SVIMS/UrWard/02/2014/0564	UROLOGY ward	NC	Urodynamic System	Laborie, Canada	Doroto KT	rkt-1-13061569	kailesh	2Y	24/2/2014	23/2/2016	PMSSY-HLL	Working
602	42	SVIMS/UrWard/02/2010/0565	UROLOGY ward	NC	Multi Para Monitor	Mindray	Beneview T8	CF-99103993	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
603	43	SVIMS/UrWard/10/2006/0566	UROLOGY ward	NC	Multi Para Monitor	Mindray	Beneview T8	CF-99103974	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
604	44	SVIMS/UrWard/10/2006/0567	UROLOGY ward	NC	Syringe Pump	Baxter	SEP-105	27-08-65						Working
605	45	SVIMS/ur.Ward/01/2012/0569	UROLOGY ward	NC	Pulse Oximeter	MediAid		EGO9G00184	Micronic	2Y	23/01/2012	22/01/2014	PMSSY-HLL	Working
606	46	SVIMS/URO.RR./06/2018/1116	Urology	NC	Multi Para Monitor	Mindray	UMEC 12	KQ-84011710	Green apple	5Y	06-07-18	06-06-23	SVIMS	Working
607	**47**	**SVIMS/Uro.OT/08/2016/1170**	**Urology OT**	**NC**	**Ureteroscope**	**Olympus**	**N4502130**	**2513751**	**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170A	**Urology OT**	**NC**	**Leakage Tester for Flexible Olympus Endoscopes**	**Olympus**	**WA23080A**		**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170B	**Urology OT**	**NC**	**Lg-Adapter Olympus Telescopeto olympus Lg Cable**	**Olympus**	**A0460**		**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170C	**Urology OT**	**NC**	**Lg-Adapter Oes Telescope To Wolf Lg Cable**	**Olympus**	**332**		**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170D	**Urology OT**	**NC**	**Irp[ass AS 10/12Fr X 38 Cm**	**Olympus**	**610388X**		**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170E	**Urology OT**	**NC**	**Ultra-Catch NT (1.8 Fr X 115 cm) Stone Retrieval Device**	**Olympus**	**NT4W18115**		**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170F	**Urology OT**	**NC**	**Clh-250 Halogen Light Source 220V Syymbol Version**	**Olympus**	**4604362**	**7657864**	**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
		SVIMS/Uro.OT/08/2016/1170G	**Urology OT**	**NC**	**Light Guide Size M Plug Type 3 M Cf Type**	**Olympus**	**WA03310A**	**15ZW0002**	**Olyumpus**	**5Y**	**08-04-16**	**08-03-21**	**SVIMS**	**Working**
608	1	SVIMS/NS.OT/06/2009/0570	**Neuro Surgery OT**	NC	OT Light	Martin	V16 + V 10	1676, 1676	Vishal	3Y	26/06/09	25/06/12	PMSSY-HLL	Working
609	2	SVIMS/NS.OT/06/2009/0571	Neuro Surgery OT	NC	OT Light	Martin	V16 + V 10	16631664	Vishal	3Y	26/06/09	25/06/12	PMSSY-HLL	Working
610	3	SVIMS/M/NS.OT/01/2000/0572	Neuro Surgery OT	NC	Surgical Diathermy	Alsa	Excel 350 MCD	4973	Advanced Medical	5Y	2000	2005	SVIMS	Working

611	4	SVIMS/NS. OT/05/2006/0573	Neuro Surgery OT	NC	Surgical Diathermy	Alsa	Excel 350 MCD	5200	Advanced Medical	5Y	17/05/06	16/05/11	SVIMS	Working
612	5	SVIMS/NS. OT/04/1993/0574	Neuro Surgery OT	NC	OT Table	Mizaho	EM 5501	90820520	Moola Tools	3Y	18/04/93	17/04/96	SVIMS	Working
613	6	SVIMS/NS. OT/01/2013/0575	Neuro Surgery OT	NC	OT Table	Berchtold	D850	3501110-T-10463	Venus	5Y	23/01/2013	22/01/2018	SVIMS	Working
614	7	SVIMS/NS. OT/08/2013/0576	Neuro Surgery OT	NC	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0034	Bet Medical	2Y	19/08/2013	18/08/2015	PMSSY-HLL	Working
615	8	SVIMS/NS. OT/08/2012/0577	Neuro Surgery OT	NC	Mobile C-ARM	Siemens	Compact II	L/30922	Siemens	1Y	31/08/2012	30/08/2013	SVIMS	Working
616	9	SVIMS/NS. OT/01/2010/0578	Neuro Surgery OT	NC	High Speed Drill	Stryker	Electrc Drill	924301513	Indian ortho	5Y	2010	2015	SVIMS	Working
617	10	SVIMS/NS. OT/02/1993/0579	Neuro Surgery OT	NC	Operating Microscope	Carl Zeiss	DXC 107AP	2244978	Toshnival	3Y	26/02/93	26/02/96	SVIMS	Working
618	11	SVIMS/NS. OT/05/2015/0580	Neuro Surgery OT	NC	Operating Microscope	Leica	M720, OH5	70514-OH5	Leica India	5Y	13/5/2015	05-12-20	SVIMS	Working
619	12	SVIMS/NS. OT/02/1993/0581	Neuro Surgery OT	NC	Fibre Optic Light Source	Cuda	M2150	129218	Sisco	3Y	26/02/93	25/02/96	SVIMS	Working
620	13	SVIMS/NS. OT/12/2000/0582	Neuro Surgery OT	NC	Neuro Endo System	Karl Storz			Vishal	3Y	12-01-00	31/11/2003	SVIMS	Working
			14.1	NC	Camera	Karl Storz	H3-Z	OU846636-H						
			14.2	NC	Camera console	Karl Storz	22201020	OU729116-P						
			14.3	NC	Light Source	Karl Storz	LED Nova 150	NU3224						
			14.4	NC	Monitor	Karl Storz	9627NB/KS 27	A026ZV02 0						
621	14	SVIMS/N. OT/01/2016/0583	Neuro Surgery OT	NC	cusa System	Stryker	Cusa	5420-852-000	Strykar	3Y	01-11-16	01-10-19	SVIMS	Working
622	15	SVIMS/NS. OT/07/2012/0584	Neuro Surgery OT	NC	Power drill	medtronics	MidasRerx	56535	SS associate	1Y	28/07/2012	27/07/2013	SVIMS	Working
623	16	SVIMS/NS. OT/06/2016/0585	Neuro Surgery OT	NC	Ultra Sonic Bone Scapal	Misonic	Bone Scalpal	NY11735	Annulus	5Y	27/06/2016	26/06/2021	SVIMS	Working
624	17	SVIMS/NS. OT/12/2016/0586	Neuro Surgery OT	NC	Intra Operative Neuro Monitor	medtronics	NIM ECLIPSE	X06316110	SS associate	5Y	20/12/16	19-12-21	SVIMS	Working
625	18	SVIMS/NS. OT/02/2010/0587	Neuro Surgery RR	C	Multi Para Monitor	Miindray	Beneview T8	CF-99103968	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
626	19	SVIMS/NS. OT/02/2010/0588	Neuro Surgery RR	C	Multi Para Monitor	Miindray	Beneview T8	CF-99104015	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working

627	20	SVIMS/NS. OT/02/2010/0589	Neuro Surgery RR	C	Multi Para Monitor	Miindray	Beneview T8	CF-99103994	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
628	21	SVIMS/NS. OT/02/2010/0590	Neuro Surgery RR	C	Multi Para Monitor	Miindray	Beneview T8	CF-99104004	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
629	22	SVIMS/NS. OT/02/2010/0591	Neuro Surgery RR	C	Multi Para Monitor	Miindray	Beneview T8	CF-99103995	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
630	23	SVIMS/NS. OT/02/2010/0592	Neuro Surgery RR	C	Syringe Pump	Neuron BioMed	SP 102	609281	L & T	2Y	02-01-10	31/1/2012	PMSSY-HLL	Working
631	24	SVIMS/NS. OT/02/2010/0593	Neuro Surgery RR	C	Syringe Pump	Neuron BioMed	SP 102	1109108	L & T	2Y	02-01-10	31/1/2012	PMSSY-HLL	Working
632	25	SVIMS/NS. OT/11/2009/0595	Neuro Surgery RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01000	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
633	26	SVIMS/NS. OT/09/2012/0596	Neuro Surgery RR	C	Debifrillator	Medtronics	LifePak	40173639	Instromedix	2Y	21/09/12	20/09/14	PMSSY-HLL	Working
634	27	SVIMS/NS. OT/03/2009/0597	Neuro Surgery RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497444	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
635	28	SVIMS/NS. OT/03/2009/0598	Neuro Surgery RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497425	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
636	29	SVIMS/NS. OT/03/2009/0599/C	Neuro Surgery RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497437	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
637	30	SVIMS/NS. OT/08/2011/0600/C	Neuro Surgery ward	C	ICU Ventilator	Tecme	Graphnet	09101131 1080 AIV	Meditronic	2Y	10-01-11	31/09/2013	PMSSY-HLL	Working
638	31	SVIMS/NS. OT/08/2011/0601	Neuro Surgery ward	C	ICU Ventilator	Tecme	Graphnet	09 101135 1080 AIV	Meditronic	2Y	10-01-11	31/09/2013	PMSSY-HLL	Working
639	32	SVIMS/NS. OT/02/2010/0602	Neuro Surgery ward	NC	Multi Para Monitor	Mindray	Beneview T8	CF-99103990	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
640	33	SVIMS/NS. OT/01/2010/0603	Neuro Surgery ward	NC	Pulse Oximeter	MediAid	900P	EGO9G00180	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
641	34	SVIMS/NS. OT/01/2010/0604	Neuro Surgery ward	NC	Pulse Oximeter	MediAid	900P	EGO9G00183	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
642	35	SVIMS/NS. OT/01/2010/0605	Neuro Surgery ward	NC	Pulse Oximeter	MediAid	900P	EGO9G00202	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
643	36	SVIMS/NS. OT/10/2006/0606	Neuro Surgery ward	NC	Pulse Oximeter	MediAid	900P	EGO9G00200	Micronic	2Y	23/01/2010	22/01/2012	PMSSY-HLL	Working
644	37	SVIMS/NS. OT/10/2006/0607	Neuro Surgery ward	NC	Syringe Pump	Baxter	Aitecs	71060		3Y	10-12-06	10-11-09	SVIMS	Working
645	38	SVIMS/NS. OT/10/2006/0608	Neuro Surgery ward	NC	Syringe Pump	Baxter	Aitecs	47406		3Y	10-12-06	10-11-09	SVIMS	Working

646	39	SVIMS/NS. OT/10/2006/1097	Neuro Surgery ward	NC	Syringe Pump	Baxter	Aitecs	8706		3Y	10-12-06	10-11-09	SVIMS	Working
647	40	SVIMS/NS. OT/10/2006/0609	Neuro SurgeryOT	NC	C-Arm	Allenger	HF-49	2K1005190 -C	Allenger	2Y	07-12-10	07-11-12	PMSSY-HLL	Working
648	41	SVIMS/Neusur/06/ 2019/1172	Neurosurge ry (NSRR)	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 2914	M M Medical	5 y	17.06.2019	16.06.2024	SVIMS	Working
649	42	SVIMS/Neusur/06/ 2019/1173	Neurosurge ry (NSRR)	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 2895	M M Medical	5 y	17.06.2019	16.06.2024	SVIMS	Working
650	43	SVIMS/Neusur/06/ 2019/1174	Neurosurge ry (NSRR)	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 2804	M M Medical	5 y	17.06.2019	16.06.2024	SVIMS	Working
651	44	SVIMS/Neusur/06/ 2019/1175	Neurosurge ry (NSRR)	NC	Syringe Pump	Smiths Medical	Grase by C9	18320 2923	M M Medical	5 y	17.06.2019	16.06.2024	SVIMS	Working
652	1	SVIMS/GE. OT/02/2017/0610	**Gastro Enterology OT**	NC	OT Light	BenQ	Trilite LS810-750	ZE38Z-P9-0001	Bet Medical	5Y	18/0/2017.	17/0/2022	SVIMS	Working
653	2	SVIMS/GE. OT/08/2013/0611	Gastro Enterology OT	NC	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0037	Bet Medical	2Y	27/08/13	256/08/15	PMSSY-HLL	Working
654	3	SVIMS/GE. OT/01/2009/0612	Gastro Enterology OT	NC	Surgical Diathermy	Alsa	Excel 350 MCDX	3677	Advanced	3Y	01-05-09	01-04-12	SVIMS	working
655	4	SVIMS/GE. OT/01/1992/0613	Gastro Enterology OT	NC	Endo Light Source	Karl Storz	Xenon 175		Vishal	3Y	1992	1995	SVIMS	Working
656	5	SVIMS/GE. OT/ 01/1992/614	Gastro Enterology OT	NC	Endoflator-Electronic	Karl Storz	264305 20	NT34314	Vishal	3Y	1993		SVIMS	Working
657	6	SVIMS/GE. OT/01/1992/0615	6	NC	Laprascope system									
			6.1	NC	single Chip camera	Karl Storz		xu858384-h		3y				
			6.2	NC	Camera console	Karl Storz	20223020	YU741135-P						
			6.3	NC	Light Source	Karl Storz	20161220	OT441						
			6.4	NC	Insufflator , 20Litres	Karl Storz	26430520	NT34314						
			6.5	NC	Monitor	Sony	LMD-2110MD	3206133-S						
658	7	SVIMS/GE. OT/01/2009/0616	Gastro Enterology OT	NC	Laproscope SYSTEM	Strykar	Hi Di 3 Chip		Indian orthocare	5Y	27/01/2009	26/01/2014	SVIMS	Working
			7A	NC	3 Chip camera	Strykar	1088iHD	08F027634						

			7B	NC	Camera console	Strykar	1088iHD	08F032034						
			7C	NC	Light Source	Strykar	X8000	71008484						
			7D	NC	Insufflator	Strykar	40L	0901CE238						
			7E	NC	Monitotr	Strykar	Vision Elect HDTV	SVE21910 078						
659	8	SVIMS/GE. OT/04/2003/0617	Gastro Enterology OT	NC	Harmonic Scapel	J&J	Gen 3	Gn 4023566	J&J india	3Y	04-05-03	04-04-06	SVIMS	Working
660	9	SVIMS/GE. OT/01/2016/0618	Gastro Enterology OT	NC	Vessal Sealing System	ERBE	ERBE VIO 300D	11405826	Colloq	5Y	29/01/2016	28/01/2021	SVIMS	Working
661	10	SVIMS/GE. OT/07/2016/0619	Gastro Enterology OT	NC	Argon Plasma Coagulation	EMED	ES 350	363097	Indian Orthiocar e	5y	25/07/2016	24/07/2021	SVIMS	Working
662	11	SVIMS/GE. OT/07/2016/0620	Gastro Enterology OT	NC	**Laproscope system**	Olympus			Healthwar e	5Y	15/07/2016	14/07/2021	SVIMS	Working
		11.1		NC	Camera	Olympus	CH-S190E-XZ-E	7606353	Healthwar e					
		11.2		NC	Video Processor	Olympus	OTV-S190	7680948	Healthwar e					
		11.3		NC	Light Source-Xenon	Olympus	CLV-S190	7510832	Healthwar e					
		11.4		NC	Insufflator	Olympus	N3493000	7620563	Healthwar e					
		11.5		NC	Monitor	Olympus	OEV262H-E	7534723	Healthwar e					
663	12	SVIMS/GE. OT/02/2010/0621	Gastro Enterology RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103978	Instromed ic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
664	13	SVIMS/GE. OT/02/2010/0622	Gastro Enterology RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A1034635	Instromed ic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
665	14	SVIMS/GE. OT/02/2010/0623	Gastro Enterology RR	C	Multi Para Monitor	Philips	MP 20	DE5040508 8	Philips	3Y				Working
666	15	SVIMS/GE. OT/02/2010/0624	Gastro Enterology RR	C	Multi Para Monitor	Philips	MP 20	DE7283832 5	Philips	3Y				Working
667	16	SVIMS/GE. OT/02/2010/0625	Gastro Enterology RR	C	Multi Para Monitor	Philips	MP 20	DE7283821 5	Philips	3Y				Working
668	17	SVIMS/GE. OT/02/2010/0626	Gastro Enterology ICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104645	Instromed ic		02-04-10	02-03-12	PMSSY-HLL	Working

669	18	SVIMS/GE. OT/02/2010/0627	Gastro Enterology ICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104668	Instromedic		02-04-10	02-03-12	PMSSY-HLL	Working
670	19	SVIMS/GE. OT/02/2010/0628	Gastro Enterology ICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104650	Instromedic		02-04-10	02-03-12	PMSSY-HLL	Working
671	20	SVIMS/GE. OT/02/2010/0629	Gastro Enterology ICURR	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104639	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
672	21	SVIMS/GE. OT/02/2010/0630	Gastro Enterology ICU	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104003	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
673	22	SVIMS/GE. OT/02/2010/0631	Gastro Enterology Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104643	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
674	23	SVIMS/GE. OT/02/2010/0632	Gastro Enterology Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104654	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
675	24	SVIMS/GE. OT/02/2010/0633/C	Gastro Enterology Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104632	Instromedic	2y	02-04-10	02-03-12		Working
676	25	SVIMS/GE. OT/11/2009/0634/C	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01476	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
677	26	SVIMS/GE. OT/11/2009/0635/C	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01479	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
678	27	SVIMS/GE. OT/11/2009/0636/C	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01500	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
679	28	SVIMS/GE. OT/11/2009/0637/C	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01007	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
680	29	SVIMS/GE. OT/11/2009/0638/C	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 00994	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
681	30	SVIMS/GE. OT/11/2009/0639	Gastro Enterology RR	C	ICU Ventilator	GE Datex	Engstrom	CBCN 01002	GE Datex India	2y	30/11/2009	29/11/2011	PMSSY-HLL	Working
682	31	SVIMS/GE. OT/05/2013/0640	Gastro Enterology RR	NC	Syringe Pump	Organge	Flow Prima	13050555-Z	Organge Medical	2y	23/05/13	22/05/15	SVIMS	Working
683	32	SVIMS/GE. OT/05/2013/0641	Gastro Enterology RR	NC	Syringe Pump	Organge	Flow Prima	13050556-Z	Organge Medical	2y	23/05/13	22/05/15	SVIMS	Working
684	33	SVIMS/GE. OT/05/2013/0642	Gastro Enterology RR	NC	Syringe Pump	Organge	Flow Prima	13050557-Z	Organge Medical	2y	23/05/13	22/05/15	SVIMS	Working
685	34	SVIMS/GE. OT/05/2013/0643	Gastro Enterology RR	NC	Syringe Pump	Organge	Flow Prima	13050558-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
686	35	SVIMS/GE. OT/05/2013/0644	Gastro Enterology RR	NC	Syringe Pump	Organge	Flow Prima	13050559-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working

687	36	SVIMS/GE. OT/06/2016/0645	Gastro Enterology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1823	Plenum Tech	2Y	15/06/2016	14/06/2019	SVIMS	Working
688	37	SVIMS/GE. OT/06/2016/0646	Gastro Enterology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1833	Plenum Tech	2Y	15/06/2016	14/06/2019	SVIMS	Working
689	38	SVIMS/GE. OT/06/2016/0647	Gastro Enterology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1801	Plenum Tech	2Y	15/06/2016	14/06/2019	SVIMS	Working
690	39	SVIMS/GE. OT/06/2016/0648	Gastro Enterology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1819	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
691	40	SVIMS/GE. OT/06/2016/0649	Gastro Enterology RR	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1747	Plenum Tech	2Y	15/06/2016	14/06/2018	SVIMS	Working
692	41	SVIMS/GE. OT/07/2016/0650	Gastro Enterology RR	C	Defibrillator	Mindray	BeneHeart D3	EL-65027004	Green Apple	2Y	18/07/2016	17/07/2018	SVIMS	Working
693	42	SVIMS/GE. OT/03/2009/0651	Gastro Enterology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497432	Midi	3Y	19/03/09	18/03/14	SVIMS	Working
694	43	SVIMS/GE. OT/03/2009/0652	Gastro Enterology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497419	Medi	3Y	19/03/09	18/03/14	SVIMS	Working
695	44	SVIMS/GE. OT/03/2009/0653	Gastro Enterology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497455	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
696	45	SVIMS/GE. OT/03/2009/0654	Gastro Enterology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497443	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
697	46	SVIMS/GE. OT/10/2008/0655	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113027	Philips	5Y	29/10/08	28/10/11	SVIMS	**Not Working**
698	47	SVIMS/GE. OT/10/2008/0656	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113002	Philips	5Y	29/10/08	28/10/11	SVIMS	**Not Working**
699	48	SVIMS/GE. OT/10/2008/0657	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113038	Philips	5Y	29/10/08	28/10/11	SVIMS	**Not Working**
700	49	SVIMS/GE. OT/10/2008/0658	GE RR Extention	C	Patient Monitor	Philips	MP60	DE73113032	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
701	50	SVIMS/GE. OT/10/2008/0659	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113045	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
702	51	SVIMS/GE. OT/10/2008/0660	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113033	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
703	52	SVIMS/GE. OT/10/2008/0661	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113046	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
704	53	SVIMS/GE. OT/10/2008/0662	GE RR Extention	C	Patient Monitor	Philips	MP 60	DE73113036	Philips	3Y	29/10/08	28/10/11	SVIMS	Working
705	54	SVIMS/GE. OT/10/2008/0663	Gastro Enterology Endoscope	NC	Processer & Light Source	Fujinon			Wipro	2Y	01-05-01	01-04-03	svims	Working

				NC	Monitor	Sony	Trinitron	6012226						
				NC	Light Source	Fujinon	EPX 201	795191						
706	55	SVIMS/GE. OT/02/2011/0664	Gastro Enterology Endoscope	NC	Endoscopy System - (Endoscope-2 Nos, Light Source & Video Processor, Monitor-3 Nos, Imaging System, UPS and trolley)	Fujinon			RFCL	3y	02-10-11	02-09-14	PMSSY-HLL	Working
					GastroSDcvope									
					Light Source	Fujinon								
					Video Processor	Fujinon	EPX 2500	3V564A138						
					Monitor	Sony	LMD 1530W	3001818						
					Monitor	Sony	LMD 1530W	3001819-S						
					Monitor	Dell	P190SVB	CNOWGM4N-74261						
					Imaging System									
707	56	SVIMS/GE. OT/09/2015/0665	Gastro Enterology Endoscope	NC	Endoscopy System	Olympus			Rs 29,90,264	3Y	23/09/2015	22/09/2018	SVIMS	Working
					Gastr oScope	Olympus	GIF-Q150	2519813						**Working**
					ColonoScope	Olympus	CF-Q150L	2504853						Working
					Duodenovideoscope	Olympus	TJF-150	2501655						Working
					Processer & Light Source	Olympus	CV-150	7549776						Working
					Color Monitor	Eizo	LCD	20350055						Working
					(Olympu Endoscope-3 Nos,(GIF-Q150,CF-Q150L,TJF-150), Light Source & Video Processor, Monitor, Imaging System & trolley									

708	57	SVIMS/GE. OT/06/2016/0666	Gastro Enterology Endoscope	NC	Paediatric Video GastroScope	Olympus	GIF-XP150N	2512524	Healthware	5Y	22/06/2016	21/06/2021	SVIMS	Working
709	58	SVIMS/SO. OT/09/2016/0667	Gastro Enterology Endoscope	NC	Choledochoscope	Olympus	CHF TYPE V	2651045	Healthware	5Y	09-01-16	31/8/2021	SVIMS	Working
710	1	SVIMS/SO. OT/02/2010/0668	**Surgical Oncology** RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-99103971	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
711	2	SVIMS/SO. OT/02/2010/0669	Surgical Oncology RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104005	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
712	3	SVIMS/SO. OT/02/2010/0670	Surgical Oncology RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104014	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
713	4	SVIMS/SO. OT/02/2010/0671	Surgical Oncology RR	C	Multi Para Monitor	Mindray	Beneview T8	CF-99104009	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
714	5	SVIMS/SO. OT/02/2010/0672	Surgical Oncology Ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104641	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
715	6	SVIMS/SO. OT/02/2010/0673	Surgical Oncology ward	C	Multi Para Monitor	Mindray	Beneview T8	CF-9A104659	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
716	7	SVIMS/SO. OT/11/2009/0674	Surgical Oncology RR	C	ICU Ventilator	GE Datex Ohmeda	Engstrom	CBCN01006	GE Datex Ohmeda	2Y	26/12/09	25/12/2011	PMSSY-HLL	Working
717	8	SVIMS/SO. OT/08/2011/0675	Surgical Oncology RR	C	ICU Ventilator	Tecme	Graphnet	91011161080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
718	9	SVIMS/SO. OT/11/2011/0676	Surgical Oncology RR	C	ICU Ventilator	Tecme	Graphnet	91011421080	Meditronic	2Y	11-01-11	31/10/2013	PMSSY-HLL	Working
719	10	SVIMS/SO. OT/05/2009/0677	Surgical Oncology RR	C	ICU Ventilator	Siemens	Servo 300	22440	maquet	5Y	27-05-09	27-04-14	SVIMS	working
720	11	SVIMS/SO. OT/07/2016/0678	Surgical Oncology RR	C	Defibrillator	Mindray	BeneHeart D3	EL-65027001	Green Apple	5Y	18/07/2016	17/07/2021	SVIMS	Working
721	12	SVIMS/SO. OT/03/2009/0679	Surgical Oncology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497454	Midi	5Y	19/03/09	18/03/14	SVIMS	Working
722	13	SVIMS/SO. OT/03/2009/0680	Surgical Oncology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497433	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
723	14	SVIMS/SO. OT/08/2009/0681	Surgical Oncology RR	NC	Syringe Pump	Fresenius	Injectomat/Agilia	20497426	Medi	5Y	19/03/09	18/03/14	SVIMS	Working
724	15	SVIMS/SO. OT/08/2013/0682	Surgical Oncology OT	NC	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0033	Bet Medical	2Y	27/08/13	26/08/15	PMSSY-HLL	Working
725	16	SVIMS/SO. OT/08/2013/0683	Surgical Oncology OT	NC	OT Table	Trident	7000SB-Dr.Mac	2A207-MS-0035	Bet Medical	2Y	27/08/13	26/08/15	PMSSY-HLL	Working

726	17	SVIMS/SO. OT/08/2013/0684	Surgical Oncology OT	NC	OT Table		Mechnical			1Y				Working
727	18	SVIMS/SO. OT/09/2012/0685	Surgical Oncology OT	NC	OT Table		Mechnical			1Y				Working
728	19	SVIMS/SO. OT/09/2012/0686	Surgical Oncology OT	NC	OT Light	Martin	V10 + V16	2088 , 2087	Vishal	5Y	21/09/12	20/09/17	Svims	Working
729	20	SVIMS/SO. OT/03/1993/0687	Surgical Oncology OT	NC	OT Light with Camera Recording	BenQ Medical Technology Corp. Taiwan	Trilite LS810-750	2E443-R3-0001	BET Medical	5 Y	23.04.2018	22.04.2023	SVIMS	Working
730	21	SVIMS/SO. OT/03/2000/0688	Surgical Oncology OT	NC	OT Light with Camera Recording	BenQ Medical Technology Corp. Taiwan	Trilite LS810-750	2E443-R3-0002	BET Medical	5 Y	23.04.2018	22.04.2023	SVIMS	Working
731	22	SVIMS/SO. OT/10/2008/0689		NC	OT Light	Drager	Solo500+700	ARXH-1237,ARXH-0240	Drager					Working
732	23	SVIMS/SO. OT/10/2008/0690	Surgical Oncology OT	NC	Surgical diathermy	Elsa	Excel 350	3618	Advanced Medical	3Y	10-03-08	10-02-11	Svims	Working
733	24	SVIMS/SO. OT/10/2008/0691	Surgical Oncology OT	NC	Surgical diathermy	Elsa	Excel 350	3622	Advanced Medical	3Y	10-03-08	10-02-11	Svims	Working
734	25	SVIMS/SO. OT/12/2010/0692	Surgical Oncology OT	NC	Harmonic Scalpel	J& J	Gen 04	Gn4108255	SG Surgical	3Y	21/12/2010	20/12/2013	SVIMS	Working
735	26	SVIMS/SO. OT/11/2014/0693	Surgical Oncology OT	NC	NasolarnyoScope	Olympus	ENF-T3	2425315	Olympus	1Y	18/11/2014	17/11/2015	Svims	Working
736	27	SVIMS/SO. OT/01/2016/0694	Surgical Oncology OT	NC	Vessal Sealing System	ERBE	ERBE VIO 300D	11405746	Colloq	5Y	29/01/2016	28/01/2021	Svims	Working
737	28	SVIMS/SO. OT/09/2011/0695	Surgical Oncology OT	NC	Drill System	Strykar	core	1108400353	Indian Ortho	5Y	09-02-11	09-01-16	SVIMS	Working
				NC	(Core Console - 1108400353, Micro Drill-1033600443, Sagital Saw-1032603233, Oscillating Saw-1025800913, Reciprococating saw-1036401443 & Core Universal Driver-1034000733)								Svims	
738	29	SVIMS/SO. OT/06/2016/0696	Surgical Oncology OT	NC	**Laparascope System**				Indian Orthocare	5Y	22/06/2016	21/06/2021	SVIMS	Working
				NC	Camera Console, Model: 1288, Sl No:15HO14714									

				NC	Camera Head, Model:1288HD, Sl No: 16Bo11282									
				NC	26" Monitor, Model : Sl No: VPD265l0915									
				NC	26" Monitor, Model : Sl No: VPD265l0915									
				NC	Xenon Light Source, Model:X8000, Sl No:141028024									
				NC	Insufflator , 20Litres, Sl No : 1602CE0749									
739	30	SVIMS/SO.OT/02/2010/0697	Surgical Oncology OT	NC	Mandipular Reconstruction Instruments with Drill	KLS Martin		119	Vishal	5Y			SVIMS	Working
740	31	SVIMS/SO.OT/08/2018/1134	Surgical Oncology OT	NC	ECG Machine	Wipro GE	MAC 2000	SRR18300068PA	Wipro GE	1 Y	28.08.2018	27.08.2019	SVIMS	
741	32	SVIMS/Suronc/11/2018/1136	Surgical Oncology	NC	Mechanical Thrombo Prophylaxis Device	Starmed Health	DVT 2600	1700919	Starmed Helath	18 mon	23.11.2018	23.05.2020	SVIMS	Working
742	33	SVIMS/Suronc/11/2018/1137	Surgical Oncology	NC	Mechanical Thrombo Prophylaxis Device	Starmed Health	DVT 2600	1700920	Starmed Helath	18 mon	23.11.2018	23.05.2020	SVIMS	Working
743	34	SVIMS/SO. OT/02/2019/1144	Surgical Oncology RR	C	ICU Ventilator	Tecme	Graphnet	19074026 1083 AIV	Schiller	5Y	02-12-19	02-11-24	SVIMS	Working
744	35	SVIMS/SO. OT/02/2019/1145	Surgical Oncology RR	C	ICU Ventilator	Tecme	Graphnet	19074027 1083 AIV	Schiller	5Y	02-12-19	02-11-24	SVIMS	Working
745	1	SVIMS/MedOnc/02/2010/0698	**Medical Oncology**	C	Multi Para Monitor	Mindray	Beneview T8	CF 99104013	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
746	2	SVIMS/MedOnc/02/2010/0699	Medical Oncology	C	Multi Para Monitor	Mindray	Beneview T8	CF 99103981	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
747	3	SVIMS/MedOnc/02/2010/0700	Medical Oncology	C	Multi Para Monitor	Mindray	Beneview T8	CF 99104637	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
748	4	SVIMS/MedOnc/05/2016/0701	Medical Oncology	C	Multi Para Monitor	Mindray	Beneview T8	CF 99104640	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
749	5	SVIMS/MedOnc/02/2014/0702	Medical Oncology	C	Defibrillator	Mindray	BeneHeart D3	EL-65027003	Green Apple	2Y	19/07/2016	18/07/2018	SVIMS	Working
750	6	SVIMS/MedOnc/02/2015/0703	Medical Oncology	NC	Pulse Oximeter	BCI	3180	AG-061 00002		3Y			SVIMS	Working
751	7	SVIMS/MEdOnc/02/2016/0704	Medical Oncology	NC	Pulse Oximeter	Assapin DiagNotic		123164 600025					SVIMS	Working

752	8	SVIMS/MEdOnc/02/2016/0705	Medical Oncology	NC	Laminar Air Flow	Clean Air	CAV 900	095/07/1516					SVIMS	Working
753	9	SVIMS/MEdOnc/02/2016/0706	Medical Oncology	NC	Laminar Air Flow	Technico	4*2*2		Indian Scientific	1Y	26/05/2017			Working
754	10	SVIMS/MEdOnc/02/2016/0707	Medical Oncology	NC	Laminar Air Flow	Technico	4*2*3		Indian Scientific	1Y				Working
755	11	SVIMS/RadOnc/02/2010/0708	Medical Oncology	NC	Weighting Scale	Tulaman	EFS	1448522	Tulaman					Working
756	12	SVIMS/MedOnc/08/2011/1102	Medical Oncology	C	ICU Ventilator	Tecme	Graphnet	09101124 1080 AIV	Meditronic	2Y	10-08-11	31/09/2013	PMSSY-HLL	Working
757	13	SVIMS/MedOnc/08/2011/1103	Medical Oncology	C	ICU Ventilator	Tecme	Graphnet	0912 1028 1080 AIV	Meditronic	2Y	10-08-11	31/09/2013	PMSSY-HLL	Working
758	1	SVIMS/RadOnc/02/2010/0709	**Radiation Oncology**	**C**	Multi Para Monitor	Mindray	Beneview T8	CF9A104657	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
759	2	SVIMS/RadOnc/02/2010/0710	Radiation Oncology	**C**	Multi Para Monitor	Mindray	Beneview T8	CF9A104644	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
760	3	SVIMS/RadOnc/02/2010/0711	Radiation Oncology	**C**	Multi Para Monitor	Mindray	Beneview T8	CF9A104669	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
761	4	SVIMS/RadOnc/02/2010/0712	Radiation Oncology RT2	**C**	Multi Para Monitor	Mindray	Beneview T8	CF9A103986	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
762	5	SVIMS/RadOnc/02/2010/0713	Radiation Oncology RT2	**C**	Multi Para Monitor	Mindray	Beneview T8	CF9A103966	Instromedic	2y	02-04-10	02-03-12	PMSSY-HLL	Working
763	6	SVIMS/RadOnc/07/2008/0714	Radiation Oncology	C	**Linear Accelarator**	Electa	Precise		Electa India	3Y	31/07/2009	30/07/2012	SVIMS	Working
764	7	SVIMS/RadOnc/10/2008/0715	Radiation Oncology	C	**BrachyTheraphy**	Varian	H-640340		Varian India	5Y	23/10/2008	22/10/2011	SVIMS	Working
765	8	SVIMS/RadOnc/04/2015/0716	Radiation Oncology	C	**Linear Accelarator**	Electa	Synery		Electa India	5Y	04-01-15	31/3/2020	SVIMS	Working
766	9	SVIMS/RadOnc/06/2014/0717	Radiation Oncology	C	**CT Simulator**	Siemens	As Definition 20		Siemens India	5Y	30/06/2014	29/06/2019	PMSSY-HLL	Working
767	10	SVIMS/RadOnc/07/2016/0718	Radiation Oncology	NC	Ultra Sound Color Doppler	Esote	MYLAB		Healthware	5y	27/07/2016	26/07/2021	SVIMS	Working
768	11	SVIMS/RadOnc/06/2016/0719	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1422	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
769	12	SVIMS/RadOnc/06/2016/0720	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1383	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
770	13	SVIMS/RadOnc/06/2016/0721	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1388	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working

771	14	SVIMS/RadOnc/06/2016/0722	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1386	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
772	15	SVIMS/RadOnc/06/2016/0723	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1394	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
773	16	SVIMS/RadOnc/06/2016/0724	Radiation Oncology	NC	Syringe Pump	Plenum Tech Pvt Ltd	Zion +	1425	Plenum Tech	3Y	15/06/2016	14/06/2019	SVIMS	Working
774	17	SVIMS/RadOnc/02/2015/0725	Radiation Oncology	NC	Digital Weighing Scale	Tulaman	EFD	154959	Tulaman	1Y	16/02/2015	15/02/2016	SVIMS	Working
775	18	SVIMS/Radonc/02/2013/0726	Radiation Oncology	C	Defibrillator	Mindray	BeneHeart D3	EL-6B029765	Green Apple	5Y	01-01-17	31/12/2021	SVIMS	Working
776	19	SVIMS/Radonc/02/2013/0727	Radiation Oncology	NC	Syringe Pump	Organge	Flow Prima	13050551-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
777	20	SVIMS/GenSur/09/2010/0728	Radiation Oncology	NC	Syringe Pump	Organge	Flow Prima	13050552-Z	Organge Medical	2Y	23/05/13	22/05/15	SVIMS	Working
778	21	SVIMS/GenSur/07/2018/1113	Radiation Oncology	NC	Ot Light		4Wing/Cluster	2796	Vijetha	1Y	14.07.2018	13.07.2019	SVIMS	Working
779	1	SVIMS/GenSur/07/2010/0729	**General Surgery**	NC	Laproscope Set	Strykar	3Chip Hi Di		Indian ortho	3Y	20/09/2010	19/09/2013	SVIMS	Working
780	2	SVIMS/GenSur/08/2010/0730	General Surgery	NC	Surgical Diathermy with Vessal Sealing Machine	Erbe	Vio300S	11398195	Forward Surgical	3Y	07-02-10	07-01-13	SVIMS	Working
781	3	SVIMS/GenSur/01/2009/0731	General Surgery	NC	Harmonic Scalpal	J & J	Gen 4	GN4105947	J & J	3Y	08-12-10	08-11-13	SVIMS	working
782	4	SVIMS/GenSUR/02/2017/0732	General Surgery	NC	Surgical Diathermy	Alsa	Excel 350 MCDX	3677	Advanced	3Y	01-05-09	01-05-12	SVIMS	working
783	5	SVIMS/GenSUR/04/1999/0733	General Surgery	C	Defibrillator	Mindray	BeneHeart D3	EL-6B029766	Green Apple	5Y	02-04-17	02-03-22	SVIMS	Working
784	6	SVIMS/GenSUR/01/2019/1146	General Surgery	Nc	**OT Light**	Manomey	4 Wings/Clusters	3862	Vijetha	1Y	23/01/2019	22/01/2019	SVIMS	Working
					Labarotory									
785	1	SVIMS/TraMed/04/1999/0734	BLOOD BANK	NC	B.Bank Refrigerator	Forma Scientific	3887	18427-116	Jagkumar & Co	3Y	29/04/99	28/04/2002	SVIMS	**Not Working**
786	2	SVIMS/TraMed/06/2012/0735	BLOOD BANK	NC	Blood Bank Chamber	terumo	BBR 300L		Magna	1Y	06-09-12	06-08-13	SVIMS	Working
787	3	SVIMS/TraMed/00/2010/0736	BLOOD BANK	NC	Blood Bank Chamber	Remi			Remi	1Y	2010	2011	SVIMS	Working
788	4	SVIMS/TraMed/03/2009/0737	BLOOD BANK	NC	Blood Bank Chamber	Wheecon	Haemo Guard	5110814	Wheecon	1Y	25/03/2009	24/03/2010	SVIMS	Working

789	5	SVIMS/TraMed/06/2010/0738	BLOOD BANK	NC	Blood Bank Chamber	Wheecon	Haemo Guard	3310610	Wheecon	1Y	21/06/2010	20/06/2011	SVIMS	Working
790	6	SVIMS/TraMed/06/2010/0739	BLOOD BANK	NC	Blood Bank Chamber	Wheecon	Haemo Guard	230109	Wheecon	1Y	22/06/2010	20/06/2011	SVIMS	Working
791	7	SVIMS/TraMed/06/2010/0740	BLOOD BANK	NC	Blood Bank Chamber	Wheecon	Haemo Guard	2590609	Wheecon	1Y	22/06/2010	21/06/2011	SVIMS	Working
792	8	SVIMS/TraMed/07/2012/0741	BLOOD BANK	NC	B.Bank Refrigerator	Terumo Penpol	300L	1206763	Terumo Penplo	5Y	07-12-12	07-11-17	SVIMS	Working
793	9	SVIMS/TraMed/04/1999/0742	BLOOD BANK	NC	Deep Freezer	Forma Scientific	minus 86		Jagkumar & Co	3Y	29/04/99	28/04/2002	SVIMS	Working
794	10	SVIMS/TraMed/00/0000/0743	BLOOD BANK	NC	Deep Freezer	Terumo	DF-40U	903103		3Y			SVIMS	Working
795	11	SVIMS/TraMed/09/2014/0744	BLOOD BANK	NC	Cryofuge	ThermoFisher	Cryofuge 6000i	41625100	Terumo Penplo	5Y	15/09/2014	14/09/2019	SVIMS	Working
796	12	SVIMS/TraMed/07/2014/0745	BLOOD BANK	NC	Plattlet agitator	Terumo Penpol	PI400	1002022	Terumo Penplo	5y	24/7/2014	23/7/2019	SVIMS	Working
797	13	SVIMS/TraMed/00/0000/0746	BLOOD BANK	NC	Plattlet agitator	Terumo Penpol	P1200	1309721					SVIMS	Working
798	14	SVIMS/TraMed/00/0000/0747	BLOOD BANK	NC	Cryobath	Terumo Penpol	CB100	1103151					SVIMS	Working
799	15	SVIMS/TraMed/00/0000/0748	BLOOD BANK	NC	Automatic Component Extractor	Terumo Penpol	T-ACE-II	6628					SVIMS	Working
800	16	SVIMS/TraMed/00/0000/0749	BLOOD BANK	NC	Automatic Component Extractor	Terumo Penpol	T-ACE-II	11082					SVIMS	Working
801	17	SVIMS/TraMed/04/2012/0750	BLOOD BANK	NC	Laminor Air Flow	Technico			Technico	1Y	20/04/2012	19/04/2013	SVIMS	Working
802	18	SVIMS/TraMed/00/0000/0751	BLOOD BANK	NC	Automated Chemiilluminance Analyzer	J & J			Reagent Rental				SVIMS	Working
803	19	SVIMS/TraMed/02/2008/0752	BLOOD BANK	NC	Elisa Reader	Bio Tek		211716		3Y	02-08-08	02-07-11	SVIMS	**Working**
804	20	SVIMS/TraMed/00/0000/0753	BLOOD BANK	NC	Elisa Washer	Bio-Rad	PW40	EC1B407614					SVIMS	Working
805	21	SVIMS/TraMed/08/2002/0754	BLOOD BANK	NC	Automated cell separator	Fresenius	7A2T	1020	Wheecon	3y	24/08/02	23/08/05	SVIMS	Working
806	22	SVIMS/TraMed/00/0000/0755	BLOOD BANK	NC	Donor Coatch	HLL		12188	HLL	1Y	02-డిసెంబర్	02-డిసెంబర్	SVIMS	Working
807	23	SVIMS/TraMed/09/2009/0756	BLOOD BANK	NC	Cell Counter 5Diff	Mindray	BC5300		Golden	5Y	18/09/2009	17/09/2014	SVIMS	Working
808	24	SVIMS/TraMed/04/2001/0757	BLOOD BANK	NC	QBC Reader,Light	QBC	QBC		Godraj	1Y	04-01-01	31/3/2002	SVIMS	Working

809	25	SVIMS/TraMed/00/0000/0758	BLOOD BANK	NC	Source,Pra Lens		Fibre optic Cable						SVIMS	Working
810	26	SVIMS/TraMed/08/2014/0759	BLOOD BANK	NC	Central Monitor Sys.	Terumo Penpol	24channel	1407171	Terumo Penplo	5Y	21/08/2014	20/08/2019	SVIMS	Working
811	27	SVIMS/TraMed/00/0000/0760	BLOOD BANK	NC	Incubator	Yorko	YSI-438	712381					SVIMS	Working
812	28	SVIMS/TraMed/05/2012/0761	BLOOD BANK	NC	Serilogical water bath	Guna		1026	Indian Scientific	1Y	21/05/12	20/05/13	SVIMS	Working
813	29	SVIMS/TraMed/00/0000/0762	BLOOD BANK	NC	VDRL Shaker	Kemi		2165					SVIMS	Working
814	30	SVIMS/TraMed/00/0000/0763	BLOOD BANK	NC	Cooling Centrifuge	Remi	MC 24BL	5042					SVIMS	Working
815	31	SVIMS/TraMed/02/1993/0764	BLOOD BANK	NC	Centrifuge	Remi	R8C	330	Remi	3Y	26/02/93	25/02/96	SVIMS	Working
816	32	SVIMS/TraMed/00/0000/0765	BLOOD BANK	NC	MicroScope	Olympus	CH-201	8J14751					SVIMS	Working
817	33	SVIMS/TraMed/00/0000/0766	BLOOD BANK	NC	Tube Sealer	Terumo	X51010	10021224					SVIMS	Working
818	34	SVIMS/TraMed/00/0000/0767	BLOOD BANK	NC	Tube Sealer-Portable	Terumo	LM100E	1302283					SVIMS	Working
819	35	SVIMS/TraMed/00/0000/0768	BLOOD BANK	NC	Tube Sealer-Portable	Terumo	LM 100	1105622					SVIMS	Working
820	36	SVIMS/TraMed/00/0000/0769	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-601	13081517					SVIMS	Working
821	37	SVIMS/TraMed/00/0000/0770	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-601						SVIMS	Working
822	38	SVIMS/TraMed/00/0000/0771	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-601	13091538					SVIMS	Working
823	39	SVIMS/TraMed/00/0000/0772	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-601	12101280					SVIMS	Working
824	40	SVIMS/TraMed/00/0000/0773	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-601	811322					SVIMS	Working
825	41	SVIMS/TraMed/00/0000/0774	BLOOD BANK	NC	Blood Collection Monitor	Terumo	D-250	1085					SVIMS	Working
826	42	SVIMS/TraMed/00/0	BLOOD BANK	NC	Donor Cough								SVIMS	Working
827	43	SVIMS/TraMed/00/0000/1098	BLOOD BANK	NC	Donor Cough									Working

828	44	SVIMS/TraMed/00/0000/0776	BLOOD BANK	NC	Donor Cough									Working
829	45	SVIMS/TraMed/00/0000/0777	BLOOD BANK	NC	Weighing Scale-Electronic	ESSEA		10906566					SVIMS	Working
830	46	SVIMS/TraMed/00/0000/0778	BLOOD BANK	NC	Weighing Scale-Electronic	ESSEA		FB-20805362					SVIMS	Working
831	47	SVIMS/TraMed/00/0000/0779	BLOOD BANK	NC	Electrophoresis	Chromous biotech		16c20x150					SVIMS	Working
832	48	SVIMS/TraMed/00/0000/0780	BLOOD BANK	NC	AutoClave	Equitron	PAD-7431PAD	JH 120					SVIMS	Working
833	49	SVIMS/TraMed/00/0000/0781	BLOOD BANK	NC	Hot Air Oven	Hitech							SVIMS	Working
834	50	SVIMS/TraMed/00/0000/0782	BLOOD BANK	NC	HemoCUe		HB 201	627013068					SVIMS	Working
835	51	SVIMS/TraMed/00/0000/0783	BLOOD BANK	NC	HemoCUe		HB 301	1540821102					SVIMS	Working
836	52	SVIMS/TraMed/00/0000/0784	BLOOD BANK	NC	HemoCUe		HB 301	1540821103					SVIMS	Working
837	53	SVIMS/TraMed/06/2017/0785	BLOOD BANK	NC	Blood Collection Monitor	Terumo	Trac Ii	2016-0-4224		5Y	16/06/2017	15/06/2022	SVIMS	Working
838	54	SVIMS/TraMed/05/2013/0786	BLOOD BANK - HLA Lab	NC	Microscope	Olympus	CKX41	5501336		1y	28/05/2013	27/05/2014	SVIMS	Working
839	55	SVIMS/TraMed/04/2012/0787	BLOOD BANK - HLA Lab	NC	Inverted Microscope	Olympus				1Y	21/4/2012	20/4/2013	SVIMS	Working
840	56	SVIMS/TraMed/04/2012/0788	BLOOD BANK - HLA Lab	NC	Serological Water Bath			8940D		1Y	21/4/2012	20/4/2013	SVIMS	Working
841	57	SVIMS/TraMed/04/2005/0789	BLOOD BANK - HLA Lab	NC	Hot Air Oven					1y	04-07-05	04-06-06	SVIMS	Working
842	58	SVIMS/TraMed/04/2012/0790	BLOOD BANK - HLA Lab	NC	Deep Freezer Minus 80	Terumo Penplol	Df 80U	1393019		5Y	21/04/2012	20/04/2017	SVIMS	**Working**
843	59	SVIMS/TraMed/04/2012/0791	BLOOD BANK - HLA Lab	NC	Laminor Air Flow	Technico				1Y	21/04/2012	20/04/2013	SVIMS	Working
844	60	SVIMS/TraMed/07/2012/0792	BLOOD BANK - HLA Lab	NC	Centrifuge	Remi	412LAG	BCBF-1324		1Y	26/07/2012	25/07/2013	SVIMS	Working
845	61	SVIMS/raMed/02/2013/0793	BLOOD BANK - HLA Lab	NC	B lood Bank Chamber	Terumo Penplol	BBR300G	1206417		1Y	21/4/2012	20/4/2013	SVIMS	Working
846	62	SVIMS/TraMed/02/2013/0794	BLOOD BANK - HLA Lab	NC	BOD Incubator	Technico				1Y	20/04/23012	19/04/23013	SVIMS	Working

847	63	SVIMS/TraMed/00/0000/0795	BLOOD BANK - HLA Lab	NC	Centrifuge-Micro	Thermo Scientific	Micro C2	41456777					SVIMS	Working
848	64	SVIMS/TraMed/11/2012/1142	BLOOD BANK - HLA Lab	NC	Sterile Connecting Device	Terumo	TSD -II	1203023		1Y	11-11-12	11-10-13	SVIMS	Working
849	1	SVIMS/BioChe/04/2012/0796	Bio-Chemistry	NC	Auto Analyzer With Ro System	Beckman	Au 480	2018011701	Beckman	NA	04-04-12	Reagent rental	SVIMS	Working
850	2	SVIMS/BioChe/01/2016/0797	Bio-Chemistry	NC	Auto Analyzer	Beckman	AU680	1071019	Beckman	NA	01-06-16	Reagent rental	SVIMS	Working
851	3	SVIMS/BioChe/11/2018/1143	Bio-Chemistry	NC	Auto Analyzer	Beckman	AU480	2018041921	Beckman	NA	30/11/2018	Reagent rental	SVIMS	Working
852	4	SVIMS/BioChe/09/2008/0798	Bio-Chemistry	NC	Analyzer Bio,ISE	Awarness Tech	CHEMWELL	2910-2243	CPC	5Y	09-06-08	09-05-13	SVIMS	Working
853	5	SVIMS/BioChe/01/2010/0799	Bio-Chemistry	NC	PCR	Oxygen Scientific	TC9600		Sri Vijaya	3y	23/01/10	22/01/13	SVIMS	Working
854	6	SVIMS/BioChe/04/2015/0800	Bio-Chemistry	NC	PCR	Eppendorf	6331	6331EH409156	Eppendorf india	1Y	07-04-15	07-03-16	SVIMS	Working
855	7	SVIMS/BioChe/07/2015/0801	Bio-Chemistry	NC	Gel Documentation		alpha imager	511275	BioScreen	3Y	22/7/2015	21/7/2018	SVIMS	Working
856	8	SVIMS/BioChe/04/2013/0802	Bio-Chemistry	NC	Spectro PhotoMeter	Sytronic	118	1807	Vijetha	1Y	04-03-13	04-02-14	SVIMS	Working
857	9	SVIMS/BioChe/04/2013/0803	Bio-Chemistry	NC	Spectro PhotoMeter	Sytronic	118	1809	Vijetha	1Y	04-03-13	04-02-14	SVIMS	Working
858	10	SVIMS/BioChe/10/2010/0804	Bio-Chemistry	NC	Spectro PhotoMeter-UV	Perkin Elmer	Lamda 25	501S10030206	Perkin Elmer	1Y	25/10/2010	24/10/2011	SVIMS	Working
859	11	SVIMS/BioChe/06/2014/0805	Bio-Chemistry	NC	Spectro PhotoMeter	Thermo Fisher	Spectronic 200E	8A3S008006	Thermo fisher	1Y	18/06/2014	17/06/2015	SVIMS	Working
860	12	SVIMS/BioChe/06/2005/0806	Bio-Chemistry	NC	Spectro PhotoMeter	Elico	SL-177	01191AD103			22-06-05	22-05-06	SVIMS	Working
861	13	SVIMS/BioChe/01/2007/0807	Bio-Chemistry	NC	Semi Auto Analyzer	stat Fax	SF3300	3422	CPC	3Y	12-01-07	31/12/2008	SVIMS	Working
862	14	SVIMS/BioChe/10/2007/0808	Bio-Chemistry	NC	Semi Auto Analyzer	stat Fax	SF3300	3468	CPC	3Y	12-01-07	31/12/2008	SVIMS	Working
863	15	SVIMS/BioChe/05/2013/0809	Bio-Chemistry	NC	OsmoMeter	Gonotec	Osmomat 30D	130413	Wheecon	3Y	20/05/2013	19/05/2014	SVIMS	Working
864	16	SVIMS/BioChe/03/2010/0810	Bio-Chemistry	NC	HPLC System	Shimadzu	prominence		Spinco	1y	03-03-10	03-02-11	SVIMS	Working
865	17	SVIMS/BioChe/00/0000/0811	Bio-Chemistry	C	ABG Analyzer	Radiometer	ABL 80	754R2513N0006	Jk Medical		Reagent rental	Reagent rental	SVIMS	Working
866	18	SVIMS/BioChe/11/2015/0812	Bio-Chemistry	NC	Electrolyte Machine	SM Diagnostic	EX D5	170291547	SM Diagnostic	2Y	నవంబర్-15	నవంబర్-17	SVIMS	Working

867	19	SVIMS/BioChe/11/2015/0813	Bio-Chemistry	NC	Electrolyte Machine	SM Diagnostic	EX D5	19070775	SM Diagnostic	2Y	నవంబర్-15	నవంబర్-17	SVIMS	Working
868	20	SVIMS/BioChe/08/2014/0814	Bio-Chemistry	NC	Elisa Reader	Transasia	Erba lisa Scan	120719	Tranasia	1Y	21/8/14	20/8/15	SVIMS	Working
869	21	SVIMS/BioChe/08/2014/0815	Bio-Chemistry	NC	Elisa Washer	Transasia	Erba Lisa Wash	130812	Tranasia	1Y	21/8/14	20/8/15	SVIMS	Working
870	22	SVIMS/BioChe/01/2000/0816	Bio-Chemistry	NC	Electrophoresis system	Genei		20		1Y	01-01-00	31/12/2001	SVIMS	Working
871	23	SVIMS/BioChe/09/2009/0817	Bio-Chemistry	NC	Deep frezzer -86	Forma scintific	minus 86		Pinnacle	1Y	09-08-09	09-07-10	SVIMS	Working
872	24	SVIMS/BioChe/02/2015/0818	Bio-Chemistry	NC	Deep Frezer -86	Eppendorf	Premium U410	F410DQ510467	Eppendorf india	5Y	04-02-15	04-01-20	SVIMS	Working
873	25	SVIMS/BioChe/06/2013/0819	Bio-Chemistry	NC	Deep Freezer -40	Terumo penpol	Df 40U	1304307	Terumo	5Y	26/06/2013	25/06/2018	SVIMS	Working
874	26	SVIMS/BioChe/06/2013/0820	Bio-Chemistry	NC	Deep Freezer -40	Terumo penpol	Df 40U	1304308	Terumo	5Y	26/06/2013	25/06/2018	SVIMS	Working
875	27	SVIMS/BioChe/00/0000/0821	Bio-Chemistry	NC	Double Distilled Water	Bhanu Scientific							SVIMS	Working
876	28	SVIMS/BioChe/00/0000/0822	Bio-Chemistry	NC	Double Distilled Water	Bhanu Scientific							SVIMS	Working
877	29	SVIMS/BioChe/00/0000/0823	Bio-Chemistry	NC	Flame PhotoMeter	Systronic	128	718		1Y			SVIMS	Working
878	30	SVIMS/BioChe/00/0000/0824	Bio-Chemistry	NC	Water Bath	Equitron		JC 273		1Y			SVIMS	Working
879	31	SVIMS/BioChe/00/0000/0825	Bio-Chemistry	NC	Water Bath	Equitron		JE 037		1Y			SVIMS	Working
880	32	SVIMS/BioChe/00/0000/0826	Bio-Chemistry	NC	Water Bath	Equitron		JE 036		1Y			SVIMS	Working
881	33	SVIMS/BioChe/00/0000/0827	Bio-Chemistry	NC	Water Bath	Equitron		8414-JC-272		1Y			SVIMS	Working
882	34	SVIMS/BioChe/00/0000/0828	Bio-Chemistry	NC	Water Bath with Shaker	Remi	M RSB-12	GBC M 1070					SVIMS	Working
883	35	SVIMS/BioChe/12/2001/0829	Bio-Chemistry	NC	Ultrasonic cleaner	Bros scientific	Tec 25H			1y	12-09-01	12-08-02	SVIMS	Working
884	36	SVIMS/BioChe/06/2005/0830	Bio-Chemistry	NC	ColoriMeter	Elico	CL-157	5147		1Y	15/06/2005	14/06/2005	SVIMS	Working
885	37	SVIMS/BioChe/11/2015/0831	Bio-Chemistry	NC	Refrigerated Centrifuge	Remi	CM-12-Plus	ZBJO-27318	Remi	1Y	26/11/2015	25/11/2016	SVIMS	Working
886	38	SVIMS/BioChe/00/0000/0832	Bio-Chemistry	NC	Refrigerated Centrifuge	Remi	M-C24BL	5677	Remi	1Y			SVIMS	Working

887	39	SVIMS/BioChe/02/2007/0833	Bio-Chemistry	NC	Centrifuge	Remi	R8C	3585	Remi	1y	26/02/07	25/02/08	SVIMS	Working
888	40	SVIMS/BioChe/02/2007/0834	Bio-Chemistry	NC	Centrifuge	Remi	R8C	4120	Remi	1Y	26/02/07	25/02/08	SVIMS	Working
889	41	SVIMS/BioChe/02/2007/0835	Bio-Chemistry	NC	Centrifuge	Remi	R8C	5215	Remi	1y	26/02/07	25/02/08	SVIMS	Working
890	42	SVIMS/BioChe/02/2007/0836	Bio-Chemistry	NC	Centrifuge	Remi	R8C	5229	Remi	1y	26/02/07	25/02/08	SVIMS	Working
891	43	SVIMS/BioChe/02/2007/0837	Bio-Chemistry	NC	Centrifuge	Remi	R8C	LMLC 9672	Remi	1Y	26/02/07	25/02/08	SVIMS	Working
892	44	SVIMS/BioChe/02/2007/0838	Bio-Chemistry	NC	Centrifuge	Remi	R8C	LJLC-8463	Remi	1y	26/02/07	25/02/08	SVIMS	Working
893	45	SVIMS/BioChe/02/2007/0839	Bio-Chemistry	NC	Centrifuge	Remi	R8C	CDLL 3588	Remi	1y	26/02/07	25/02/08	SVIMS	Working
894	46	SVIMS/BioChe/02/2007/0840	Bio-Chemistry	NC	Centrifuge	Remi	R8C	BPLC-2763	Remi	1y	26/02/07	25/02/08	SVIMS	Working
895	47	SVIMS/BioChe/01/2000/0841	Bio-Chemistry	NC	Cyclo Mixer	Remi	CM 101	238		1Y	01-01-00	31/12/2000	SVIMS	Working
896	48	SVIMS/BioChe/01/2000/0842	Bio-Chemistry	NC	Cyclo Mixer	Remi	CM 101	1244		1Y	01-01-00	31/12/2000	SVIMS	Working
897	49	SVIMS/BioChe/01/2000/0843	Bio-Chemistry	NC	Cyclo Mixer	Remi	LM 121	1245		1Y	01-01-00	31/12/2000	SVIMS	Working
898	50	SVIMS/BioChe/00/2006/0844	Bio-Chemistry	NC	Hot Air Sterilizer	Heco			Bros	1Y	2006	2007	SVIMS	Working
899	51	SVIMS/BioChe/00/2006/0845	Bio-Chemistry	NC	Hot Air Sterilizer	Heco			Bros	1Y	2006	2007	SVIMS	Working
900	52	SVIMS/BioChe/01/2000/0846	Bio-Chemistry	NC	Cyclo Mixer	Remi	CM 101	1244		1Y	01-01-00	01-01-01	SVIMS	Working
901	53	SVIMS/BioChe/01/2000/0847	Bio-Chemistry	NC	PH Meter	Elico	LI 127	AE-104		1Y	01-01-00	31/12/2000	SVIMS	Working
902	54	SVIMS/BioChe/01/2000/0848	Bio-Chemistry	NC	Balance - Eletronic	Shimadzu	AUX 120	D449514001		1Y	01-01-00	31/12/2000	SVIMS	Working
903	55	SVIMS/BioChe/01/2000/0849	Bio-Chemistry	NC	Balance - Eletronic	Satorius	AC2105-00AC	30102467		1Y	01-01-00	31/12/2000	SVIMS	Working
904	56	SVIMS/BioChe/07/2005/0850	Bio-Chemistry	NC	Autoclave Vertical	Equitron	AEJ-351			1Y	07-07-05	07-06-06	SVIMS	Working
905	57	SVIMS/BioChe/12/2001/0851	Bio-Chemistry	NC	Magnetic Stirrer	Remi	2MCH			1Y	12-01-01	31/11/2002	SVIMS	Working
906	58	SVIMS/BioChe/12/2001/0852	Bio-Chemistry	NC	Hot Plate	Kemi	KHPR 25	3438		1Y	12-01-01	31/11/2002	SVIMS	Working

907	59	SVIMS/BioChe/12/2001/0853	Bio-Chemistry	NC	Hot Plate	Guna		3437		1Y	12-01-01	31/11/2002	SVIMS	Working
908	60	SVIMS/BioChe/12/2001/0854	Bio-Chemistry	NC	Shaker-Rotary	Remi	RS 12	976		1Y	12-01-01	31/11/2002	SVIMS	Working
909	61	SVIMS/BioChe/12/2001/0855	Bio-Chemistry	NC	Homoginizer	Remi	RQ 127	4562		1Y	12-01-01	31/11/2002	SVIMS	Working
910	62	SVIMS/BioChe/10/2016/0856	Bio-Chemistry	NC	Laminor Air Flow	Technico Lab.Product	Floor Stand Model		Bhavani	1Y	20/10/16	19/10/17	SVIMS	Working
911	63	SVIMS/BioChe/11/2016/0857	Bio-Chemistry	NC	Elisa Reader	Transasia	Erba lisa Scan	161027	Tranasia	1Y	30/11/16	29/11/17	SVIMS	Working
912	64	SVIMS/BioChe/11/2016/0858	Bio-Chemistry	NC	Elisa Washerer	Transasia	Erba Lisa Wash	131334	Tranasia	1Y	30/11/16	29/11/17	SVIMS	Working
913	65	SVIMS/BioChe/05/2017/0859	Bio-Chemistry	NC	Automated Elisa System		Euroimmun Analyzer -1P	6238000310	CPC	5Y	26/05/2017	25/05/2022	SVIMS	Working
914	66	SVIMS/BioChe/05/2017/0860	Bio-Chemistry	NC	Semi Auto Analyzer	stat Fax	SF3300	33008395	CPC	5Y	26/05/2017	25/05/2022	SVIMS	Working
915	67	SVIMS/BioChe/06/2017/0861	Bio-Chemistry	NC	Flame PhotoMeter	Elico	CL-378	198/2532	Vijetha	1Y	29/06/2017	28/06/2018	SVIMS	Working
916	68	SVIMS/BioChe/06/2017/0862	Bio-Chemistry	NC	Flame PhotoMeter	Elico	CL-378	198/2531	Vijetha	1Y	29/06/2017	28/06/2018	SVIMS	Working
917	69	SVIMS/BioChe/09/2017/0863	Bio-Chemistry	NC	Centrifuge	Remi	R8C	ZDGN19650	Medicoy	1y	26/09/2017	25/09/2018	SVIMS	Working
918	70	SVIMS/BioChe/09/2017/0864	Bio-Chemistry	NC	Centrifuge	Remi	R8C	ZDGN19655	Medicoy	1Y	26/09/2017	25/09/2018	SVIMS	Working
919	71	SVIMS/BioChe/06/2017/0865	Bio-Chemistry	NC	Trans UV Illuminator	Labomate	Bench Top	111146	Medicoy	1Y	13.06.17			Working
920	72	SVIMS/BioChe/05/2017/0866	Bio-Chemistry	NC	Nanodrop	Eppendorf				1Y				Working
921	73	SVIMS/BioChe/01/2017/0867	Bio-Chemistry	NC	Balance - Eletronic	Citizen	MP-300	302		1Y	08-01-17	31/07/2018		Working
922	74	SVIMS/BioChe/01/2017/0868	Bio-Chemistry	NC	Balance - Eletronic	Citizen	MP-300	302		1Y	08-01-17	31/07/2018		Working
923	75	SVIMS/Bioche/03/2015/0869	Bio-Chemistry	NC	Hot Air Oven	Kemi	KOMS2TD	17076		1Y	30/03/2015	30/03/2015		Working
924	76	SVIMS/Bioche/06/2018/1131	Bio-Chemistry	NC	Immuno Assay Analyzer	Beckman	Access-2	570682	beckman india		19/06/2018	Reagent Rental		Working
925	77	SVIMS/Bioche/02/2019/1148	Bio-Chemistry	NC	Centrifuge	REMI	R8C	ZEJN - 34908	Indian Scientific	1 Y	23.02.2019	22.02.2020	SVIMS	Working
926	78	SVIMS/Bioche/03/2019/1151	Bio-Chemistry	NC	Auto clave	KEMI	KAUC.S5	2619	Medicoy Life	2 Y	28.03.2019	27.03.2021	SVIMS	Working

927	79	SVIMS/Bioche/06/2019/1193	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5011	Indian Scientific		20.06.2019		SVIMS	Working
928	80	SVIMS/Bioche/06/2019/1194	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5012	Indian Scientific		20.06.2019		SVIMS	Working
929	81	SVIMS/Bioche/06/2019/1195	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5013	Indian Scientific		20.06.2019		SVIMS	Working
930	82	SVIMS/Bioche/06/2019/1196	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5014	Indian Scientific		20.06.2019		SVIMS	Working
931	83	SVIMS/Bioche/06/2019/1197	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5015	Indian Scientific		20.06.2019		SVIMS	Working
932	84	SVIMS/Bioche/06/2019/1198	Bio-Chemistry	NC	Hot Plate	GUNA Entriprizes	S S Top	5016	Indian Scientific		20.06.2019		SVIMS	Working
933	1	SVIMS/Pathol/00/0000/0870	**CLINICAL PATHOLOGY**	**NC**	QBC machine(with centrifuge,light source&microscope)	QBC			Goderaj	5y	16/03/09	15/03/14	SVIMS	Working
					Lighjt Source		5353006	3500-3330264						
					Reader	BD	4406	2870038						
					MicroScope	Carl Zeiss	Student	45071						
934	2	SVIMS/Pathol/00/2000/0871	CLINICAL PATHOLOGY	**NC**	Digital centrifuge	Remi motors	8RC	HbLL7834	Remimotors	1y	2000	2001	SVIMS	Working
935	3	SVIMS/Pathol/00/2000/0872	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi motors	8RC	IELL4464	Remi motors	1Y	2000	2001	SVIMS	Working
936	4	SVIMS/Pathol/09/2009/0873	CLINICAL PATHOLOGY	**NC**	Cell Counter 5Diff	Mindray	BC5300	RD97100657	Golden	5Y	17/09/2009	16/09/2014	SVIMS	Working
937	5	SVIMS/Pathol/06/2011/0874	CLINICAL PATHOLOGY	**NC**	Cell counter 5Diff	Mindray	BC5300	RD 0c101709	Golden	5Y	22/06/2011	22/06/2016	Reagent Rental	Working
938	6	SVIMS/Pathol/00/2015/0875	CLINICAL PATHOLOGY	**NC**	Cell counter 3 Diff	Mindray	BC5300	RP41112713	Golden	1y	2015	2016	PMSSY-HLL	Working
939	7	SVIMS/Pathol/09/2009/0876	CLINICAL PATHOLOGY	**NC**	Semi Auto Analyzer-Coag	Diagnostica stago	start 4	BT 38117772	surog	1y	16/09/2009	15/09/2010	SVIMS	Working
940	8	SVIMS/Pathol/07/1995/0877	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi	R8CBL	GHLC-10574	Indian scintific	1Y	08-07-05		SVIMS	Working
941	9	SVIMS/Pathol/05/2016/0878	CLINICAL PATHOLOGY	**NC**	Semi Auto Analyzer-Coag		CA2000-4	440000065	Golden	1y	31/05/2016	30/05/2017	SVIMS	Working

942	10	SVIMS/Pathol/00/2000/0879	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi motors	8RC	IELC-4484	Remi motors	1Y	2000	2001	SVIMS	Working
943	11	SVIMS/Pathol/09/2016/0880	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi motors	RM- 12C	ZGFN-17814		1Y	21/09/2016	20/09/2017	SVIMS	Working
944	12	SVIMS/Pathol/09/2016/0881	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi motors	RM- 12C	303850		1Y				Working
945	13	SVIMS/Pathol/09/2016/0882	CLINICAL PATHOLOGY	**NC**	Centrifuge	Remi motors	RM- 12C	424280		1Y				Working
946	14	SVIMS/Pathol/06/1995/0883	CLINICAL PATHOLOGY	**NC**	Hot Air Oven	Technico					16-06-05			Working
947	15	SVIMS/Pathol/06/1995/0884	CLINICAL PATHOLOGY	**NC**	Incubator	Yorco					15-06-05			Working
948	16	SVIMS/Patol/02/2004/0885	CLINICAL PATHOLOGY	**NC**	Serological Water Bath	Yorco	YSI-413	9430-703			16-06-05			Working
949	17	SVIMS/Pathol/02/20004/0886	PATHOLOGY	NC	Cryostart	LEICA	CM 1510	2889	Lab India	3y	19/02/2004	18/02/2007	SVIMS	Working
950	18	SVIMS/Pathol/07/2010/0887	PATHOLOGY	NC	Tissue processor	Micron	STP 120	813140	labcom	5Y	26/07/2010	25/07/2015	SVIMS	Working
951	19	SVIMS/Pathol/02/1993/0888	PATHOLOGY	NC	Ultra centrifuge	Shandon	Cytospin_3	MA3119095	Indchem	3y	18/02/93	17/02/94	SVIMS	Working
952	20	SVIMS/Patolh/02/1993/0889	PATHOLOGY	NC	Auto Sharp	Shandon	Auto sharp-5	322110	INDCHEM	3y	18/02/93	17/02/94	SVIMS	Working
953	21	SVIMS/Pathol/00/1993/0890	PATHOLOGY	NC	Rotory Microtome	Leica lab India	Jung Multicut	4291966-	lab India	3y	1993	1994	SVIMS	Working
954	22	SVIMS/Pathol/07/2010/0891	PATHOLOGY	NC	Rotory Microtome	Micron	HM 340E	46785	Labcon	5Y	26/07/2010	25/07/2011	SVIMS	Working
955	23	SVIMS/Pathol/02/1993/0892	PATHOLOGY	NC	Incubator	Yarco	ysi-438	95Ao889	Lazer Instrument	3y	18/02/93	17/02/94	SVIMS	Working
956	24	SVIMS/Pathol/02/1993/0893	PATHOLOGY	NC	Water bath	Yarco	Ysi-133	OBH546	Lazer Instrument	3y	18/02/93	17/02/94	SVIMS	Working
957	25	SVIMS/Pathol/08/2015/0894	PATHOLOGY	NC	Balance	shimadzu	BL-220H	D432908202	Yarco	1Y	08-10-15	08-09-16	SVIMS	Working
958	26	SVIMS/Pathol/02/1993/0895	PATHOLOGY	NC	Microscope	Olympus	KIC 26631		Hospin surgical	3y	18/02/93	17/02/96	SVIMS	Working
959	27	SVIMS/Pathol/12/1993/0896	PATHOLOGY	NC	Declcifier	Yarco			Laser	3y	18/02/93	17/02/96	SVIMS	Working
960	28	SVIMS/Pathol/12/1994/0897	PATHOLOGY	NC	Immuno fluro.Microscope	Carl Zeiss	Axioscope	451485	Carl Zeiss toshniwal	3y	12-03-94	12-02-97	SVIMS	Working

961	29	SVIMS/Pathol/12/1994/0898	PATHOLOGY	NC	Immuno fluro.Microscope	Carl Zeiss	Axioscope		Carl Zeiss toshniwal	3y	12-03-94	12-02-97	SVIMS	Working
962	30	SVIMS/Pathol/04/1995/0899	PATHOLOGY	NC	Incubator	Yorco	Ysi-438	07C-4090	Yarco laser instument	3y	27/04/95	26/04/98	SVIMS	Working
963	31	SVIMS/Pathol/00/1993/0900	PATHOLOGY	NC	Microscope	Nichon	UFX-DX			3y	1993	1994	SVIMS	Working
964	32	SVIMS/Pathol/00/1993/0901	PATHOLOGY	NC	Microscope	Nichon	Labophot			3y	1993	1994	SVIMS	Working
965	33	SVIMS/Pathol/11/2014/0902	PATHOLOGY	NC	Microscope	Nikon	E-200	610705	Towa Optics	1Y	14/11/2014	13/11/2015	SVIMS	Working
966	34	SVIMS/Pathol/11/2014/0903	PATHOLOGY	NC	Microscope	Nikon	E-200	610716	Towa Optics	1Y	14/11/2014	13/11/2015	SVIMS	Working
967	35	SVIMS/Pathol/02/2014/0904	PATHOLOGY	NC	Microscope	Nikon	E-200	209499	Towa Optics	1Y	13/02/2014	02-12-15	SVIMS	Working
968	36	SVIMS/Pathol/02/2014/0905	PATHOLOGY	NC	Microscope	Nikon	E-200	209498	Towa Optics	1Y	13/02/2014	02-12-15	SVIMS	Working
969	37	SVIMS/Pathol/02/2014/0906	PATHOLOGY	NC	Microscope	Nikon	E-201	209496	Towa Optics	1Y	13/02/2014	02-12-15	SVIMS	Working
970	38	SVIMS/Pathol/12/2008/0907	PATHOLOGY	NC	Microscope	Olympus	CH20I	8L08931		1Y	12-09-08	12-08-09	SVIMS	Working
971	39	SVIMS/Pathol/12/2008/0908	PATHOLOGY	NC	Microscope	Olympus	CH20I	8L08930		1Y	12-09-08	12-08-09	SVIMS	Working
972	40	SVIMS/Pathol/12/2008/0909	PATHOLOGY	NC	Microscope	Olympus	CH20I	8L08924		1Y	12-09-08	12-08-09	SVIMS	Working
973	41	SVIMS/Pathol/12/2008/0910	PATHOLOGY	NC	Microscope	Olympus	CH20I	8L08936		1Y	12-09-08	12-08-09	SVIMS	Working
974	42	SVIMS/Pathol/12/2008/0911	PATHOLOGY	NC	Microscope	Olympus	CH20I	8K15613		1Y	12-09-08	12-08-09	SVIMS	Working
975	43	SVIMS/Pathol/03/2009/0912	PATHOLOGY	NC	Microscope	Olympus	CH20I	9A02350		1Y	30/03/09	29/03/10	SVIMS	Working
976	44	SVIMS/Pathol/03/2009/0913	PATHOLOGY	NC	Microscope	Olympus	CH20I	9A02349		1Y	30/03/09	29/03/10	SVIMS	Working
977	45	SVIMS/Pathol/03/2009/0914	PATHOLOGY	NC	Microscope	Olympus	CH20I	9A02346		1Y	30/03/09	29/03/10	SVIMS	Working
978	46	SVIMS/Pathol/03/2009/0915	PATHOLOGY	NC	Microscope	Olympus	CH20I	9B07580		1Y	30/03/09	29/03/10	SVIMS	Working
979	47	SVIMS/Pathol/03/2009/0916	PATHOLOGY	NC	Microscope	Olympus	CH20I	9B07588		1Y	30/03/09	29/03/10	SVIMS	Working
980	48	SVIMS/Pathol/03/2015/0918	PATHOLOGY	NC	PentaHead MicroScope	Olympus	BX-53F	4B43145	Dss Imagetech	5Y	16/09/2014	15/09/2019	SVIMS	Working

981	49	SVIMS/Pathol/03/2015/0919	PATHOLOGY	NC	Microscope	Olympus	CH-20I	14E0604	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
982	50	SVIMS/Pathol/03/2015/0920	PATHOLOGY	NC	Microscope	Olympus	CH-20I	14F0409	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
983	51	SVIMS/Pathol/03/2015/0921	PATHOLOGY	NC	Microscope	Olympus	CH-20I	14F0397	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
984	52	SVIMS/Pathol/03/2015/0922	PATHOLOGY	NC	Microscope	Olympus	CH-20I	15C0466	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
985	53	SVIMS/Pathol/03/2015/0923	PATHOLOGY	NC	Microscope	Olympus	CH-20I	15C0470	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
986	54	SVIMS/Pathol/03/2015/0924	PATHOLOGY	NC	Microscope	Olympus	CH-20I	15C0476	Indian scintific	1Y	18/03/15	17/03/16	SVIMS	Working
987	55	SVIMS/Pathol/04/2016/0925	PATHOLOGY	NC	Flow cyto meter, Work station and UPS online	Beckman	FC500	AU30311	Beckman India	5Y	14.03.2013	13.03.2018	SVIMS	Working
988	56	SVIMS/Pathol/04/2016/0926	PATHOLOGY	NC	Hot Air Oven	Navyog	NU-107	1895F			26/04/2016			Working
989	57	SVIMS/Pathol/03/1995/0927	PATHOLOGY	NC	Hot Air Oven	Navyog	NU-107	1894F			26/04/2016			Working
990	58	SVIMS/Pathol/05/2014/0928	PATHOLOGY	NC	Centrifuge	Remi	R8C	FKLL9320			1995			Working
991	59	SVIMS/Pathol/04/1993/0929	PATHOLOGY	NC	Water Bath	Guna					14/05/2014			Working
992	60	SVIMS/Pathol/10/2012/0930	PATHOLOGY	NC	Balance-Digital	ESSAe	D5-262							Working
993	61	SVIMS/Pathol/04/2018/1105	PATHOLOGY	NC	Cryostat with UV	Leica	Leica CM 1860		Indian Scientific	5 Y	12.04.2018	11.04.2023	SVIMS	Working
994	62	SVIMS/Pathol/02/2019/1149	PATHOLOGY	NC	Centrifuge	REMI	R8C	ZEKN - 37123	Indian Scientific	1 Y	27.02.2019	26.02.2020	SVIMS	Working
995	1	SVIMS/MicBio/10/2012/0931	**Micro Biology**	NC	Analytical Balance	Wensar	PGB3000	18947	Indiab Scien	1Y	18.10.2012	17.10.2013	SVIMS	Working
996	2	SVIMS/MicBio/06/2010/0932	Micro Biology	NC	Automated Blood Culture System 3D 30 Bac 'T'Alert	Biomerieux	Do ICR 3420	002IR 7786	Biomerieux India	2Y	14.06.2010	13.06.2012	SVIMS	Working
997	3	SVIMS/MicBio/02/1993/0933	Micro Biology	NC	Balance Chemical	New Orintal	NOR/7			1Y	24.02.1993	23.02.1994	SVIMS	Working
998	4	SVIMS/MicBio/03/2001/0934	Micro Biology	NC	Balance Chemical	Keroy		22391		1Y	02.03.2001	01.03.2002	SVIMS	Working
999	5	SVIMS/MicBio/08/2009/0935	Micro Biology	NC	Bod Incubator	IN LABs	10 CFT			1Y	22.08.2009	21.08.2010	SVIMS	Working

1000	6	SVIMS/MicBio/04/2007/0936	Micro Biology	NC	Bod Incubator with Stabilizer (875x570x570)	Kemi	105	KB 00-105378		1Y	21.04.2007	20.04.2008	SVIMS	Working
1001	7	SVIMS/MicBio/00/1993/0937	Micro Biology	NC	Bio Safety Cabinet	Yarco		YSI 1490		1Y	1993	1994	SVIMS	Working
1002	8	SVIMS/MicBio/11/2011/0938	Micro Biology	NC	Bio Safety Cabinet 4x2x2 Class 11 B2				Technico	1Y	28.07.2011	27.07.2012	SVIMS	Working
1003	9	SVIMS/MicBio/07/2011/0939	Micro Biology	NC	Bio Safety Cabinet 4x2x2 Class 11 B2				Technico	1Y	17.11.2011	16.11.2012	SVIMS	Working
1004	10	SVIMS/MicBio/02/1993/0940	Micro Biology	NC	Centrifuge R 8C	Remi	R8C	ABLC 066		1Y	24.02.1993	23.02.1994	SVIMS	Working
1005	11	SVIMS/MicBio/12/2004/0941	Micro Biology	NC	Centrifuge R 8C	Remi	R8C	JMCC 8306		1Y	22.12.2004	2-1.12.2005	SVIMS	Working
1006	12	SVIMS/MicBio/12/2010/0942	Micro Biology	NC	Centrifuge RM 12C	Remi	RM12C	KDLC 12700		1Y	08.12.2010	07.12.2011	SVIMS	Working
1007	13	SVIMS/MicBio/08/2012/0943	Micro Biology	NC	Centrifuge R 90 swing out head Glass Lid	Remi	R8CBL	FFLC-7202		1Y	31.08.2012	30.08.2013	SVIMS	Working
1008	14	SVIMS/MicBio/03/2013/0944	Micro Biology	NC	Centrifuge RM 12 C (micro) RM 1215/1217	Remi	RM12 C	1029		1Y	30.03.2013	29.03.2014	SVIMS	Working
1009	15	SVIMS/MicBio/05/2005/0945	Micro Biology	NC	Colony counter	Yarco		03K0552		1Y	31.05.2005	30.05.2006	SVIMS	Working
1010	16	SVIMS/MicBio/01/2011/0946	Micro Biology	NC	Cyclomixer	Remi	CM101	BNCM-42		1Y			SVIMS	Working
1011	17	SVIMS/MicBio/01/2011/0947	Micro Biology	NC	Cyclomixer Vertex	Remi		CDCM 466		1Y	06.01.2011	05.01.2012	SVIMS	Working
1012	18	SVIMS/MicBio/10/2012/0948	Micro Biology	NC	Distilled water plant + water level cutoff sys Steel	Kemi	KWS-3	3095		1Y	05.10.2012	04.10.2013	SVIMS	Working
1013	19	SVIMS/MicBio/07/2013/0949	Micro Biology	NC	Deep freezer -40Ç	Thermo penpal	DF 40U	1304310	Rs 4,04,250	5Y	04.07.2013	03.07.2018	SVIMS	Working
1014	20	SVIMS/MicBio/01/2014/0950	Micro Biology	NC	Double distilled water palnt	Bhanu Scientific	AQDD-20PDB/XL	WS-Q-20114		1Y	02.01.2014	01.01.2015	SVIMS	Working
1015	21	SVIMS/MicBio/01/2014/0951	Micro Biology	NC	Water Stills dis.d water plant	Bhanu Scientific	Edu still single			1Y	02.01.2014	01.01.2015	SVIMS	Working
1016	22	SVIMS/MicBio/03/2001/0952	Micro Biology	NC	Electronic Precision balance	Afcoset	FX300	2201007		1Y	31.03.2001	30.03.2002	SVIMS	Working

1017	23	SVIMS/MicBio/12/2004/0953	Micro Biology	NC	Electronic Weighing balance digital	ESSAE	DS-252	G2520453658		1Y	03.12.2004	02.12.2005	SVIMS	Working
1018	24	SVIMS/MicBio/07/2009/0954	Micro Biology	NC	Electronic Analytical balance	Shimdzu		AUX 120		1Y	28.07.2009	27.07.2010	SVIMS	Working
1019	25	SVIMS/MicBio/05/2012/0955	Micro Biology	NC	Electronic Balance	Shimdzu	BL 2020H	D455007128		1Y	24.05.2012	23.05.2013	SVIMS	Working
1020	26	SVIMS/MicBio/02/2012/0956	Micro Biology	NC	Elisa Reader.Washer,PC., Printer and UPS	Tecan Sanrice	Sunraise, HydroFlex	1108003346, 1108003304		5Y	14.02.2012	13.02.2017	SVIMS	Working
1021	27	SVIMS/MicBio/00/1999/0957	Micro Biology	NC	Hot plate	Guna		1241		1Y	1999	2000	SVIMS	
1022	28	SVIMS/MicBio/06/2015/0958	Micro Biology	NC	Hot Plate (Rectangular)	Riviera	HPRE/14-7-141200	500211218			13.06.2015	12.06.2016	SVIMS	Working
1023	29	SVIMS/MicBio/04/2007/0959	Micro Biology	NC	Hot air Oven	Kemi		8776			21.04.2007	20.04.2008	SVIMS	Working
1024	30	SVIMS/MicBio/01/2011/0960	Micro Biology	NC	Hot Air oven Digital 600x600x900	Kemi	KDMS6PD	11624			18.01.2011	17.01.2012	SVIMS	Working
1025	31	SVIMS/MicBio/00/1995/0961	Micro Biology	NC	Incubator Portable	Yarco		83H0702YS1438			1995	1996	SVIMS	Working
1026	32	SVIMS/MicBio/00/1999/0962	Micro Biology	NC	Incubator Small	Yarco	YSI-438	94C794			1999	2000	SVIMS	Working
1027	33	SVIMS/MicBio/04/2007/0963	Micro Biology	NC	Incubator Digial 600x600x600	Kemi	S5FD	8777			21.04.2007	201.04.2008	SVIMS	Working
1028	34	SVIMS/MicBio/01/2011/0964	Micro Biology	NC	Incubator Bact.600x600x600	Kemi	KIS-5FD	11625			18.01.2011	17.01.2012	SVIMS	Working
1029	35	SVIMS/MicBio/07/2013/0965	Micro Biology	NC	Insipissator	Grant Germany	T-100IN	1240007			02.07.2013	01.07.2014	SVIMS	Working
1030	36	SVIMS/MicBio/00/1993/0966	Micro Biology	NC	Laminar Air Flow 2x4	Yorco					1993	1994	SVIMS	Working
1031	37	SVIMS/MicBio/00/1997/0967	Micro Biology	NC	Laminar Air Flow 2x2	Yorco	YSI-188	76K0999			1997	1998	SVIMS	Working
1032	38	SVIMS/MicBio/11/2011/0968	Micro Biology	NC	Laminar Air Flow 6x2x2 Chamber	Technico					17.11.2011	16.11.2012	SVIMS	Working
1033	39	SVIMS/MicBio/11/2004/0969	Micro Biology	NC	Magnetic Stirrer	Eltek		MS203			19.11.2004	19811.2005	SVIMS	Working
1034	40	SVIMS/MicBio/11/2012/0970	Micro Biology	NC	Microscope with phase contrast dark Field with camera	Carl Ziess	AxioScope 50	451485			21.11.2012	20.11.2013	SVIMS	Working

1035	41	SVIMS/MicBio/11/2012/0971	Micro Biology	NC	Microscope Research	Carl Ziess	AxioScope 50	451485			21.11.2012	20.11.2013	SVIMS	Working
1036	42	SVIMS/MicBio/00/1997/0972	Micro Biology	NC	Microscope Student	Carl Ziess	AxioScope 50	467085			1997	1998	SVIMS	Working
1037	43	SVIMS/MicBio/05/2004/0973	Micro Biology	NC	Microscope GB Monocular	Olympus					22.05.2004	21.05.2005	SVIMS	working
1038	44	SVIMS/MicBio/05/2004/0974	Micro Biology	NC	Microscope GB Monocular	Olympus					27.05.2004	26.05.2005	SVIMS	Working
1039	45	SVIMS/MicBio/00/0000/0975	Micro Biology	NC	Microscopes Primostar	Carl Zeiss		3116022383					SVIMS	Working
1040	46	SVIMS/MicBio/10/2012/0976	Micro Biology	NC	Microscopes Primostar	Carl Zeiss		3116022387					SVIMS	Working
1041	47	SVIMS/MicBio/06/2010/0977	Micro Biology	NC	Microscopes Primostar	Carl Zeiss		3116022388					SVIMS	Working
1042	48	SVIMS/MicBio/10/2012/0978	Micro Biology	NC	Microscopes Primostar	Carl Zeiss		3116022389					SVIMS	Working
1043	49	SVIMS/MicBio/06/2010/0979	Micro Biology	NC	Microscopes Primostar	Carl Zeiss		3116022338					SVIMS	Working
1044	50	SVIMS/MicBio/03/2013/0980	Micro Biology	NC	Micro MGIT Fluorescence reader		BDBBLMGIT				05.03.2013	04.03.2014	SVIMS	Working
1045	51	SVIMS/MicBio/06/2012/0981	Micro Biology	NC	Orbital shaker	Rivotek	50031003	2012012			18.06.2012	17.06.2013	SVIMS	Working
1046	52	SVIMS/MicBio/00/1993/0982	Micro Biology	NC	PH Meter-361	Systronics		423			1993	1994	SVIMS	Working
1047	53	SVIMS/MicBio/12/2004/0983	Micro Biology	NC	PH Meter Digital	Systronics		2686			03.12.2004	02.12.2005	SVIMS	Working
1048	54	SVIMS/MicBio/10/2012/0984	Micro Biology	NC	Real time PCR system	M/s. Indus	Rotor Gene Q 5Plex	R0911136			30.10.2012	29.10.2013	SVIMS	Working
1049	55	SVIMS/MicBio/01/2012/0985	Micro Biology	NC	PCR work station	Genei		10/2011/F/0185			11.01.2012	10.01.2013	SVIMS	Working
1050	56	SVIMS/MicBio/05/2005/0986	Micro Biology	NC	Serological Water both with Shaker	Yarco		450101			31.05.2005	30.05.2006	SVIMS	Working
1051	57	SVIMS/MicBio/01/2011/0987	Micro Biology	NC	Ultra Sonicator	Rivotek	2160	17000008			18.01.2011	17.01.2012	SVIMS	Working
1052	58	SVIMS/MicBio/07/2004/0988	Micro Biology	NC	VDRL Rotator	Remi	EYCM629	5704			23.07.2004	22.07.2005	SVIMS	Working
1053	59	SVIMS/MicBio/11/2012/0989	Micro Biology	NC	Vortex Mixer	Riviera		2013094			14.11.2012	13.11.2013	SVIMS	Working
1054	60	SVIMS/MicBio/02/2016/0990	Micro Biology	NC	Micro Centrifuge	Thermo Fisher	sorvall st16	41884263	genesis		18/02/2016	17/02/2017	SVIMS	Working

1055	61	SVIMS/MicBio/10/2016/0991	Micro Biology	NC	Laminor Air Flow	Technico Lab.Product	Floor Stand Model		Bhavani	1Y	20/10/16	19/10/17	SVIMS	Working
1056	62	SVIMS/MicBio/05/2017/0992	Micro Biology	NC	Centrifuge	Thermo Fisher	Legend Micro 21R	42091355	genesis	5Y	17/05/2017	16/05/2022	SVIMS	Working
1057	63	SVIMS/MicBio/07/2014/0993	Micro Biology	NC	Serological Water Bath	Technico	2064-1	TLPPL109		1Y	23/07/2014	22/07/2015	SVIMS	Working
1058	64	SVIMS/MicBio/07/2014/0994	Micro Biology	NC	Serological Water Bath	Technico	2064-1	NA		1Y	23/07/2014	22/07/2015	SVIMS	Working
1059	65	SVIMS/MicBio/07/2014/0995	Micro Biology	NC	Centrifuge	Remi	R8CBL	9939		1Y			SVIMS	Working
1060	66	SVIMS/Virolo/03/2018/0996	Micro Biology	NC	Elisa Washer	BioRad	PW-40	EC7E716006			13-03-18		SVIMS	Working
1061	67	SVIMS/Micbio/08/2018/1150	Micro Biology	NC	Elisa Microplate Reader	Erba Trans Asia	Lisa Scan EM	80525	Sai Pavitra	2 Y	06.08.2018	05.08.2020	SVIMS	Working
1062	68	SVIMS/Micbio/04/2019/1152	Micro Biology	NC	Auto clave	Kadavil Electro	KAVC.S5.OP	2584	Medicoy Life	2 Y	09.04.2019	08.04.2021	SVIMS	Working
1063	69	SVIMS/Micbio/04/2019/1153	Micro Biology	NC	Auto clave	Kadavil Electro	KAVC.S5.OP	2585	Medicoy Life	2 Y	09.04.2019	08.04.2021		
1064	1	SVIMS/Virolo/04/2015/0997	**Virology Lab**	NC	Semi Micro balance	Shindzu	AUW220D	D450022353	Shindzu	1 Y	24.03.2015	23.03.2016	SVIMS	Working
1065	2	SVIMS/Virolo/03/2015/0998	Virology Lab	NC	Refrigerated Centrifuge	Eppendrof	5424R	5404E6217380	Eppendrof	1 Y	01.04.2015	31.03.2016	SVIMS	Working
1066	3	SVIMS/Virolo/04/2015/0999	Virology Lab	NC	Laminar Air flow-Vertical	Technico Laborator			Technico Laborator	1 Y	20.04.2015	19.04.2016	SVIMS	Working
1067	4	SVIMS/Virolo/04/2015/1000	Virology Lab	NC	water bath	Equitron	6701 D1	TA01AIV-10822	Equitron	1 Y	21.04.2015	20.04.2016	SVIMS	Working
1068	5	SVIMS/Viro/05/2015/1001	Virology Lab	NC	Incubator	KEMI	KIS-5	15074	KEMI	1 Y	22.04.2015	21.04.2016	SVIMS	Working
1069	6	SVIMS/Virolo/05/20151002	Virology Lab	NC	Vertical Autoclave	Equitron	7440FA	NEIIGG-11028	Equitron	1 Y	04.05.2015	03.05.2016	SVIMS	Working
1070	7	SVIMS/Viroo/05/2015/1003	Virology Lab	NC	Deep Freezer - 20 C	Remi	RQV-600P	2bcd-06542	Bhavani Enterprizer	1 Y	04.05.2015	03.05.2016	SVIMS	Working
1071	8	SVIMS/Viroo/05/2015/1004	Virology Lab	NC	Micro Plate Reader	Bio Rad	PR 4100	1410007276	Bio Rad	1 Y	07.05.2015	06.05.2016	SVIMS	Working
1072	9	SVIMS/Viroo/05/2015/1005	Virology Lab	NC	Micro Plate Washer	Bio Rad	PW-40	48527912	Bio Rad	1 Y	07.05.2015	06.05.2016	SVIMS	Working
1073	10	SVIMS/Viroo/05/2015/1006	Virology Lab	NC	PCR Workstation	Genei		046015/Fo99	Vijetha	1 Y	07.05.2015	06.05.2016	SVIMS	Working
1074	11	SVIMS/Viroo/05/2015/1007	Virology Lab	NC	Water Purification system	Bio Agen	Dura Purification	CPDC-NB-1660	Bio Agen	1 Y	16.05.2015	15.05.2016	SVIMS	Working

1075	12	SVIMS/Virolo/06/2015/1008	Virology Lab	NC	Real time PCR	Agilant Technology	G8830-64001	MY15105006	Agilant Technology	2 Y	21.05.2015	20.05.2017	SVIMS	Working
1076	13	SVIMS/Virolo/06/2015/1009	Virology Lab	NC	Bio-Spectrometer	Eppendrof		6137CP001516	Eppendrof	2 Y	02.06.2015	01.06.2017	SVIMS	Working
1077	14	SVIMS/Virolo/06/2015/1010	Virology Lab	NC	IBCOTS System	Life Technology	Bo41AIB2	30941315	Life Technology	1 Y	02.06.2015	01.06.2016	SVIMS	Working
1078	15	SVIMS/Virolo/07/2015/1011	Virology Lab	NC	Bio Safety cabinet	Thermofisher	1336	153786-122	Thermofisher	3 Y	30.06.2015	29.06.2018	SVIMS	Working
1079	16	SVIMS/Virolo/07/2015/1012	Virology Lab	NC	Mastercycler nexus gradient	Eppendorf India Ltd	6331DQ008777	6331DQ008777	Eppendorf India Ltd	2 Y	04.07.2015	03.07.2017	SVIMS	Working
1080	17	SVIMS/Virolo/07/2015/1013	Virology Lab	NC	ICE Flaker Machine	Labman	LM-1F-30	l 4006	Labman	1 Y	21.07.2015	20.07.2016	SVIMS	Working
1081	18	SVIMS/Virolo/08/2015/1014	Virology Lab	NC	Gel Documentation	Bio Screen		511236	Bio Screen	3 Y	25.07.2015	24.07.2018	SVIMS	Working
1082	19	SVIMS/Virolo/05/2017/1015	Virology Lab	NC	Deep freezer -80	Thermo	ULT 86	3000007011	Genisis	2Y	11.8.2015	10.8.2017	SVIMS	Working
1083	20	SVIMS/Virolo/02/2015/1016	Virology Lab	NC	BioSafety Cabinet	Thermo	1384M-1384	M317010401	Genesis	5Y	17.05.2017	16.05.2022	SVIMS	Working
1084	21	SVIMS/Virolo/02/2015/1017	Virology Lab	NC	CentriFuge	Remi	R8CBL	ZBEN-17236	Indian Scientific	1Y	08-02-15	07-01-16	SVIMS	Working
1085	22	SVIMS/Virolo/02/2015/1018	Virology Lab	NC	Magnetic Stirrer-Digital	Remi	4050	1401110	Indian Scientific	1Y	08-02-15	07-02-16	SVIMS	Working
1086	23	SVIMS/Virolo/02/2015/1019	Virology Lab	NC	DryBath	Revira	5003-00/1	HP-13-06-16/103	Indian Scientific	1Y	06-02-16	06-01-17	SVIMS	Working
1087	24	SVIMS/Virolo/02/2015/1020	Virology Lab	NC	Hot Air Oven	Equitron	7051/150	AEK096		1Y	12-02-15		SVIMS	Working
1088	25	SVIMS/Virolo/02/2015/1021	Virology Lab	NC	Orbital shaker	Tarson	3060	1401019		1Y			SVIMS	Working
1089	26	SVIMS/Virolo/02/2015/1022	Virology Lab	NC	PH Meter	Eutech	ECPC-700433	2368080	Verandra Surgical	1Y			SVIMS	Working
1090	27	SVIMS/Virolo/02/2015/1023	Virology Lab	NC	Rocking Shaker	Tarson	4082	1401005		1Y			SVIMS	Working
1091	28	SVIMS/Virolo/02/2015/1024	Virology Lab	NC	Test Tube Rotator	Tarson	3070	1501RR007		1Y			SVIMS	Working
1092	29	SVIMS/Virolo/02/2015/1025	Virology Lab	NC	Vertex Shaker	Tarson	3020	1401807		1Y			SVIMS	Working
1093	30	SVIMS/Virolo/01/2001/1026	Virology Lab	NC	DRYBATH-Digital	Tarson	6040	1008		1Y			SVIMS	Working
1094	31	SVIMS/Virolo/07/2018/1124	Virology Lab	NC	Laminor Air Flow	ESCO	LVG-4CG-F8	2018-128735	ESCO	2Y	29/07/2018	28/07/2020	SVIMS	Working

1095	1	SVIMS/PhyThe/07/2011/1027	**Physio Therapy**	NC	Laser Therapy	Electro care	EC Laser 306		Electrocare	3Y	01-01-01	31/12/2004	SVIMS	Working
1096	2	SVIMS/PhyThe/07/2010/1028	Physio Therapy	NC	**IsoKinetic System**	biodex	system 4pro		Hospimedica	3Y	21/07/2011	20/07/2014	SVIMS	Working
1097	3	SVIMS/PhyThe/09/2017/1029	Physio Therapy	NC	Traction Machine	Autotrac 100		12708		**1Y**	01-09-17	01-08-18	SVIMS	Working
1098	4	SVIMS/PhyThe/00/0000/1030	Physio Therapy	NC	Traction Machine	Autotrac		5593-A		1 Y			SVIMS	Working
1099	5	SVIMS/PhyThe/00/0000/1031	Physio Therapy	NC	Muscle Stimulators	Bharat Medical Sys	Physiotim - 7	5960		1Y			SVIMS	Working
1100	6	SVIMS/PhyThe/00/0000/1032	Physio Therapy	NC	Muscle Stimulators	Bharat Medical Sys	Physiotim - 8	5956		1 Y			SVIMS	Working
1101	7	SVIMS/PhyThe/00/0000/1033	Physio Therapy	NC	Muscle Stimulators	Bharat Medical Sys	Physiotim - 9	5057		1Y			SVIMS	Working
1102	8	SVIMS/PhyThe/00/0000/1034	Physio Therapy	NC	Muscle Stimulators	Bharat Medical Sys	Physiotim - 10	5958		1Y			SVIMS	Working
1103	9	SVIMS/PhyThe/00/0000/1035	Physio Therapy	NC	Muscle Stimulators	Bharat Medical Sys	Physiotim - 11	5959		1Y			SVIMS	Working
1104	10	SVIMS/PhyThe/00/0000/1036	Physio Therapy	NC	Muscle Stimulators	HMS		5958		1 Y			SVIMS	Working
1105	11	SVIMS/PhyThe/00/0000/1037	Physio Therapy	NC	Muscle Stimulators	HMS		10514310212		1Y			SVIMS	Working
1106	12	SVIMS/PhyThe/00/0000/1038	Physio Therapy	NC	IFT	Kody Medical Electronic	Kodytron Plus	IT 174		1 Y			SVIMS	Working
1107	13	SVIMS/PhyThe/00/0000/1039	Physio Therapy	NC	IFT	Kody Medical Electronic	Kodytron Plus			1Y			SVIMS	Working
1108	14	SVIMS/PhyThe/00/0000/1040	Physio Therapy	NC	IFT	Kody Medical Electronic	Kodytron Plus			1Y			SVIMS	Working
1109	15	SVIMS/PhyThe/00/0000/1041	Physio Therapy	NC	IFT	HMS	INDOMED 601	10112360415		1Y			SVIMS	Working
1110	16	SVIMS/PhyThe/00/0000/1042	Physio Therapy	NC	WAX Therapy	HMS		110		8 Y			SVIMS	Working
1111	17	SVIMS/PhyThe/00/0000/1043	Physio Therapy	NC	WAX Therapy			1255490415		1Y			SVIMS	Working
1112	18	SVIMS/PhyThe/00/0000/1044	Physio Therapy	NC	Ultrasound	Techomed Electronics	Electroson - 709	TU -1656		9 Y			SVIMS	Working
1113	19	SVIMS/PhyThe/00/0000/1045	Physio Therapy	NC	Ultrasound	Techomed Electronics	Electroson - 710	TU -7856		1Y			SVIMS	Working

1114	20	SVIMS/PhyThe/00/0000/1046	Physio Therapy	NC	Ultrasound		Electrostim-T	TTH - 793		10 Y			SVIMS	Working
1115	21	SVIMS/PhyThe/00/0000/1047	Physio Therapy	NC	Ultrasound	HMS	INDOSONIC 102	10281660415		1Y			SVIMS	Working
1116	22	SVIMS/PhyThe/12/2014/1048	Physio Therapy	NC	Ultrasound	HMS	INDOSONIC 103	10281670415		11 Y			SVIMS	Working
1117	23	SVIMS/PhyThe/12/2014/1049	Physio Therapy	NC	Body Composition Analyzer		N 20	N20 - 2351JJH	Rs 6,54,100	5Y	12-05-14	12-04-19	SVIMS	Working
1118	24	SVIMS/PhyThe/00/0000/1050	Physio Therapy	NC	Portable Laser	Techomed Electronic		275		1 Y			SVIMS	Working
1119	25	SVIMS/PhyThe/00/0000/1051	Physio Therapy	NC	Portable Laser	Techomed Electronic		272		1Y			SVIMS	Working
1120	26	SVIMS/PhyThe/00/0000/1052	Physio Therapy	NC	Threadmill	Stayfit	CTX3	X120898013	Rs 2,09,738	1 Y			SVIMS	Working
1121	27	SVIMS/PhyThe/00/0000/1053	Physio Therapy	NC	Threadmill	Aerofit	HK300	90622789		1Y			SVIMS	Working
1122	28	SVIMS/PhyThe/00/0000/1054	Physio Therapy	NC	Short wave Diathermy	HMS	Indotherm 500	107351021	HMS	1Y			SVIMS	Working
1123	29	SVIMS/PhyThe/01/2016/1055	Physio Therapy	NC	Short wave Diathermy	IBMT				1Y			SVIMS	Working
1124	30	SVIMS/PhyThe/01/2004/1056	Physio Therapy	NC	ENMG BioFeedBack System	Enraf	Myomed 632X	15473	Rs 4,12,072	1Y	29/01/2016	28/01/2017	SVIMS	Working
1125	31	SVIMS/PhyThe/04/2018/1106	Physio Therapy	NC	Lipotone	Johari Digital	Flex-E-Tone EME 123	1708FTE420	Vijetha	1 Y	27.04.2018	26.04.2019	SVIMS	Working
1126	32	SVIMS/PhyThe/04/2018/1107	Physio Therapy	NC	Lipotone	Johari Digital	Flex-E-Tone EME 124	1708FTE455	Vijetha	1 Y	27.04.2018	26.04.2019	SVIMS	Working
1127	33	SVIMS/PhyThe/04/2018/1108	Physio Therapy	NC	Lipotone	Johari Digital	Flex-E-Tone EME 125	1708FTE465	Vijetha	1 Y	27.04.2018	26.04.2019	SVIMS	Working
1128	34	SVIMS/PhyThe/04/2018/1109	Physio Therapy	NC	Lipotone	Johari Digital	Flex-E-Tone EME 126	1708FTE469	Vijetha	1 Y	27.04.2018	26.04.2019	SVIMS	Working
1129	35	SVIMS/PhyThe/04/2019/1154	Physio Therapy	NC	Laser Therapy	Techno Med	SS - 1000	113	Pain Care	1 Y	13.04.2019	12.04.2020	SVIMS	Working
1130	36	SVIMS/PhyThe/04/2019/1135	Physio Therapy	NC	Waxbath	HMS Medicals		125 9100 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1131	37	SVIMS/PhyThe/04/2019/1155	Physio Therapy	NC	Waxbath	HMS Medicals		125 9090 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1132	38	SVIMS/PhyThe/04/2019/1156	Physio Therapy	NC	Ultrasound Unit	HMS Medicals	Indosonic 102	10211 2370 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1133	39	SVIMS/PhyThe/04/2019/1157	Physio Therapy	NC	Ultrasound Unit	HMS Medicals	Indosonic 102	10211 2380 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working

1134	40	SVIMS/PhyThe/04/2019/1158	Physio Therapy	NC	IFT	HMS Medicals	Indomed D	130 5860 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1135	41	SVIMS/PhyThe/04/2019/1159	Physio Therapy	NC	IFT	HMS Medicals	Indomed D	130 5870 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1136	42	SVIMS/PhyThe/04/2019/1160	Physio Therapy	NC	IFT	HMS Medicals	Indomed D	130 5880 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1137	43	SVIMS/PhyThe/04/2019/1161	Physio Therapy	NC	IFT	HMS Medicals	Indomed D	130 5890 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1138	44	SVIMS/PhyThe/04/2019/1162	Physio Therapy	NC	Indo TENS	HMS Medicals	Indo TENS	1101 6400 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1139	45	SVIMS/PhyThe/04/2019/1163	Physio Therapy	NC	Indo TENS	HMS Medicals	Indo TENS	1101 6410 319	HMS Medicals	1 Y	22.04.2019	21.04.2020	SVIMS	Working
1140	1	SVIMS/BioTec/01/2004/1057	**Bio-Technology**	NC	Hot Air over	Yarco	YSI-431	04B3168	Laser instrument	1Y	06.01.2004	05.01.2005	SVIMS	Working
1141	2	SVIMS/BioTec/01/2004/1058	Bio-Technology	NC	Distilled Water Plant	BHANU	SAFGTYCUTOUT	160606058	Indian Scientific	1Y	06.01.2004	05.01.2005	SVIMS	Working
1142	3	SVIMS/BioT/08/2008/1059	Bio-Technology	NC	Double Distilled Water plant	BHANU	AQDD-20P-DB	160606058	Infusil India Pvt	1Y	05.01.2005	04.01.2006	SVIMS	Working
1143	4	SVIMS/BioT/08/2008/1060	Bio-Technology	NC	Deep Freezer -20C		Vestfrost	1245	Vijetha medical Systems	1Y	20.08.2008	19.08.2009	SVIMS	Working
1144	5	SVIMS/BioTec/10/2008/1062	Bio-Technology	NC	Cooling Centrifuge	Remi	C-24	BY01-7941	Vijetha medical Systems	1Y	28.10.2008	27.10.2009	SVIMS	Working
1145	6	SVIMS/BioTec/10/2006/1063	Bio-Technology	NC	Laminar Air Flow (2x2)	Air Tech			Bross Sci	1Y	27.10.2006	26.10.2007	SVIMS	Working
1146	7	SVIMS/BioTec/05/2004/1064	Bio-Technology	NC	UV trans Illuminator	Lab india			Bross Sci	1Y	13.05.2004	12.05.2005	SVIMS	Working
1147	8	SVIMS/BioTec/07/2009/1065	Bio-Technology	NC	Sonicator	Revotek	STD Sonicator	1999	Indian Scientific	1Y	31.07.2009	30.07.2010	SVIMS	Working
1148	9	SVIMS/BioTec/05/2009/1066	Bio-Technology	NC	Colony Counter	HIMEDIA		LA660/167/0923	Bross Sci	1Y	04.05.2009	03.05.2010	SVIMS	Working
1149	10	SVIMS/BioTec/09/2004/1067	Bio-Technology	NC	Dry Bath	GENEI	DB900	409696	Bross Sci	1Y	17.09.2004	16.09.2005	SVIMS	Working
1150	11	SVIMS/BioTec/09/2005/1068	Bio-Technology	NC	Cyclo Mixer	Remi	CM-101	1KXCM1624	Indian Scientific	1Y	08.09.2005	07.09.2006	SVIMS	Working
1151	12	SVIMS/BioTec/11/2008/1069	Bio-Technology	NC	DNA Sequencer	GENEI			L.V.products	1Y	26.11.2008	25.11.2009	SVIMS	Working
1152	13	SVIMS/BioTec/12/2003/1070	Bio-Technology	NC	Laminar Air Flow (4x2x2)	Clean Air	CAH1200		Indian Scientific	1Y	06.12.2003	05.12.2004	SVIMS	Working

1153	14	SVIMS/BioTec/04/2005/1071	Bio-Technology	NC	Inverted Microscope	Motic AE-31	50212001	Motic	Lab AID	1Y	29.04.2005	28.04.2006	SVIMS	Working
1154	15	SVIMS/BioTec/09/2005/1072	Bio-Technology	NC	Multiporator	Ependrof		430830479	Ependrof	1Y	01.09.2005	31.08.2006	SVIMS	Working
1155	16	SVIMS/BioTec/07/2016/1073	Bio-Technology	NC	PCR	Ependrof		6331FH311350	Ependrof	1Y	19/07/16	18/07/17	SVIMS	Working
1156	17	SVIMS/BioTec/06/2004/1074	Bio-Technology	NC	UV trans Illuminator	Lab india		514245	Bross Sci	1Y	13.06.2004	12.06.2005	SVIMS	Working
1157	18	SVIMS/BioTec/05/2005/1075	Bio-Technology	NC	Gel Documenter	Vilber Lourmet		515258	Labmate	1Y	20.05.2005	18.05.2007	SVIMS	Working
1158	19	SVIMS/BioTec/08/2009/1076	Bio-Technology	NC	PH Meter	Eutech		1470569	Bross Sci	1Y	28.08.2009	27.08.2010	SVIMS	Working
1159	20	SVIMS/BioTec/01/2009/1077	Bio-Technology	NC	UV Spectrophotometer	Cyber Lab	CYBER UV-1	2C4630-07A008-00	Indian Scientific	1Y	06.01.2009	05.01.2010	SVIMS	Working
1160	21	SVIMS/BioTec/02/2017/1079	Bio-Technology	NC	CO2 Incubator	Thermofisher	Stericycle i160	42057396	Genesis	5Y	16/02/2017	**15/02/2022**	SVIMS	Working
1161	22	SVIMS/BioTec/12/2002/1080	Bio-Technology	NC	PH Meter	Systronics	361	2425	Systronics	1Y	06.12.2002	05.12.2003	SVIMS	Working
1162	23	SVIMS/BioTec/09/2005/1081	Bio-Technology	NC	Homogenizer	Remi	RQ127A	AML252	Inaian Scie	1Y	06.12.2003	05.12.2004	SVIMS	Working
1163	24	SVIMS/BioTec/09/2005/1082	Bio-Technology	NC	Water Bath	Remi	KWB.190	4192	Indian Scientific	1Y	08.09.2005	07.09.2006	SVIMS	Working
1164	25	SVIMS/BioTec/03/2005/1084	Bio-Technology	NC	Electrophoresis Horizantel	GENEI			Indian Scientific	1Y	23.03.2005	22.03.2006	SVIMS	Working
1165	26	SVIMS/BioTec/03/2005/1085	Bio-Technology	NC	Electrophoresis Verticle	GENEI			Indian Scientific	1Y	23.03.2005	22.03.2006	SVIMS	Working
1166	27	SVIMS/BioTec/03/2005/1086	Bio-Technology	NC	GEL Rocker	GENEI	GR020	504332	Indian Scientific	1Y	23.03.2005	22.03.2006	SVIMS	Working
1167	28	SVIMS/BioTec/03/2005/1087	Bio-Technology	NC	Incubator 37C	Yarco	YSI-438	04B2446	Lszer Instru	1Y	14.03.2005	13.03.2006	SVIMS	Working
1168	29	SVIMS/BioTec/01/2004/1088	Bio-Technology	NC	GEL Dryer	GENEI	2535/3545	104081	Indian Scientific	1Y	06.01.2004	05.01.2005	SVIMS	Working
1169	30	SVIMS/BioTec/10/2008/1089	Bio-Technology	NC	Cooling Centrifuge	Remi	RBC	JDLC-4448	Indian Scientific	1Y	20.10.2008	21.10.2009	SVIMS	Working
1170	31	SVIMS/BioTec/12/2003/1090	Bio-Technology	NC	Centrifuge	Remi	RBC	AMLC-398	Indian Scientific	1Y	10.12.2003	09.12.2004	SVIMS	Working
1171	32	SVIMS/BioTec/10/2004/1091	Bio-Technology	NC	BOD Incubator	HECO	216		Bross Sci	1Y	06.10.2004	05.10.2005	SVIMS	Working
1172	33	SVIMS/BioTec/01/2009/1092	Bio-Technology	NC	Real Time PCR	Applied Bio	7300	273003646	Lab India	1Y	04-01-09	31/4/2010	SVIMS	Working

1173	34	SVIMS/BioTec/12/ 2003/1093	Bio-Technology	NC	Microscope	Olympus	CX21i	12F-429		1Y	10.12.2003	09.12.2004	SVIMS	Working
1174	35	SVIMS/BioTec/12/ 2003/1094	Bio-Technology	NC	Microscope (Monocular)	Olympus	MLM	13-F1315		1Y	10.12.2003	09.12.2004	SVIMS	Working
1175	36	SVIMS/BioTec/12/ 2003/1095	Bio-Technology	NC	Microscope (Monocular)	Olympus	MLM	13F-1320		1Y	10.12.2003	09.12.2004	SVIMS	Working
1176	37	SVIMS/BioTec/12/ 2003/1096	Bio-Technology	NC	Microscope (Monocular)	Olympus	MLM	13F-1349		1Y	10.12.2003	09.12.2004	SVIMS	Working

Equipment status Report on 3rd August, 2019– SVIMS, SPMCW-Hospital

Total Number of Equipment = 138

Number functional Equipment=137
Number non functional Equipment =1
Percentage = 137/138 *100 =99 %

Action Report

Sl No	Equipment	Manufacturer	Days of Disrepair	Value	Remarks
1	MultiPara Monitor Sl No G3GM30030	General Meditech	Since 14/06/2019	Rs 1,41,750/-	Spare (Disdplay assay & NIBP Board) needed , Same under process.

Equipment List - SPMCW – Hospital

	Index Number	Equipment	Department	Manufacturer	Supplier	Model	serial number	W	Ins.date	Purchase done by	Status	Unit cost in IRs
1	SPMCH/GenSur /05/2015/ 0001	OT Lights Dual Dome	Septic OT	Magna Tek	Magna Tek	Magnapax	G2002	3 Y	11.05.2015	APMSIDC	Working	3,47,000
2	SPMCH/ophtha /04/2015/ 0002	OT Lights Dual Dome	Emergency OT	Magna Tek	Magna Tek	Magnapax	G1960	3 Y	30.04.2015	APMSIDC	Working	3,47,000
3	SPMCH/OB& GYN/04/2015/ 0003	OT Lights Dual Dome	O B G	Magna Tek	Magna Tek	Magnapax	G1961	3 Y	30.04.2015	APMSIDC	Working	3,47,000
4	SPMCH/OB& GYN/04/2015/ 0004	OT Lights Dual Dome	O B G	Magna Tek	Magna Tek	Magnapax	G1962	3 Y	30.04.2015	APMSIDC	Working	3,47,000
5	SPMCH/ E N T /04/2015/ 0005	OT Lights Dual Dome	E N T	Magna Tek	Magna Tek	Magnapax	G1963	3 Y	30.04.2015	APMSIDC	Working	3,47,000
6	SPMCH/GenSur/04/2015/ 0006	OT Lights Dual Dome	G S O T	Magna Tek	Magna Tek	Magnapax	G1964	3 Y	30.04.2015	APMSIDC	Working	3,47,000
7	SPMCH/Anaest/05/2015/ 0007	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30013	3 Y	05.05.2015	APMSIDC	Working	1,41,750
8	SPMCH/Anaest/05/2015/ 0008	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30003	3 Y	05.05.2015	APMSIDC	Working	1,41,750
9	SPMCH/Anaest/05/2015/ 0009	Multi para Monitor	OBG ICU - 2	General Meditech	Trans Health Care	G 3 G	G3GM30029	3 Y	05.05.2015	APMSIDC	Working	1,41,750
10	SPMCH/Anaest/05/2015/ 0010	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30017	3 Y	05.05.2015	APMSIDC	Working	1,41,750
11	SPMCH/Anaest/05/2015/ 0011	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30005	3 Y	05.05.2015	APMSIDC	Working	1,41,750
12	SPMCH/Anaest/05/2015/ 0012	Multi para Monitor	O B G	General Meditech	Trans Health Care	G 3 G	G3GM30008	3 Y	05.05.2015	APMSIDC	Working	1,41,750

13	SPMCH/Anaest/05/2015/ 0013	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30021	3 Y	05.05.2015	APMSIDC	Working	1,41,750
14	SPMCH/Anaest/05/2015/ 0014	Multi para Monitor	Anaesthesia	General Meditech	Trans Health Care	G 3 G	G3GM30030	3 Y	05.05.2015	APMSIDC	**Not Working**	1,41,750
15	SPMCH/Anaest/05/2015/ 0015	Multi para Monitor	G S O T	General Meditech	Trans Health Care	G 3 G	G3GM30010	3 Y	05.05.2015	APMSIDC	Working	1,41,750
16	SPMCH/ Anaest/05/2015/ 0016	Multi para Monitor	E N T	General Meditech	Trans Health Care	G 3 G	G3GM30028	3 Y	05.05.2015	APMSIDC	Working	1,41,750
17	SPMCH/Anaest/05/2015/ 0017	Multi para Monitor	O B G	General Meditech	Trans Health Care	G 3 G	G3GM30022	3 Y	05.05.2015	APMSIDC	Working	1,41,750
18	SPMCH/Anaest/05/2015/ 0018	Multi para Monitor	O B G	General Meditech	Trans Health Care	G 3 G	G3GM30023	3 Y	05.05.2015	APMSIDC	Working	1,41,750
18	SPMCH/Anaest/09/2015/ 0019	Multichannel Monitor	Anaesthesia	General Meditech	Trans Health Care	G3G	434M50059	3 Y	30.09.2015	APMSIDC	Working	1,32,300
19	SPMCH/Anaest/09/2015/ 0020	Multichannel Monitor	Anaesthesia	General Meditech	Trans Health Care	G3G	434M50007	3 Y	30.09.2015	APMSIDC	Working	1,32,300
20	SPMCH/Anaest/09/2015/ 0021	Multichannel Monitor	Anaesthesia	General Meditech	Trans Health Care	G3G	434M50044	3 Y	30.09.2015	APMSIDC	Working	1,32,300
21	SPMCH/Anaest/09/2015/ 0022	Multichannel Monitor	Anaesthesia	General Meditech	Trans Health Care	G3G	434M50006	3 Y	30.09.2015	APMSIDC	Working	1,32,300
22	SPMCH/Anaest/09/2015/ 0023	Multichannel Monitor	OBG ICU - 1	General Meditech	Trans Health Care	G3G	434M50003	3 Y	30.09.2015	APMSIDC	Working	1,32,300
23	SPMCH/Anaest/09/2015/ 0024	Multichannel Monitor	Anaesthesia	General Meditech	Trans Health Care	G3G	434M50010	3 Y	30.09.2015	APMSIDC	Working	1,32,300
25	SPMCH/Anaest/05/2015/ 0025	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04315	3 Y	26.05.2015	APMSIDC	**Working**	6,50,000
26	SPMCH/Anaest/05/2015/ 0026	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04316	3 Y	26.05.2015	APMSIDC	Working	6,50,000
27	SPMCH/Anaest/05/2015/ 0027	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04317	3 Y	26.05.2015	APMSIDC	Working	6,50,000
28	SPMCH/Anaest/05/2015/ 0028	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04318	3 Y	26.05.2015	APMSIDC	Working	6,50,000
29	SPMCH/Anaest/05/2015/ 0029	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04319	3 Y	26.05.2015	APMSIDC	Working	6,50,000
30	SPMCH/Anaest/05/2015/ 0030	ICU Ventilator	Anaesthesia	Air Liquide	Air Liquide Medical	Monnal 175	MT 75-04320	3 Y	26.05.2015	APMSIDC	Working	6,50,000
31	SPMCH/ Ophtha/06/2015/ 0031	Potec Auto Ref.Keratometer	Ophthalmology	Appasamy Associates	Appasamy Associates	PRK 6000	K6DL18F	1 Y	01.06.2015	SVIMS	Working	

32	SPMCH/ ENT/06/2015/ 0032	Impedenec Audiometer stem with accessories	E N T	Alliance Biomedica	Alliance Biomedica	G3139 Velsion3	G50059259	3 Y	08.06.2015	SVIMS	Working	4,72,557
33	SPMCH/GenSur/08/2015/ 0033	Bipolar Cautery	G S O T	ERBE, Germany	ERBE, Germany	VIO 300S Version I	11394575	3y	14.08.2015	SVIMS	Working	3,93,750
34	SPMCH/GenSur/08/2015/ 0034	Bipolar Cautery	Emergency OT	ERBE, Germany	ERBE, Germany	VIO 300S Version I	11394574	3 Y	14.08.2015	SVIMS	Working	3,93,750
35	SPMCH/ENT/08/2015/ 0035	Bipolar Cautery	E N T	ERBE, Germany	ERBE, Germany	VIO 300S Version I	11395339	3 Y	14.08.2015	SVIMS	Working	3,93,750
36	SPMCH/OB&Gyn/08/2015/ 0036	Bipolar Cautery	O B G	ERBE, Germany	ERBE, Germany	VIO 300S Version I	11398195	3 Y	14.08.2015	SVIMS	Working	3,93,750
37	SPMCH/OB&Gyn/08/2015/ 0037	Cryosurgery Unit	Gynaecalogy	ERBE, Germany	ERBE, Germany	ERBO KRYO CA	11397972	3 Y	14.08.2015	SVIMS	Working	5,98,500
38	SPMCH/OB&Gyn/08/2015/ 0038	Cryosurgery Unit	Gynaecalogy	ERBE, Germany	ERBE, Germany	ERBO KRYO CA	11397971	3 Y	14.08.2015	SVIMS	Working	5,98,500
39	SPMCH/Anaest/09/2015/ 0039	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60100 1506047	3 Y	30.09.2015	APMSIDC	Working	34,963
40	SPMCH/Anaest/09/2015/ 0040	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	601001 503059	3 Y	30.09.2015	APMSIDC	Working	34,963
41	SPMCH/Anaest/09/2015/ 0041	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60102 1506001	3 Y	30.09.2015	APMSIDC	Working	34,963
42	SPMCH/Anaest/09/2015/ 0042	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60103 1506041	3 Y	30.09.2015	APMSIDC	Working	34,963
43	SPWMC/Anaest/09/2015/ 0043	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60104 1506040	3 Y	30.09.2015	APMSIDC	Working	34,963
44	SPMCH/Anaest/09/2015/ 0044	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60105 1506042	3 Y	30.09.2015	APMSIDC	Working	34,963
45	SPMCH/Anaest/09/2015/ 0045	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60106 1506043	3 Y	30.09.2015	APMSIDC	Working	34,963
46	SPMCH/Anaest/09/2015/ 0046	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60107 1506044	3 Y	30.09.2015	APMSIDC	Working	34,963
47	SPMCH/Anaest/09/2015/ 0047	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60108 1506002	3 Y	30.09.2015	APMSIDC	Working	34,963
48	SPMCH/Anaest/09/2015/ 0048	Infusion Pump	Anaesthesia	GUANGZHOU WIT	Trans Health Care	WIT 601A	60109 1503058	3 Y	30.09.2015	APMSIDC	Working	34,963
49	SPMCH/Anaest/10/2015/ 0049	Anaesthesia Workstation	Anaesthesia	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP111	3 Y	16.10.2015	APMSIDC	Working	5,76,535
50	SPMCH/Anaest/10/2015/ 0050	Anaesthesia Workstation	O B G	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP112	3 Y	16.10.2015	APMSIDC	Working	5,76,535

51	SPMCH/Anaest/10/2015/ 0051	Anaesthesia Workstation	Anaesthesia	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP113	3 Y	16.10.2015	APMSIDC	Working	5,76,535
52	SPMCH/Anaest/10/2015/ 0052	Anaesthesia Workstation	Anaesthesia	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP114	3 Y	16.10.2015	APMSIDC	Working	5,76,535
53	SPMCH/Anaest/10/2015/ 0053	Anaesthesia Workstation	Emergency OT	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP115	3 Y	16.10.2015	APMSIDC	Working	5,76,535
54	SPMCH/Anaest/10/2015/ 0054	Anaesthesia Workstation	Septic OT	Allied Medical	Allied Medical Ltd	Jupiter Plus	1503JP116	3 Y	16.10.2015	APMSIDC	Working	5,76,535
55	SPMCH/OB&Gyn/06/2015/ 0055	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F26-001	3 Y	24.06.2015	APMSIDC	Working	18,750
56	SPMCH/GenSur/06/2015/ 0056	Suction Apparatus	General Surgery	Supreme Enterprises		INSTAVAC	15F26-002	3 Y	24.06.2015	APMSIDC	Working	18,750
57	SPMCH/OB&Gyn/06/2015/ 0057	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F26-003	3 Y	24.06.2015	APMSIDC	Working	18,750
58	SPMCH/OB&Gyn/06/2015/ 0058	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F26-004	3 Y	24.06.2015	APMSIDC	Working	18,750
59	SPMCH/ENT/06/2015/ 0059	Suction Apparatus	ENT	Supreme Enterprises		INSTAVAC	15F26-005	3 Y	24.06.2015	APMSIDC	Working	18,750
60	SPMCH/OB&Gyn/06/2015/ 0060	Suction Apparatus	Obg	Supreme Enterprises		INSTAVAC	15F26-006	3 Y	24.06.2015	APMSIDC	Working	18,750
61	SPMCH/E N T /06/2015/ 0061	Suction Apparatus	ENT	Supreme Enterprises		INSTAVAC	15F26-007	3 Y	24.06.2015	APMSIDC	Working	18,750
62	SPMCH/OB&Gyn/06/2015/ 0062	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F26-008	3 Y	24.06.2015	APMSIDC	Working	18,750
63	SPMCH/GenSur/06/2015/ 0063	Suction Apparatus	General Surgery	Supreme Enterprises		INSTAVAC	15F26-009	3 Y	24.06.2015	APMSIDC	Working	18,750
64	SPMCH/GenSur/06/2015/ 0064	Suction Apparatus	General Surgery	Supreme Enterprises		INSTAVAC	15F26-010	3 Y	24.06.2015	APMSIDC	Working	18,750
65	SPMCH/Nuroom/06/2015/ 0065	Suction Apparatus	Nurses Room	Supreme Enterprises		INSTAVAC	15F26-011	3 Y	24.06.2015	APMSIDC	Working	18,750
66	SPMCH/OB&Gyn/06/2015/ 0066	Suction Apparatus	OBG Ward	Supreme Enterprises		INSTAVAC	15F26-012	3 Y	24.06.2015	APMSIDC	Working	18,750
67	SPMCH/NI C U/06/2015/ 0067	Suction Apparatus	NICU	Supreme Enterprises		INSTAVAC	15F26-013	3 Y	24.06.2015	APMSIDC	Working	18,750
68	SPMCH/GenSur/06/2015/ 0068	Suction Apparatus	General Surgery	Supreme Enterprises		INSTAVAC	15F26-014	3 Y	24.06.2015	APMSIDC	Working	18,750
69	SPMCH/N I C U/06/2015/ 0069	Suction Apparatus	NICU	Supreme Enterprises		INSTAVAC	15F26-015	3 Y	24.06.2015	APMSIDC	Working	18,750
70	SPMCH/N I C U/06/2015/ 0070	Suction Apparatus	NICU	Supreme Enterprises		INSTAVAC	15F26-016	3 Y	24.06.2015	APMSIDC	Working	18,750

71	SPMCH/OB&Gyn/06/2015/ 0071	Suction Apparatus	OBG OT	Supreme Enterprises		INSTAVAC	15F26-017	3 Y	24.06.2015	APMSIDC	Working	18,750
72	SPMCH/OB&Gyn/06/2015/ 0072	Suction Apparatus	Nurses Room	Supreme Enterprises		INSTAVAC	15F26-018	3 Y	24.06.2015	APMSIDC	Working	18,750
73	SPMCH/OB&Gyn/06/2015/ 0073	Suction Apparatus	OBG OT	Supreme Enterprises		INSTAVAC	15F26-019	3 Y	24.06.2015	APMSIDC	Working	18,750
74	SPMCH/OB&Gyn/06/2015/ 0074	Suction Apparatus	OBG OT	Supreme Enterprises		INSTAVAC	15F26-020	3 Y	24.06.2015	APMSIDC	Working	18,750
75	SPMCH/OB&Gyn/06/2015/ 0075	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F04-001	3 Y	24.06.2015	APMSIDC	Working	18,750
76	SPMCH/OB&Gyn/06/2015/ 0076	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F04-002	3 Y	24.06.2015	APMSIDC	Working	18,750
77	SPMCH/OB&Gyn/06/2015/ 0077	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F04-003	3 Y	24.06.2015	APMSIDC	Working	18,750
78	SPMCH/OB&Gyn/06/2015/ 0078	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F04-004	3 Y	24.06.2015	APMSIDC	Working	18,750
79	SPMCH/GenSur/06/2015/ 0079	Suction Apparatus	SICU	Supreme Enterprises		INSTAVAC	15F04-005	3 Y	24.06.2015	APMSIDC	Working	18,750
80	SPMCH/GenSur/06/2015/ 0080	Suction Apparatus	General Surgery	Supreme Enterprises		INSTAVAC	15F04-006	3 Y	24.06.2015	APMSIDC	Working	18,750
81	SPMCH/OB&Gyn/06/2015/ 0081	Suction Apparatus	OBG	Supreme Enterprises		INSTAVAC	15F04-007	3 Y	24.06.2015	APMSIDC	Working	18,750
82	SPMCH/GenSur/06/2015/ 0082	Suction Apparatus	G S Ward	Supreme Enterprises		INSTAVAC	15F04-008	3 Y	24.06.2015	APMSIDC	Working	18,750
83	SPMCH/OB&Gyn/11/2015/ 0083	Fetal Monitor (CTG)/Cardiotocogram Machine	OBG & Gynic	B P L		FM9852T	EPTB5F 1465	3 Y	28.11.2015	APMSIDC	Working	87,150
84	SPMCH/OB&Gyn/11/2015/ 0084	Fetal Monitor (CTG)/Cardiotocogram Machine	Gynic	B P L		FM9852T	EPTB5F 1463	3 Y	28.11.2015	APMSIDC	Working	87,150
85	SPMCH/E N T /12/2015/ 0085	1. Endoscopy Set with Fess Instrument with Light Source and Camera	E N T	Carl Storze	Vishal Surgical			3 Y	01.12.2015	APMSIDC	Working	81,94,091
	SPMCH/E N T /12/2015/ 0085A	2. Esophagoscopy Set(LIGHT SOURCE)				XENON NOVA 300	PU0702240					3,78,000

	SPMCH/E N T /12/2015/ 0085B	3. Light Source with Cable and Head Band				XENON NOVA 300	PU0702097					10,20,275
	SPMCH/E N T /12/2015/ 0085C	4. Rhino-Pharyngo-Laryngo-Fiberscope										5,71,253
	SPMCH/E N T /12/2015/ 0085D	TH100 Image 1 H3-ZSPIES Sl.No.RZW829256-H,									Working	
	SPMCH/E N T /12/2015/ 0085E	26'FULL HD Monitor		STORZ HD	VISHAL	EJ-MLA26EKIA	L41D10267					
	SPMCH/E N T /12/2015/ 0085F	IMAGE 1 CONNECT CONSOLE		KARL STORZ	VISHAL	TC200	YU741030-P					
	SPMCH/E N T /12/2015/ 0085G	IMAGE 1 H3-LINK				TC300	RU731600-P				Working	
	SPMCH/E N T /12/2015/ 0085H	PEDSTAL FOR DEBRADOR					SU4498					
	SPMCH/E N T /12/2015/ 0085**I**	Debrador				Unidrive SIII ECO	PU2479					
	SPMCH/E N T /12/2015/ 0085J	Light source				XENON NOVA175	OUO701225				Working	
	SPMCH/E N T /12/2015/ 0085K	Ceramax Xenon Lamp 175W Sl.No.4HJB2694										
	SPMCH/E N T /12/2015/ 0085L	Fiber Optic Cable, Hopkins II Telescope O"4mm Sl.No.120IQV, 1201RB, Hopkins II Telescope 30"4mm Sl.No.1202SH									Working	
	SPMCH/E N T /12/2015/ 0085M	Hopking II Telescope 45"4mm Sl.No.12008B, Hopkins II Telescope 70"4mm 12012X,									Working	
	SPMCH/E N T /12/2015/ 0085N	HOPKINS II TELESCOPE 0"2.7mm SlNo.1201LP,									Working	

		Hopkins II Telescope 30"2.7Mm Sl.No.1201A3										
86	SPMCH/ Ophtha/12/2015/ 0086	1. Wireless Indirect Ophthalmoscope with 20 D Lens 2. 78 D Volk Lens 3. Near Vision Chart	Ophthalmology	Appasamy	Appasamy	AAIO Wireles	1802150237	1 Y	07.12.2015	SVIMS	Working	1. 58,000/- 2. 16,000/- 3. 450/-
87	SPMCH/ Ophtha/01/2016/ 0087	Slit Lamp-5 step	Ophthalmology	Appaswamy	Appaswamy	A1A 125S	1504160002	1 Y	11.01.16	SVIMS	Working	1,10,000
88	SPMCh/ GenSur/01/2016/ 0088	O T Table	G S O T	Hospi Tech		Hospitak	105SS		11.01.16		Working	
89	SPMCH/ OB&Gyn/01/2016/ 0089	O T Table	OBG	Hospi Tech		Hospitak	105SS		11.01.16		Working	
90	SPMCH/ E N T /01/2016/ 0090	O T Table	ENT	Hospi Tech		Hospitak	105SS		11.01.16		Working	
91	SPMCH/ Ob&Gyn/01/2016/ 0091	O T Table	OBG	Hospi Tech		Hospitak	105SS		11.01.16		Working	
92	SPMCH/GenSur/01/2016/ 0092	O T Table	Emergency OT	Hospi Tech		Hospitak	105SS		11.01.16		Working	
93	SPMCH/ Ob&Gyn/02/2016/ 0093	**Double Punch Laproscope Set**	**O B G**	**Carl Storz**	**Vishal**			3 Y	15.02.2016	APMSIDC	Working	8,90,000
	SPMCH/ Ob&Gyn/02/2016/ 0093A	CAMERA CONSOLE		KARL STORZ	VISHAL	Telecam Dx II CCU	SU731764-P				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093B	Camera Head		KARL STORZ	VISHAL	Telecam Camera Head	RU849685-H				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093C	C-Mount Lens									Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093D	Light Source		KARL STORZ	VISHAL	Led Nova 150W	RU3517,				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093E	Fiber Opetic Cable									Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093F	Telescope 30'6.5mm					4004694				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0093G	LED Monitor		SAMSUNG	VISHAL	UA23H 4003ARLXL	H00M3PAG 607312T				Working	
94	SPMCH/ Ob&Gyn/02/2016/ 0094	**Operating Laparoscope Set**	**O B G**	**Carl Storz**	**Vishal**			3 Y	15.02.2016	APMSIDC	Working	

	SPMCH/ Ob&Gyn/02/2016/ 0094A	CAMERA CONSOLE				Tricam SL II	RU730933-P				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094B	Camera Head				Tricam Camera Head	RU848536-H				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094C	15,Color LCD Monitor		SONY	VISHAL	LMD-1510W	3005697				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094D	Electronic CO2 Endoflator		KARL STORZ	VISHAL	26430520	SU33042				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094E	Light Source		KARL STORZ	VISHAL	Led Nova Light 150W	SU3591				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094F	Fiber Optic Cable 4.8mm									Working	
	SPMCH/ Ob&Gyn/02/2016/ 0094G	Hopkins II Telescope 30'10mm					121BLO				Working	
95	SPMCH/ Ob&Gyn/02/2016/ 0095	**Operating Laparoscope Set**	**O B G**	**Carl Storz**	**Vishal**			3 Y	15.02.2016	APMSIDC	Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095A	Camera CONSOLE		KARL STORZ	VISHAL	Tricam SL II	RU730926-P				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095B	Camera Head				Tricam Camera Head	PU848358-H				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095C	15,Color LCD Monitor		SONY	VISHAL	LMD-2110MD	3206129				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095D	Electronic CO2 Endoflator		KARL STORZ	VISHAL	26430520	SU33053				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095E	Light Source		KARL STORZ	VISHAL	Led Nova Light 150W Light Source	SU3597				Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095F	Fiber Optic Cable 4.8mm									Working	
	SPMCH/ Ob&Gyn/02/2016/ 0095G	Hopkins II Telescope 30'10mm					121AAF				Working	
96	SPMCH/ Ob&Gyn/02/2016/ 0096	**Coloposcope Set**	**O B G**		**Vishal**	**Video Colopscope**	**15-070013**	3 Y	15.02.2016	APMSIDC	Working	9,08,250
	SPMCH/ Ob&Gyn/02/2016/ 0096A	Coloposcope SeT	O B G		Vishal	Video Colopscope	15-070013	3 Y	15.02.2016	APMSIDC	Working	
	SPMCH/ Ob&Gyn/02/2016/ 0096B	Stand for Coloposcope										
	SPMCH/ Ob&Gyn/02/2016/ 0096C	Laptop with Medi-Scope										

		Oem lite edition Software, Data Recording System										
97	SPMCH/ N I C U /03/2016/ 0097	Baby Weighing Machine	Pediatrics	nice Neotech Medical	nice Neotech Medical		15160 300 2089	1 Y	29.03.2016	APMSIDC	Working	v
98	SPMCH/ N I C U /03/2016/ 0098	Baby Weighing Machine	Pediatrics	nice Neotech Medical	nice Neotech Medical		15160 300 2092	1 Y	29.03.2016	APMSIDC	Working	14,175
99	SPMCH/ N I C U /03/2016/ 0099	Infant meter	Pediatrics	nice Neotech Medical	nice Neotech Medical			1 Y	29.03.2016	APMSIDC	Working	13,356
100	SPMCH/ Ob&Gyn /04/2016/ 0100	**Diagnostic Laparoscopy set**	**Gynaec OT**	**Karl Storz Germany**	**Vishal**			3 Y	05.04.2016	APMSIDC	Working	28,84,350
	SPMCH/ Ob&Gyn /04/2016/ 0100A	HOPKINS Telescope 30' 10mm, 31cm					121J4E				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0100B	Electronic CO2 Endoflator SCB Set		KARL STORZ	VISHAL	26430520	NT34312				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0100C	Light Source		KARL STORZ	VISHAL	LED Nova 150	OT4383				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0100D	CAMERA CONSOLE		KARL STORZ	VISHAL	TRICAM SL II	YU741134-P				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0100E	Camera Head		KARL STORZ	VISHAL	TRICAM 2 Chip	XU857546-H				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0100F	Monitor		SONY	VISHAL	LMD-1510W	3005690				Working	
101	SPMCH/OB&Gyn/04/2016/0101	**Diagnostic Laparoscopy set**	**Gynaec OT**	**Karl Storz Germany**	**Vishal**			3 Y	05.04.2016	APMSIDC	Working	28,84,350
	SPMCH/OB&Gyn/04/2016/0101A	HOPKINS Telescope 30' 10mm, 31cm					121FDX				Working	
	SPMCH/OB&Gyn/04/2016/0101B	Electronic CO2 Endoflator SCB Set		KARL STORZ	VISHAL	26430520	NT34323				Working	
	SPMCH/OB&Gyn/04/2016/0101C	Light SOURCE		KARL STORZ	VISHAL	LED Nova 150	OT4389				Working	
	SPMCH/OB&Gyn/04/2016/0101D	CAMERA CONSOLE		KARL STORZ	VISHAL	TRICAM (R) II CCU SCB	YU741138-P				Working	
	SPMCH/OB&Gyn/04/2016/0101E	Camera Head		KARL STORZ	VISHAL	TRICAM 2 Chip	XU858378-H				Working	
	SPMCH/OB&Gyn/04/2016/0101F	Monitor		SONY	VISHAL	LMD-2110MD	3206140				Working	
102	SPWMC/ Ob&Gyn /04/2016/ 0102	**Diagnostic Laparoscopy set**	**Gynaec OT**	**Karl Storz Germany**	**Vishal**			3 Y	05.04.2016	APMSIDC	Working	28,84,350

	SPWMC/ Ob&Gyn /04/2016/ 0102A	HOPKINS Telescope 30' 10mm, 31cm					121FR6				Working	
	SPWMC/ Ob&Gyn /04/2016/ 0102B	Electronic CO2 Endoflator SCB Set		KARL STORZ	VISHAL	26430520	NT34313				Working	
	SPWMC/ Ob&Gyn /04/2016/ 0102C	Light Source		KARL STORZ	VISHAL	LED Nova 150	OT4440				Working	
	SPWMC/ Ob&Gyn /04/2016/ 0102D	CAMERA CONSOLE		KARL STORZ	VISHAL	TRICAM SL II	YU741141-P				Working	
	SPWMC/ Ob&Gyn /04/2016/ 0102E	Camera Head		KARL STORZ	VISHAL	TRICAM 2 Chip	XU858379-H				Working	
		Monitor		SONY	VISHAL	LMD 2110MD	3206142				Working	
103	SPMCH/ Ob&Gyn /04/2016/ 0103	**Diagnostic Laparoscopy set**	**Gynaec OT**	**Karl Storz Germany**	**Vishal**			3 Y	05.04.2016	APMSIDC	Working	28,84,350
	SPMCH/ Ob&Gyn /04/2016/ 0103A	HOPKINS Telescope 30' 10mm, 31cm					121FRB				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0103B	Electronic CO2 Endoflator SCB Set		KARL STORZ	VISHAL	26430520	NT34306				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0103C	Light Source		KARL STORZ	VISHAL	LED NOVA 150	OT4431				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0103D	Camera console		KARL STORZ	VISHAL	TRICAM SLII	YU741137-P				Working	
	SPMCH/ Ob&Gyn /04/2016/ 0103E	Camera Head		KARL STORZ	VISHAL	TRICAM 2 Chip	XU858808-H				Working	
104	SPMCH/ Ob&Gyn /04/2016/ 0104	Hystroscope set - 1 No.	Gynaec OT	Karl Storz Germany	Vishal			3 Y	05.04.2016	APMSIDC	Working	17,48,250
	SPMCH/ Ob&Gyn /04/2016/ 0104A	HOPKINS II TELESCOPE 30 4mm Sl.No.1205Z3									Working	
	SPMCH/ Ob&Gyn /04/2016/ 0104B	HAMOU ENDOMAT SCB Sl.No. NT14214									Working	
	SPMCH/ Ob&Gyn /04/2016/ 0104C	One Pedal Footswitch, One Stage Sl.No. A01G2S									Working	
	SPMCH/ Ob&Gyn /04/2016/ 0104D	Electronic CO2 Endoflator SCB Sl.No.NT34307									Working	
105	SPMCH/ Ob&Gyn /04/2016/ 0105	Defibrillator	Maternity	Nihon Kohden	Biomed Healthcare	TEC-5521	10259	3 Y	21.04.2016	APMSIDC	Working	

106	SPMCH/ Ob&Gyn /05/2016/ 0106A	Ultrasound Color Doppler System	Obstetrics (Gynaecology)	Esaote India	Esaote India	**Mylab 40**	40-13587	3 Y	03.05.2016	SVIMS	Working	15,49,400
	SPMCH/ Ob&Gyn /05/2016/ 0106B	a. 19"LCD Monitor		Esaote India	Esaote India		21799095					
	SPMCH/ Ob&Gyn /05/2016/ 0106C	b. B/B Convex Probe (2-7 MHz)		Esaote India	Esaote India	CA 541	7280					
	SPMCH/ Ob&Gyn /05/2016/ 0106D	c. B/B Endocavity Probe (3-9 MHz)		Esaote India	Esaote India	EC1123	16045005					
	SPMCH/ Ob&Gyn /05/2016/ 0106E	d. B/W Thermal Printer		SONY	Esaote India	UP898MD						
	SPMCH/ Ob&Gyn /05/2016/ 0106F	e. 1 KVA Online UPS		BPE	Esaote India							
	SPMCH/ Ob&Gyn /05/2016/ 0106G	f. B/W Laser Printer		CANON	Esaote India	LBP2900						
	SPMCH/ Ob&Gyn /05/2016/ 0106H	g. 100 CDS & 100 DVDS										
	SPMCH/ Ob&Gyn /05/2016/ 0106I	h. Standard Accessories										
107	SPMCH/ Ob&Gyn /05/2016/ 0107A	Portable Premium Color Doppler System	Obstetrics (Gynaecology)	Esaote India	Esaote India	**Mylab 25 GOLD**	8536	5 Y	13.06.2016	SVIMS	Working	19,00,000
	SPMCH/ Ob&Gyn /05/2016/ 0107B	a. Convex Probe		Esaote India	Esaote India	CA431	15590					
	SPMCH/ Ob&Gyn /05/2016/ 0107C	b. Endocavity Probe		Esaote India	Esaote India	EC1123	16085060					
	SPMCH/ Ob&Gyn /05/2016/ 0107D	c. Biopsy Attachment for Convex probe		Civico								
	SPMCH/ Ob&Gyn /05/2016/ 0107E	d. Biopsy attachement for Endocavity probe		Civico								
	SPMCH/ Ob&Gyn /05/2016/ 0107F	e. Trolley		Esaote India		145930108						
	SPMCH/ Ob&Gyn /05/2016/ 0107G	f. Battery Set										
	SPMCH/ Ob&Gyn /05/2016/ 0107H	g. B/W Thermal Printer		SONY		UPX898 MD	7034236					

	SPMCH/ Ob&Gyn /05/2016/ 0107I	h. 1 KVA Online UPS		DELTA								
	SPMCH/ Ob&Gyn /05/2016/ 0107J	i. Computer with colour laser printer		HP		HP disktop						
	SPMCH/ Ob&Gyn /05/2016/ 0107K	j. Image management software standard Accessories		SONO								
108	SPMCH/NICU /06/2016/ 0108	Infant Warmers with bassinets	Paediatrics	Phoenix Medical	Phoenix Medical	NWS 102	2,213	1 Y	18.06.2016	SVIMS	Working	55,000
109	SPMCH/NICU /06/2016/ 0109	Infant Warmers with bassinets	Paediatrics	Phoenix Medical	Phoenix Medical	NWS 102	2214	1 Y	18.06.2016	SVIMS	**Working**	55,000
110	SPMCH/NICU /06/2016/ 0110	Infant Warmers with bassinets	Paediatrics	Phoenix Medical	Phoenix Medical	NWS 102	2215	1 Y	18.06.2016	SVIMS	**Working**	55,000
111	SPMCH/NICU /06/2016/ 0111	Phototherapy Unit	Paediatrics	Phoenix Medical	Phoenix Medical	Brilliance	3034	1 Y	18.06.2016	SVIMS	Working	64,000
112	SPMCH/NICU /06/2016/ 0112	Phototherapy Unit	Paediatrics	Phoenix Medical	Phoenix Medical	Brilliance	3035	1 Y	18.06.2016	SVIMS	Working	64,000
113	SPMCH/NICU /06/2016/ 0113	Phototherapy Unit	Paediatrics	Phoenix Medical	Phoenix Medical	Brilliance	3036	1 Y	18.06.2016	SVIMS	Working	64,000
		TB & Respiratory										
114	SPMCH/TB & CD /10/2016/ 0114	Spirometer	TB & CD	NDD	JK Medical	Easy on PC	227258	1Y	13/10/2016	SVIMS	Working	**Rs1,88,372**
115	SPMCH/Ophtha/01/2018/ 0115	Coagulator	Ophthalmology	Appa samy	Appa samy	AAOM Advent FS9		2Y	20.01.2018	SVIMS	Working	**Rs 5,60,000/-**
116	SPMCH/Ophtha/05/2017/ 0116	A Scan	Ophthalmology	Appa samy	Appa samy						Working	
117	SPMCH/Ophtha/05/2017/ 0117	OT Table	Ophthalmology	Appa samy	Appa samy		3101170133				Working	
118	SPMCH/Ophtha/05/2017/ 0118	Operating Microscope	ENT	Carl Zeiss		S100/OPMI 1-FC	6627501964		26.09.2016	SVIMS	Working	
119	SPMCH/ Ob&Gyn /00/0000/ 0119	OT Lights Dual Dome	OBG	Martin	Na	Na					Working	
120	SPMCH/ Ob&Gyn /00/0000/ 0120	Surgical diathermy	OBG	Martin	Vishal	Maximum	ME402M				Working	
121	SPMCH/ E N T /00/0000/ 0121	Suction Apparatus	ENT OP	Sisco	Sisco	Venky	15231				Working	
122	SPMCH/ Ob&Gyn /00/0000/ 0122	Suction Apparatus	OBG	Dolpin		Dolpin	145				Working	

123	SPMCH/ Ob&Gyn /00/0000/ 0123	Suction Apparatus	OBG				141				Working	
124	SPMCH/ Ob&Gyn /00/0000/ 0124	Suction Apparatus	OBG				139				Working	
125	SPMCH/ Ob&Gyn /00/0000/ 0125	Suction Apparatus	OBG				143				Working	
126	SPMCH/ Ob&Gyn /00/0000/ 0126	Suction Apparatus	OBG				142				Working	
127	SPMCH/ Ob&Gyn /00/0000/ 0127	Suction Apparatus	OBG				140				Working	
128	SPMCH/Dermat/00/0000/0128	Radio surgery Unit	Dermatology op	Mega Surg Gold			4190				Working	
129	SPMCH/PaeOPD/00/0000/0129	Weighing machine	Paediatrics opd	DS-415N	Essae		G41516545756				Working	
130	SPMCH/Physci/03/2015/0130	ECT Machine	NC	physcitry	Niviqure meditech	Niviqure meditech	VR-ECT,B3-EEG		31.032015	SVIMS	Working	
131	SPMCH/dental /08/2014/0131	Dental Unit	NC	Dental	confident dental	Mookambika Dental Unit			26.06.2014		Working	
132	SPMCH/ Ob&Gyn /00/0000/ 0132	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus4					Working	
133	SPMCH/ Ob&Gyn /00/0000/ 0133	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus4					Working	
134	SPMCH/ Ob&Gyn /00/0000/ 0134	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus 4					Working	
135	SPMCH/ Ob&Gyn /00/0000/ 0135	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus4					Working	
136	SPMCH/ Ob&Gyn /00/0000/ 0136	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus4					Working	
137	SPMCH/ Ob&Gyn /00/0000/ 0137	surgical diathermy	OBG	Dolpin	Dolphin	Smart plus 4					Working	
138	SPMCH/ E N T /00/0000/ 0138	Micro motor drill	ENT	Saeyang		Marathon 3	1836715					

PATIENT MOBILITY SERVICES –SVIMS OPD & SVIMS Clinic
Wheel chairs and Trolley status as on 02-08-2019

1	Total No. of Wheel Chairs	14
2	No. of Functioning Wheel Chairs	10
3	No. of Non-Functioning Wheel Chairs	04
4	Percentage of Functioning Wheel Chairs	71.4%

1	Total No. of Patient Trolleys	11
2	No. of Functioning Patient Trolleys	06
3	No. of Non-Functioning Patient Trolleys	05
4	Percentage of Functioning Patient Trolleys	54%

PATIENT MOBILITY SERVICES – SVIMS SPMC (W) Hospital
Wheel chairs and Trolleys status as on 02-08-2019

1	Total No. of Wheel Chairs	4
2	No. of Functioning Wheel Chairs	2
3	No. of Non-Functioning Wheel Chairs	2
4	Percentage of Functioning Wheel Chairs	50%

1	Total No. of Patient Trolleys	9
2	No. of Functioning Patient Trolleys	5
3	No. of Non-Functioning Patient Trolleys	4
4	Percentage of Functioning Patient Trolleys	55%

SVIMS - IN PATIENT DEPARTMENT

Wheel chairs and Trolleys status as on 02-08-2019

1	Total No. of Wheel Chairs	91
2	No. of Functioning Wheel Chairs	45
3	No. of Non-Functioning Wheel Chairs	46
4	Percentage of Functioning Wheel Chairs	50%

1	Total No. of Patient Trolleys	108
2	No. of Functioning Patient Trolleys	67
3	No. of Non-Functioning Patient Trolleys	41
4	Percentage of Functioning Patient Trolleys	62%

OT Trolleys status as on 02-08-2019

1	Total No. of OTTrolleys	14
2	No. of Functioning OT Trolleys	13
3	No. of Non-Functioning OT Trolleys	01
4	Percentage of Functioning OTTrolleys	93%

SVIMS - Patient Experience of Care

Physical and Virtual options for sharing feedback

URL:
https://internationalqualitymeasurers.org/svims



SVIMS Sri Venkateswara Institute of Medical Sciences

AN AUTONOMOUS UNIVERSITY ESTABLISHED BY ACT OF ANDHRA PRADESH STATE LEGISLATURE IN 1995 RECOGNIZED UNDER SECTION 12(B) OF UGC

ENGLISH | తెలుగు | தமிழ் | हिंदी

PATIENT EXPERIENCE OF CARE - GINEE (VIRTUAL ASSISTANT)

Though we work hard to provide our seamless services, we need your inputs to serve you better. Please rate us to help improve our services.

1. Communication Experience with Doctors
2. Communication Experience with Nurses
3. Communication Experience with Staff.
4. Communication about Medicines.
5. Discharge Process.
6. Cleanliness of Hospital & Toilets.
7. Responsiveness of Staff/Doctors/Nurses.
8. Overall Rating of Hospital.
9. Will you recommend this Hospital to someone for Care?

○ Yes ○ No ○ May Be



SVIMS Sri Venkateswara Institute of Medical Sciences

AN AUTONOMOUS UNIVERSITY ESTABLISHED BY ACT OF ANDHRA PRADESH STATE LEGISLATURE IN 1995 RECOGNIZED UNDER SECTION 12(B) OF UGC

ENGLISH | తెలుగు | தமிழ் | हिंदी

PATIENT EXPERIENCE OF CARE - GINEE (VIRTUAL ASSISTANT)

Though we work hard to provide our seamless services, we need your inputs to serve you better. Please rate us to help improve our services.

1. డాక్టర్లు మీతో మాట్లాడు విధానం
2. నర్సులు మీతో మాట్లాడు విధానం
3. ఆసుపత్రి సిబ్బంది మీతో మాట్లాడు విధానం
4. మందుల గురించి మీకు చెప్పిన విధానం
5. డిశ్చార్జీ విధానం
6. ఆసుపత్రి మరియు మరుగు దొడ్లు యొక్క పరిశుభ్రత
7. సిబ్బంది / డాక్టర్లు / నర్సులు మీకు సహకరించు విధానం
8. మన ఆసుపత్రి గురించి మీ ఓవరాల్ రేటింగ్
9. మన ఆసుపత్రిని మీరు మిగిలిన వారికి సిఫార్స్ చేస్తారా

● Yes ○ No ○ May Be

The feedback form is available in 4 languages i.e., English, Telugu, Hindi and Tamil.

Patient Experience of Care Consolidated Data as on 12-07-2019

Total Feedbacks - 9444

Rating	Communication Experience with Doctors.
10	7193
9	1268
8	361
7	176
6	131
5	113
4	52
3	32
2	37
1	81



Rating	Communication Experience with Nurses.
10	6763
9	1426
8	497
7	188
6	142
5	136
4	74
3	65
2	65
1	88



Rating	Communication Experience with Staff.
10	7009
9	1261
8	375
7	205
6	139
5	149
4	70
3	66
2	63
1	107



Rating	Communication about Medicines.
10	6933
9	1398
8	421
7	189
6	125
5	132
4	63
3	61
2	49
1	73



Rating	Discharge Process.
10	7053
9	1249
8	367
7	185
6	163
5	130
4	69
3	51
2	64
1	113



Rating	Cleanliness of Hospital & Toilets.
10	6635
9	1436
8	541
7	223
6	192
5	162
4	63
3	65
2	53
1	74



Rating	Responsiveness of Staff/Doctors/Nurses
10	7050
9	1333
8	378
7	166
6	135
5	113
4	68
3	52
2	60
1	89



Rating	Overall Rating of Hospital
10	6696
9	1278
8	622
7	337
6	153
5	121
4	66
3	57
2	42
1	72



Will you recommend this Hospital to someone for Care?



Opted For	Count	%
Yes	8950	94.7%
No	193	2.1%
May Be	301	3.2%
Total	**9444**	

Patient Experience of Care
Real-Time Action Taken Data as on 12-07-2019

Total Feedbacks - 7363

R-TAPE : Real-Time Action Started from 01-Sep-2018 – Consolidated Data as on 12-July-2019

Total Number of Responses



Month	Sep'18	Oct'18	Nov'18	Dec'18	Jan'19	Feb'19	Mar'19	Apr'19	May'19	Jun'19	Jul'19	Total
NEGATIVE FEEDBACKS	110	86	60	37	36	36	42	31	30	18	6	548
POSITIVE FEEDBACKS	871	671	637	461	470	373	465	738	840	591	262	6815
TOTAL FEEDBACKS	981	757	697	498	506	409	507	769	870	609	268	7363

Trend in Positive & Negative Feedbacks Percentage



Categorisation, Percentage & Grade of the Problems reported by the Patients

Categories	Frequency	Percent	Cumulative Percent
Cleanliness of toilets	58	10.78067	10.78066914
Discharge Process	57	10.5948	21.37546468
Responsiveness of Nurses	47	8.736059	30.11152416
Delay in OP Process	42	7.806691	37.91821561
Communication Experience with Staff	36	6.69145	44.60966543
Responsiveness of staff	33	6.133829	50.74349442
Communication Experience with Doctors	30	5.576208	56.3197026
Delay in Investigations & Reportings	24	4.460967	60.78066914
Food & Drinking Water	19	3.531599	64.31226766
Responsiveness of Doctors	18	3.345725	67.65799257
AC Not Working	17	3.159851	70.81784387
Delays in Admisson	16	2.973978	73.79182156
Administration Problem	14	2.60223	76.39405204
Communication Experience with Nurses	16	2.973978	79.36802974
Access to Toilets(Distance)	11	2.04461	81.41263941
Unpurposeful long stay in hospital	10	1.858736	83.27137546
Communication about Medicines	11	2.04461	85.31598513
Arogyasri Eligibility Problem	8	1.486989	86.80297398
Billing Process	6	1.115242	87.91821561
More Distance between the Buildings	6	1.115242	89.03345725
Cleanliness	5	0.929368	89.96282528
Delay in discharge summary	5	0.929368	90.89219331
Wheel Chairs & Stretchers	4	0.743494	91.63568773
Accommodation Problem	4	0.743494	92.37918216
Reject to give admission in Emergency ward	4	0.743494	93.12267658
Special Room Services	3	0.557621	93.6802974
Enquiry process	3	0.557621	94.23791822
Staff Nurses Deficit	5	0.929368	95.16728625
Patient Privacy Problem	2	0.371747	95.53903346
Delay in Transferring the Patients	2	0.371747	95.91078067
Staff Using Mobiles	2	0.371747	96.28252788
Bed Charges Over Rate	2	0.371747	96.65427509
Delay in Aarogyasri discharge	2	0.371747	97.0260223
SVIMS App Technical issues	3	0.557621	97.58364312
Lack of availability of ICU Beds	3	0.557621	98.14126394
Blood Scarcity	1	0.185874	98.32713755
Patients Belongings Missing	1	0.185874	98.51301115
Power Problem During Rain	1	0.185874	98.69888476
Reduce the mortality rate	1	0.185874	98.88475836
Lift Facilities	1	0.185874	99.07063197
Lack of availability of Surgical Instruments	1	0.185874	99.25650558
Over rates in Canteen	1	0.185874	99.44237918
Non change of Bed sheets	2	0.371747	99.81412639
Fans not working	1	0.185874	100
TOTAL	538		

Graphical Representation of Percentage of the Categories



MORTALITY

SVIMS instituted mortality reduction & quality improvement strategies along a novel strategy of “Multiple Sequential Wedges of improvement”. Each set of quality improvements is introduced every 6 months & effects measured. These ‘6 month spells’ of average mortality rate are represented in the graphs.

SVIMS Gross Death Rate(%) during 2011-2019 (till July)



SVIMS Net Death Rate (%) during 2011-2019 (till July)